



Copernicus
Europe's eyes on Earth

EUMETSAT

Contract n.: EUM/CO/18/4600002161/EJK

Consiglio Nazionale
delle Ricerche

EUMETSAT_OC-SCV_PDD

v2.0, 20 November 2019

ANNEX A. -TABLE OF CONTENTS

ANNEX A. Traceability against the requirements	2
--	---

ANNEX A. Traceability against the requirements

OC-VCAL-RD-#	Topic	PDD Section	Comments
<i>OC-VCAL-RD_1</i>	<i>SRF</i>	-	<i>Out of scope of the infrastructure</i>
<i>OC-VCAL-RD_2</i>	<i>Gain</i>	-	<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_3</i>	<i>Gain</i>	-	<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_4</i>	<i>Gain</i>	-	<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_5</i>	<i>Gain</i>	-	<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_6</i>	Radiometric Measurements	3.2.2, 4.3.6	
<i>OC-VCAL-RD_7</i>	<i>SVC in NIR</i>	-	<i>Out of Scope of the infrastructure: SVC at NIR is achieved over oligotrophic sites.</i>
<i>OC-VCAL-RD_8</i>	<i>Consistency of RTM in gain estimation</i>	-	<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_9</i>	<i>Site selection based on EUB</i>	2.4	
<i>OC-VCAL-RD_10</i>	<i>Absolute accuracy</i>	4.3	<i>See also EUB</i>
<i>OC-VCAL-RD_11</i>	<i># of SVC sites</i>	1	<i>One unique site is proposed as part of a global network (MarONet) using harmonized SI traceable optical system, protocols and processing.</i>
<i>OC-VCAL-RD_12</i>	<i>Characterization of Atmosphere at the site</i>	2.2.5, 2.4.2	
<i>OC-VCAL-RD_13</i>	<i>Spectral coverage</i>	3.2	
<i>OC-VCAL-RD_14</i>	<i>Spectral resolution & Sampling</i>	3.2	
<i>OC-VCAL-RD_15</i>	<i>Spectral Calibration</i>	3.2	
<i>OC-VCAL-RD_16</i>	<i>Straylight charactrization</i>	3.2	
<i>OC-VCAL-RD_17</i>	<i>Radiometric Calibration & Stability</i>	3.2	
<i>OC-VCAL-RD_18</i>	<i>Radiance detector Angular Response</i>	3.2	
<i>OC-VCAL-RD_19</i>	<i>Immersion Factor</i>	3.2	
<i>OC-VCAL-RD_20</i>	<i>Temperature Dependence</i>	3.2	
<i>OC-VCAL-RD_21</i>	<i>Dark Signal</i>	3.2	
<i>OC-VCAL-RD_22</i>	<i>Polarization Sensitivity</i>	3.2	
<i>OC-VCAL-RD_23</i>	<i>Linearity</i>	3.2	
<i>OC-VCAL-RD_24</i>	<i>Noise Level</i>	3.2	
<i>OC-VCAL-RD_25</i>	<i>Like-to-like rule</i>	3.2.3	
<i>OC-VCAL-RD_26</i>	<i>Instrument self shading</i>	3.3.1, 4.3.6	
<i>OC-VCAL-RD_27</i>	<i>Instrument Tilt</i>	2.2.4, 3.1.2,3.3.1	
<i>OC-VCAL-RD_28</i>	<i>Depth Extrapolation</i>	4.3.6	
<i>OC-VCAL-RD_29</i>	<i>Sea Air Interface</i>	3.3.2, 4.3.6	
<i>OC-VCAL-RD_30</i>	<i>Sampling Strategy</i>	3.2.5	
<i>OC-VCAL-RD_31</i>	<i>Bio-optical characterization: Chlorophyl, absorption</i>	2.2.4, 3.3.2, 4.3.6	
<i>OC-VCAL-RD_32</i>	<i>Bio-optical characterization: IOPs & BRDF</i>	2.2.4, 3.3.2, 4.3.6	

<i>OC-VCAL-RD-#</i>	<i>Topic</i>	<i>PDD Section</i>	<i>Comments</i>
<i>OC-VCAL-RD_33</i>	<i>Spectral Irradiance</i>	3.1.2	
<i>OC-VCAL-RD_34</i>	<i>Aerosol characterization</i>	2.2.5, 3.5	
<i>OC-VCAL-RD_35</i>	<i>Spatial variability of geophysical parameters</i>	2.2.4-6	
<i>OC-VCAL-RD_36</i>	<i>Temporal Stability of geophysical parameters</i>	2.2.4-6	
<i>OC-VCAL-RD_37</i>	<i>Weather and physical conditions</i>	2.2.4-5	
<i>OC-VCAL-RD_38</i>	<i>Bathymetry and Adjacency effects</i>	2.2.4	
<i>OC-VCAL-RD_39</i>	<i>Illumination Conditions</i>	2.2.1	
<i>OC-VCAL-RD_40</i>	<i>Data processing & QC</i>	4.3, 5.2	
<i>OC-VCAL-RD_41</i>	<i>Spectral integration</i>	4.3	
<i>OC-VCAL-RD_42</i>	<i>Normalization and BRDF correction</i>	4.3	
<i>OC-VCAL-RD_43</i>	<i>Temporal matching</i>	3.2.5	
<i>OC-VCAL-RD_44</i>	<i>Size of the macro-pixel</i>		<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_45</i>	<i>Match-up criteria: data quality</i>		<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_46</i>	<i>Vicarious Gain Computation</i>		<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_47</i>	<i>Number of Matchups & averaging</i>	2.3	
<i>OC-VCAL-RD_48</i>	<i>Field system rotation</i>	5.1	
<i>OC-VCAL-RD_49</i>	<i>Site distance from on-shore supporting facilities</i>	2.2.4	
<i>OC-VCAL-RD_50</i>	<i>Equipment for autonomous operation</i>	3.3.1	
<i>OC-VCAL-RD_51</i>	<i>Uncertainty of measured spectra</i>	4.3	
<i>OC-VCAL-RD_52</i>	<i>Data distribution & dissemination</i>	4.5.2	
<i>OC-VCAL-RD_53</i>	<i>Data QC</i>	4.4.2, 5.2	
<i>OC-VCAL-RD_54</i>	<i>Data latency</i>	4.3.2	
<i>OC-VCAL-RD_55</i>	<i>Matchups automatic extraction</i>		<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_56</i>	<i>L2 processor</i>		<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_57</i>	<i>Operational SVC calculation</i>		<i>Out of Scope of the infrastructure</i>
<i>OC-VCAL-RD_58</i>	<i>International harmonization</i>	1	
<i>OC-VCAL-RD_59</i>	<i>Manufacturing</i>	1	<i>See also PPD</i>
<i>OC-VCAL-RD_60</i>	<i>Service Operation and budget</i>	5	<i>See also PPD and PCD</i>
<i>OC-VCAL-RD_61</i>	<i>Evolutionary component</i>	5	
<i>OC-VCAL-RD_62</i>	<i>Human resource management</i>		<i>See PPD</i>