



Copernicus
Europe's system on Earth



EUMETSAT

Contract n.: EUM/CO/18/4600002161/EJK



Consiglio Nazionale
delle Ricerche

EUMETSAT_OC-SCV_PDD

v2.0, 20 November 2019

ANNEX B. -TABLE OF CONTENTS

ANNEX B. Lampedusa publications	2
---------------------------------------	---

ANNEX B. Lampedusa publications

The area of Lampedusa and its environmental characteristics have been widely studied. Many studies have been carried out on the geomorphology of the area, on the vegetation, fauna, biodiversity of the terrestrial and marine environments, on the oceanic properties, circulation, and on the atmospheric composition and properties. A large number of studies (>200), mainly dealing with regional carbon cycle, radiative budget, ocean properties, and climate, used data from the ENEA Station for climate observations.

A list of relevant papers is reported below. The list is necessarily incomplete, due to the difficulty of keeping track of all the data users.

Papers which use data from the Lampedusa Station for Climate Observations:

Ancellet, G., J. Pelon, J. Totems, P. Chazette, A. Bazureau, M. Sicard, T. Di Iorio, F. Dulac, and M. Mallet, Long-range transport and mixing of aerosol sources during the 2013 North American biomass burning episode: analysis of multiple lidar observations in the western Mediterranean basin, *Atmos. Chem. Phys.*, 16, 4725-4742, 2016.

Antoine, D., and D. Nobileau, Recent increase of Saharan dust transport over the Mediterranean Sea, as revealed from ocean color satellite (SeaWiFS) observations, *J. Geophys. Res.*, 111, D12214, doi:10.1029/2005JD006795, 2006.

Arola A., S. Kazadzis, A. Lindfors et al., A new approach to correct for absorbing aerosols in OMI UV, *Geophys. Res. Lett.*, 36, L22805, 2009.

Artuso, F., P. Chamard, S. Chiavarini, et al., Tropospheric halocompounds and nitrous oxide monitored at a remote site in the Mediterranean, *Atmos. Environ.*, 44, 4944-4953, 2010.

Artuso, F., P. Chamard, S. Piacentino, et al., Influence of transport and trends in atmospheric CO₂ at Lampedusa, *Atmos. Environ.*, 43, 3044-3051, 2009.

Artuso, F., P. Chamard, S. Piacentino, et al., Atmospheric methane in the Mediterranean: Analysis of measurements at the island of Lampedusa during 1995-2005, *Atmos. Environ.*, 41, 3877-3888, 2007.

Bais, A.F., S. Kazadzis, K. Garane, et al.. Portable device for characterizing the angular response of UV spectroradiometers, *Appl. Opt.*, 44, 7136-7143, 2005.

Basart, S., C. Perez, E. Cuevas, J.M. Baldasano, and G. P. Gobbi, Aerosol characterization in Northern Africa, Northeastern Atlantic, mediterranean basin and middle east from direct-sun AERONET observations, *Atmospheric Chemistry and Physics*, 9, 8265-8282, 2009.

Basart, S., C. Perez, S. Nickovic, et al., Development and evaluation of the BSC-DREAM8b dust regional model over Northern Africa, the Mediterranean and the Middle East, *Tellus B*, 64, 18539, 2012.

Basu, S., S. Guerlet, A. Butz, S. Houweling, O. Hasekamp, I. Aben, P. Krummel, P. Steele, R. Langenfelds, M. Torn, S. Biraud, B. Stephens, A. Andrews, and D. Worthy, Global CO₂ fluxes estimated from GOSAT retrievals of total column CO₂, *Atmos. Chem. Phys.*, 13, 8695-8717, 2013.

Becagli, S., F. Anello, C. Bommarito, F. Cassola, G. Calzolai, T. Di Iorio, A. di Sarra, J.L. Gómez-Amo, F. Lucarelli, M. Marconi, D. Meloni, F. Monteleone, S. Nava, G. Pace, M. Severi, D. M. Sferlazzo, R. Traversi, and R. Udisti, Constraining the ship contribution to the aerosol of the Central Mediterranean, *Atmos. Chem. Phys.*, 17, 2067-2084, 2017.

Becagli, S., L. Lazzara, F. Fani, C. Marchese, R. Traversi, M. Severi, A. di Sarra, D. Sferlazzo, S. Piacentino, C. Bommarito, U. Dayan, and R. Udisti, Relationship between methanesulfonate (MS-) in atmospheric particulate and remotely sensed phytoplankton activity in oligo-mesotrophic central Mediterranean Sea, *Atmos. Environ.*, 79, 681-688, 2013.

Becagli, S., D.M. Sferlazzo, G. Pace, G.; et al., Evidence for heavy fuel oil combustion aerosols from chemical analyses at the island of Lampedusa: a possible large role of ships emissions in the Mediterranean, 12, 3479-3492, 2012.

Beccali, M., M. Bonomolo, B. Di Pietra, M. G. Ippolito, D. La Cascia, G. Leone, V. Lo Brano, F. Monteleone, and G. Zizzo, Characterization of a small Mediterranean island end-users' electricity consumption: The case of Lampedusa, *Sustainable Cities and Society*, 35, 1-12, 2017.

Beccali, M., P. Finocchiaro, M.G. Ippolito, G. Leone, D. Panno, and G. Zizzo, Analysis of some renewable energy uses and demand side measures for hotels on small Mediterranean islands: A case study, *Energy*, 157, 106-114, 2018.

Begovic, M., C. Copin-Montegut, Processes controlling annual variations in the partial pressure of CO₂ in surface waters of the central northwestern Mediterranean Sea (Dyfamed site), *Deep-Sea Research Part II: Topical Studies in Oceanography*, 49, 2031-2047, 2002.

Bellouin, N., O. Boucher, D. Tanre, and O. Dubovik, Aerosol absorption over the clear-sky oceans deduced from POLDER-1 and AERONET observations, *Geophys. Res. Lett.*, 30, 1748, doi:10.1029/2003GL017121, 2003.

Benedetti-Michelangeli, G., M. Cacciani, F. Congeduti, T. Di Iorio, A. di Sarra, D. Fuà, G. Grams, G. Magyar, A. Mugnai, G. Pace, and G. Visconti, Giorgio Fiocco: A jolly good fellow and his research, *Annals of Geophysics*, 46, 173-184, 2003.

Benkhalifa, J., and M. Chaabane, Towards climatological study on the characteristics of aerosols in Central Africa and Mediterranean sites, *J. Atmos. Solar-Terr. Phys.*, 138-139, 206-214, 2016.

Bergamaschi, P., M. Corazza, U. Karstens, M. Athanassiadou, R. L. Thompson,b, I. Pison, A. J. Manning, P. Bousquet, A. Segers, A. T. Vermeulen, G. Janssens-Maenhout, M. Schmidt, M. Ramonet, F. Meinhardt, T. Aalto, L. Haszpra, J. Moncrieff, M. E. Popa, D. Lowry, M. Steinbacher, A. Jordan, S. O'Doherty, S. Piacentino, and E. Dlugokencky, Top-down estimates of European CH₄ and N₂O emissions based on four different inverse models, *Atmos. Chem. Phys.*, 15, 715-736, 2015.

Bergamo, A., A. M. Tafuro, S. Kinne, F. De Tomasi, and M. R. Perrone, Monthly-averaged anthropogenic aerosol direct radiative forcing over the Mediterranean based on AERONET aerosol properties, *Atmos. Chem. Phys.*, 8, 6995-7014, 2008.

Bian, H., K. Froyd, D. M. Murphy et al., Observationally constrained analysis of sea salt aerosol in the marine atmosphere, *Atmos. Chem. Phys.*, 19, 10773–10785, 2019.

Borges, A. V., L.-S. Schiettecatte, G. Abril, B. Delille, and F. Gazeau, Carbon dioxide in European coastal waters, *Estuarine, Coastal and Shelf Science*, 70, 375-387, 2006.

Brajard J., A. Niang, S. Sawadogo et al., Estimating aerosol parameters above the ocean from MERIS observations using topological maps, *Int. J. Remote Sens.*, 28, 781-795, 2007.

Breitkreuz, H., M. Schroedter-Homscheidt, T. Holzer-Popp, and S. Dech, Short-Range Direct and Diffuse Irradiance Forecasts for Solar Energy Applications Based on Aerosol Chemical Transport and Numerical Weather Modeling, *J. Appl. Meteor. Climatol.*, 48, 1766-1779, 2009.

Briant, R., P. Tuccella, A. Deroubaix, D. Khvorostyanov, L. Menut, S. Mailler, and S. Turquety, Aerosol-radiation interaction modelling using online coupling between the WRF 3.7.1 meteorological model and the CHIMERE 2016 chemistry-transport model, through the OASIS3-MCT coupler, *Geosci. Model Dev.*, 10, 927-944, 2017.

Brocchi, V., G. Krysztofiak, V. Catoire, J. Guth, V. Marecal, R. Zbinden, L. El Amraoui, F. Dulac, and P. Ricaud, Intercontinental transport of biomass burning pollutants over the Mediterranean Basin during the summer 2014 ChArMEx-GLAM airborne campaign, *Atmos. Chem. Phys.*, 18, 6887-6906, 2018.

Broquet, G., F. Chevallier, P. Rayner, C. Aulagnier, I. Pison, M. Ramonet, M. Schmidt, A European summertime CO₂ biogenic flux inversion at mesoscale from continuous in situ mixing ratio measurements, *J. Geophys. Res.*, 116, D23303, 2011.

Broquet, G., F. Chevallier, F.-M. Breon, et al., Regional inversion of CO₂ ecosystem fluxes from atmospheric measurements: reliability of the uncertainty estimates, *Atmos. Chem. Phys.*, 13, 9039-9056, 2013.

Bruhwiler, L., E. Dlugokencky, K. Masarie, M. Ishizawa, A. Andrews, J. Miller, C. Sweeney, P. Tans, and D. Worthy, CarbonTracker-CH₄: an assimilation system for estimating emissions of atmospheric methane, *Atmos. Chem. Phys.*, 14, 8269-8293, 2014.

Brunozzi, P.T. and F. Marenco, A lidar for water vapour measurements in daytime at Lampedusa, Italy, *Annals of Geophysics*, 46, 459-465, 2003.

Butler, M.P., K.J. Davis, A.S. Denning, and S.R. Kawa, Using continental observations in global atmospheric inversions of CO₂: North American carbon sources and sinks, *Tellus, Series B: Chemical and Physical Meteorology*, 62, 550-572, 2010.

Calzolai, G., M. Chiari, F. Lucarelli, S. Nava, and S. Portarena, Proton induced gamma-ray emission yields for the analysis of light elements in aerosol samples in an external beam set-up, *Nuclear Instruments and Methods in Physics Research B*, 268, 1540-1545, 2010.

Calzolai, G., S. Nava, F. Lucarelli, M. Chiari, M. Giannoni, S. Becagli, R. Traversi, M. Marconi, D. Frosini, M. Severi, R. Udisti, A. di Sarra, G. Pace, D. Meloni, C. Bommarito, F. Monteleone, F. Anello, and D. M. Sferlazzo, Characterization of PM10 sources in the central Mediterranean, *Atmos. Chem. Phys.*, 15, 13939-13955, 2015.

Campanelli, M., W. Junkermann, B. Olivieri, et al., Physical features of the atmospheric aerosol determined with an aureolemeter and a FSSP probe in the Mediterranean Lampedusa island, *Atmos. Environ.*, 35, 3607-3618, 2001.

Casasanta, G., A. di Sarra, D. Meloni, F. Monteleone, G. Pace, S. Piacentino, and D. Sferlazzo, Large aerosol effects on ozone photolysis in the Mediterranean, *Atmos. Environ.*, 45, 3937-3943, 2011.

Caumont, O., D. Cimini, U. Loehnert, L. Alados-Arboledas, R. Bleisch, F. Buffa, M. E. Ferrario, A. Haefele, T. Huet, F. Madonna, and G. Pace, Assimilation of humidity and temperature observations retrieved from ground-based microwave radiometers into a convective-scale NWP model, *Q. J. R. Meteorol. Soc.*, 142, 2692-2704, 2016.

Chamard, P., F. Thiery, A. di Sarra, A; et al., Interannual variability of atmospheric CO₂ in the Mediterranean: measurements at the island of Lampedusa, *Tellus B*, 55, 83-93, 2003.

Chen, Y.-H., and R. G. Prinn, Estimation of atmospheric methane emissions between 1996 and 2001 using a three-dimensional global chemical transport model, *J. Geophys. Res.*, 111, D10307, 2006.

Chevallier F., P. Ciais, T.J. Conway, et al., CO₂ surface fluxes at grid point scale estimated from a global 21 year reanalysis CO₂ surface fluxes at grid point scale estimated from a global 21 year reanalysis of atmospheric measurements, *J. Geophys. Res.*, 115, D21307, 2010.

Chen, J.M., G. Mo, and F. Deng, A joint global carbon inversion system using both CO₂ and ¹³CO₂ atmospheric concentration data, *Geosci. Model Dev.*, 10, 1131–1156, 2017.

Chin, M., T. Diehl, O. Dubovik, T. F. Eck, B. N. Holben, A. Sinyuk, and D. G. Streets, Light absorption by pollution, dust, and biomass burning aerosols: a global model study and evaluation with AERONET measurements, *Ann. Geophys.*, 27, 3439–3464, 2009.

Chung, C.E., V. Ramanathan, and D. Deamer, Observationally constrained estimates of carbonaceous aerosol radiative forcing, *PNAS*, 109, 1624–11629, 2012.

Ciais P., P. Rayner, F. Chevallier et al., Atmospheric inversions for estimating CO₂ fluxes: methods and perspectives, *Climatic Change*, 103, 69-92, 2010.

Ciardini, V., G.M. Contessa, R. Falsaperla, J. L. Gómez-Amo, D. Meloni, F. Monteleone, G. Pace, S. Piacentino, D. Sferlazzo, and A. di Sarra, Global and Mediterranean climate change: a short summary, *Annali Ist. Super. Sanità*, 52, 325-337, 2016.

Copin-Montegut, C., Consumption and production on scales of a few days of inorganic carbon, nitrate and oxygen by the planktonic community: Results of continuous measurements at the Dyfamed Station in the northwestern Mediterranean Sea (May 1995), *Deep-Sea Research Part I: Oceanographic Research Papers*, 47, 447-477, 2000.

Copin-Montegut, C., M. Begovic, and L. Merlivat, Variability of the partial pressure of CO₂ on diel to annual time scales in the Northwestern Mediterranean Sea, *Marine Chemistry*, 85, 169-189, 2004.

Corazza, M., P. Bergamaschi, A. T. Vermeulen, T. Aalto, L. Haszpra, F. Meinhardt, S. O'Doherty, R. Thompson, J. Moncrieff, E. Popa, M. Steinbacher, A. Jordan, E. Dlugokencky, C. Bruehl, M. Krol, and

F. Dentener, Inverse modelling of European N₂O emissions: assimilating observations from different networks, *Atmos. Chem. Phys.*, 11, 2381-2398, 2011.

Cossarini, G., P. Lazzari, and C. Solidoro, Spatiotemporal variability of alkalinity in the Mediterranean Sea, *Biogeosciences*, 12, 1647-1658, 2015.

Cressot, C., F. Chevallier, P. Bousquet, et al., On the consistency between global and regional methane emissions inferred from SCIAMACHY, TANSO-FTS, IASI and surface measurements, *Atmos. Chem. Phys.*, 14, 577-592, 2014.

Cristofanelli, P., M. Busetto, F. Calzolari, I. Ammosato, D. Gull, A. Dinoi, C. R. Calidonna, D. Contini, D. Sferlazzo, T. Di Iorio, S. Piacentino, A. Marinoni, M. Maione, and P. Bonasoni, Investigation of reactive gases and methane variability in the coastal boundary layer of the central Mediterranean basin, *Elem Sci Anth*, 5, 12, DOI: <https://doi.org/10.1525/elementa.216>, 2017.

Cuevas, E., C. Camino, A. Benedetti, S. Basart, E. Terradellas, J. M. Baldasano, J. J. Morcrette, B. Marticorena, P. Goloub, A. Mortier, A. Berj n, Y. Hern  ndez, M. Gil-Ojeda, and M. Schulz, The MACC-II 2007?2008 reanalysis: atmospheric dust evaluation and characterization over northern Africa and the Middle East, *Atmos. Chem. Phys.*, 15, 3991-4024, 2015.

Curier, R. L., J. P. Veefkind, R. Braak, B. Veihelmann, O. Torres, and G. de Leeuw, Retrieval of aerosol optical properties from OMI radiances using a multiwavelength algorithm: Application to western Europe, *J. Geophys. Res.*, 113, D17S90, 2008.

D'Ortenzio, F., D. Antoine, and S. Marullo, Satellite-driven modeling of the upper ocean mixed layer and air-sea CO₂ flux in the Mediterranean Sea, *Deep-Sea Research I*, 55, 405-434, 2008.

de Meij, A., M. Krol, F. Dentener, E. Vignati, C. Cuvelier, and P. Thunis, The sensitivity of aerosol in Europe to two different emission inventories and temporal distribution of emissions, *Atmos. Chem. Phys.*, 6, 4287-4309, 2006.

De Micco, V., G. Battipaglia, W. A. Brand, P. Linke, M. Saurer, G. Aronne, and P. Cherubini, Discrete versus continuous analysis of anatomical and d13C variability in tree rings with intra-annual density fluctuations, *Trees*, 26, 513-524, 2012.

De Paepe, B., A. Ignatov, S. Dewitte, and A. Ipe, Aerosol retrieval over ocean from SEVIRI for the use in GERB Earth's radiation budget analyses, *Remote Sens. Environ.*, 112, 2455-2468, 2008.

Deutscher, N.M., V. Sherlock, S. E. Mikaloff Fletcher, D. W. T. Griffith, J. Notholt, R. Macatangay, B. J. Connor, J. Robinson, H. Shiona, V. A. Velasco, Y. Wang, P. O. Wennberg, and D. Wunch, Drivers of column-average CO₂ variability at Southern Hemispheric Total Carbon Column Observing Network sites, *Atmos. Chem. Phys.*, 14, 9883-9901, 2014.

Di Biagio C., A. di Sarra, and D. Meloni, Mediterranean aerosol radiative forcing and influence of the single scattering albedo, *Geochim. et Cosmochim. Acta*, 73, A290, 2009.

Di Biagio, C., A. di Sarra, and D. Meloni, Large atmospheric shortwave radiative forcing by Mediterranean aerosols derived from simultaneous ground-based and spaceborne observations and dependence on the aerosol type and single scattering albedo, *J. Geophys. Res.*, 115, D10209, 2010.

Di Biagio, C., A. di Sarra, D. Meloni, et al., Measurements of Mediterranean aerosol radiative forcing and influence of the single scattering albedo, *J. Geophys. Res.*, 114, D06211, 2009.

Di Iorio, T., A. di Sarra, W. Junkermann, et al., Tropospheric aerosols in the Mediterranean: 1. Microphysical and optical properties, *J. Geophys. Res.*, 108, 4316, 2003.

Di Iorio, T., A. di Sarra, D. M. Sferlazzo, et al., Seasonal evolution of the tropospheric aerosol vertical profile in the central Mediterranean and role of desert dust, *J. Geophys. Res.*, 114, D02201, 2009.

di Sarra, A., C. Bommarito, F. Anello, T. Di Iorio, D. Meloni, F. Monteleone, G. Pace, S. Piacentino, and D. Sferlazzo, Assessing the quality of shortwave and longwave radiation observations over the ocean: one year of high time resolution measurements at the Lampedusa Oceanographic Observatory, *Journal of Atmospheric and Oceanic Technology*, doi: 10.1175/JTECH-D-19-0018.1, 2019.

di Sarra A., P. Disterhoft, and J.J. DeLuisi, On the importance of spectral responsivity of Robertson-Berger-type ultraviolet radiometers for long-term observations, *Photochem Photobiol.*, 76, 64-72, 2002.

di Sarra, A., C. Di Biagio, D. Meloni, F. Monteleone, G. Pace, S. Pugnaghi, and D. Sferlazzo, Shortwave and longwave radiative effects of the intense Saharan dust event of 25-26 March, 2010, at Lampedusa (Mediterranean Sea), *J. Geophys. Res.*, 116, D23209, 2011.

di Sarra, A., D. Sferlazzo, D. Meloni, F. Anello, C. Bommarito, S. Corradini, L. De Silvestri, T. Di Iorio, F. Monteleone, G. Pace, S. Piacentino, and S. Pugnaghi, Empirical correction of MFRSR aerosol optical depths for the aerosol forward scattering and development of a long-term integrated MFRSR-Cimel dataset at Lampedusa, *Appl. Opt.*, 54, 2725-2737, 2015

di Sarra, A., D. Fuà, and D. Meloni, Estimate of surface direct radiative forcing of desert dust from atmospheric modulation of the aerosol optical depth, *Atmos. Chem. Phys.*, 13, 5647-5654, 2013.

di Sarra, A., M. Cacciani, P. Chamard, et al., Effects of desert dust and ozone on the ultraviolet irradiance at the Mediterranean island of Lampedusa during PAUR II, *J. Geophys. Res.*, 107, 8135, 2002.

di Sarra, A., T. Di Iorio, M. Cacciani, et al., Saharan dust profiles measured by lidar at Lampedusa, *J. Geophys. Res.*, 106, 10335-10347, 2001.

di Sarra, A., D. Fuà, M. Cacciani, et al., Determination of ultraviolet cosine-corrected irradiances and aerosol optical thickness by combined measurements with a Brewer spectrophotometer and a multifilter rotating shadowband radiometer, *Appl. Opt.* 47, 6142-6150, 2008.

di Sarra, A., G. Pace, D. Meloni, et al., Surface shortwave radiative forcing of different aerosol types in the central Mediterranean, *Geophys. Res. Lett.*, 35, L02714, 2008.

Diemoz, H., A. M. Siani, G.R. Casale, A. di Sarra, B. Serpillo, B. Petkov, S. Scaglione, A. Bonino, S. Facta, and F. Fedele, First national intercomparison of solar ultraviolet radiometers in Italy, *Atm. Meas. Tech.*, 4, 1689-1703, 2011.

Flecha, S., F.F. Pérez, G. Navarro, J. Ruiz, I. Olivé, S. Rodriguez-Galvez, E. Costas, and I. E. Huertas, Anthropogenic carbon inventory in the Gulf of Cadiz, *Journal of Marine Systems*, 92, 67-75, 2012.

Flaounas, E., V. Kotroni, K. Lagouvardos, M. Klose, C. Flamant, and T. M. Giannaros, Sensitivity of the WRF-Chem (V3.6.1) model to different dust emission parametrisation: assessment in the broader Mediterranean region, *Geosci. Model Dev.*, 10, 2925–2945, 2017.

Floutsi, A.-A., M.B. Korras-Carraca, C. Matsoukas, N. Hatzianastassiou, and G. Biskos, Climatology and trends of aerosol optical depth over the Mediterranean basin during the last 12 years (2002-2014) based on Collection 006 MODIS-Aqua data, *Science of the Total Environment*, 551-552, 292-303, 2016.

Formenti, P., L. Mbemba Kabuiku, I. Chiapello, F. Ducos, F. Dulac, and D. Tanré, Aerosol optical properties derived from POLDER-3/PARASOL (2005-2013) over the western Mediterranean Sea - Part 1: Quality assessment with AERONET and in situ airborne observations, *Atmos. Meas. Tech.*, 11, 6761-6784, 2018.

Fortems-Cheiney, A., M. Saunois, I. Pison, F. Chevallier, P. Bousquet, C. Cressot, S. A. Montzka, P. J. Fraser, M. K. Vollmer, P. G. Simmonds, and D. Young, Increase in HFC-134a emissions in response to the success of the Montreal Protocol, *J. Geophys. Res. Atmos.*, 120, 11,728-11,742, doi:10.1002/2015JD023741, 2015.

Fortems-Cheiney, A.; Chevallier, F.; Saunois, M.; et al., HCFC-22 emissions at global and regional scales between 1995 and 2010: Trends and variability, *J. Geophys. Res. Atmos.*, 118, 7379-7388, 2013.

Fu, Y., K. Desboeufs, J. Vincent, E. Bon Nguyen, B. Laurent, R. Losno, and F. Dulac, Estimating chemical composition of atmospheric deposition fluxes from mineral insoluble particles deposition collected in the western Mediterranean region, *Atmos. Meas. Tech.*, 10, 4389-4401, 2017.

Georgoulas, A.K., G. Alexandri, K.A. Kourtidis, J. Lelieveld, P. Zanis, and V. Amiridis, Differences between the MODIS Collection 6 and 5.1 aerosol datasets over the greater Mediterranean region, *Atmos. Environ.*, 147, 310-319, 2016.

Gkikas, A., S. Basart, N. Hatzianastassiou, E. Marinou, V. Amiridis, S. Kazadzis, J. Pey, X. Querol, O. Jorba, S. Gass, and J. M. Baldasano, Mediterranean intense desert dust outbreaks and their vertical structure based on remote sensing data, *Atmos. Chem. Phys.*, 16, 8609-8642, 2016.

Gomez-Amo, J. L., V. Estelles, A. di Sarra, R. Pedros, D. Sferlazzo, M.P. Utrillas, and J.A. Martinez-Lozano, A comparison of Microtops II and satellite ozone measurements in the period 2001-2011, *J. Atmos. Solar Terr. Phys.*, 94, 5-12, 2013.

Gomez-Amo, J. L., V. Estelles, A. di Sarra, R. Pedros, M.P. Utrillas, J.A. Martinez-Lozano, C. Gonzalez-Frias, E. Kyro, and J.M. Vilaplana, Operational considerations to improve total ozone measurements with a Microtops II ozone monitor, *Atmos. Meas. Tech.*, 5, 759–769, 2012.

Gomez-Amo, J.L., V. Pinti, T. Di Iorio, A. di Sarra, D. Meloni, S. Becagli, V. Bellantone, M. Cacciani, D. Fuà, and M. R. Perrone, The June 2007 Saharan dust event in the central Mediterranean:

Observations and radiative effects in marine, urban, and sub-urban environments, *Atmos. Environ.*, 45, 5385-5393, 2011.

Groebner, J., J. Schreder, S. Kazadzis, et al., Traveling reference spectroradiometer for routine quality assurance of spectral solar ultraviolet irradiance measurements, *Appl. Opt.*, 44, 5321-5331, 2005.

Groebner, J., M. Blumthaler, S. Kazadzis, A. Bais, A. Webb, J. Schreder, G. Seckmeyer, and D. Rembges, Quality assurance of spectral solar UV measurements: results from 25 UV monitoring sites in Europe, 2002 to 2004, *Metrologia*, 43, S66-S71, 2006.

Gurney, K. R., D. Baker, P. Rayner, et al., Interannual variations in continental-scale net carbon exchange and sensitivity to observing networks estimated from atmospheric CO₂ inversions for the period 1980 to 2005, *Global Biogeochem. Cycles*, 22, GB3025, 2008.

Hall, B. D., A. Engel, J. Muehle, et al., Results from the International Halocarbons in Air Comparison Experiment (IHALACE), *Atmos. Meas. Tech.*, 7, 469-490, 2014.

Hamill, P., M. Giordano, C. Ward, D. Giles, B. Holben, An AERONET-based aerosol classification using the Mahalanobis distance, *Atmospheric Environment*, 140, 213-233, 2016.

Haustein, K., C. Pérez, J. M. Baldasano, D. Mueller, M. Tesche, A. Schladitz, M. Esselborn, B. Weinzierl, K. Kandler, and W. von Hoyningen-Huene, Regional dust model performance during SAMUM 2006, *Geophys. Res. Lett.*, 36, L03812, doi:10.1029/2008GL036463, 2009.

Heinold, B., I. Tegen, M. Esselborn, K. Kandler, P. Knippertz, D. Müller, A. Schladitz, M. Tesche, B. Weinzierl, A. Ansmann, D. Althausen, B. Laurent, A. Massling, T. Müller, A. Petzold, K. Schepanski, and A. Wiedensohler, Regional Saharan dust modelling during the SAMUM 2006 campaign, *Tellus B*, 61, 307-324, 2009.

Hodzic, A., S. Madronich, B. Bohn, S. Massie, L. Menut, and C. Wiedinmyer, Wildfire particulate matter in Europe during summer 2003: meso-scale modeling of smoke emissions, transport and radiative effects, *Atmos. Chem. Phys.*, 7, 4043-4064, 2007.

Hood, E.M., and L. Merlivat, Annual to interannual variations of fCO₂ in the northwestern Mediterranean Sea: Results from hourly measurements made by CARIOCA buoys, 1995-1997, *Journal of Marine Research*, 59, 113-131, 2001.

Ichoku, C., L. A. Remer, and T. F. Eck, Quantitative evaluation and intercomparison of morning and afternoon Moderate Resolution Imaging Spectroradiometer (MODIS) aerosol measurements from Terra and Aqua, *J. Geophys. Res.*, 110, D10S03, 2005.

Ingrosso G., M. Giani, C. Comici, M. Kralj, S. Piacentino, C. De Vittor, and P. Del Negro, Drivers of the carbonate system seasonal variations in a Mediterranean gulf, *Estuar. Coast. Shelf Sci.*, 168, 58-70, 2016.

Jamet, C., C. Moulin, and S. Thiria, Monitoring aerosol optical properties over the Mediterranean from SeaWiFS images using a neural network inversion, *Geophys. Res. Lett.*, 31, L13107, 2004.

Jimenez-Guerrero, P., O. Jorba, M.T. Pay, et al., Comparison of two different sea-salt aerosol schemes as implemented in air quality models applied to the Mediterranean Basin, *Atmos. Chem. Phys.*, 11, 4833-4850, 2011.

Junkermann, W., An ultralight aircraft as platform for research in the lower troposphere: System performance and first results from radiation transfer studies in stratiform aerosol layers and broken cloud conditions, *J. Atmos. Ocean. Technol.*, 17, 934-946, 2001.

Junkermann, W., et al., Actinic Radiation and Photolysis Processes in the Lower Troposphere: Effect of Clouds and Aerosols, *J. Atmos. Chem.*, 42, 413-441, 2002.

Kishcha, P., S. Nickovic, B. Starobinets, A. di Sarra, R. Udisti, S. Becagli, D. Sferlazzo, C. Bommarito, and P. Alpert, Sea-salt aerosol forecasts compared with daily measurements at the island of Lampedusa (Central Mediterranean), *Atmos. Res.*, 100, 28-35, 2011.

Kishcha, P., B. Starobinets, R. Udisti, et al., Sea-Salt Aerosol Forecasts Over the Mediterranean Sea Evaluated by Daily Measurements in Lampedusa from 2006 to 2010, in *Air Pollution Modeling And Its Application XXIII*, 2nd NATO/SPS International Technical Meeting on Air Pollution Modeling and its Application, Springer, 321-325, 2014.

Klueser L., J.R. Banks, D.Martynenko, C. Bergemann, H.E. Brindley, and T. Holzer-Popp, Information content of space-borne hyperspectral infrared observations with respect to mineral dust properties, *Remote Sensing of Environment*, 156, 294-309, 2015.

Korras-Carraca, M.B., N. Hatzianastassiou, C. Matsoukas, A. Gkikas, and C. D. Papadimas, The regime of aerosol asymmetry parameter over Europe, the Mediterranean and the Middle East based on MODIS satellite data: evaluation against surface AERONET measurements, *Atmos. Chem. Phys.*, 15, 13113-13132, 2015.

Krasakopoulou, E., Ch. Anagnostou, E. Souvermezoglou, E. Papathanassiou, and S. Rapsomanikis, Distribution of dissolved inorganic carbon and related parameters in the Thermaikos Gulf (Eastern Mediterranean), *Mediterranean Marine Science*, 7/1, 63-78, 2006.

Laurent, B., I. Tegen, B. Heinold, K. Schepanski, B. Weinzierl, and M. Esselborn, A model study of Saharan dust emissions and distributions during the SAMUM-1 campaign, *J. Geophys. Res.*, 115, D21210, 2010.

Lee, J., N. C. Hsu, A. M. Sayer, C. Bettenhausen, and P. Yang, AERONET-based nonspherical dust optical models and effects on the VIIRS Deep Blue/SOAR over-water aerosol product, *J. Geophys. Res. Atmos.*, 122(19), 10384–10401, 2017.

Liuzzi, G., G. Masiello, C. Serio, D. Meloni, C. Di Biagio, and P. Formenti, Consistency of dimensional distributions and refractive indices of desert dust measured over Lampedusa with IASI radiances, *Atmos. Meas. Tech.*, 10, 599-615, 2017.

Locatelli, R., P. Bousquet, M. Saunois, F. Chevallier, and C. Cressot, Sensitivity of the recent methane budget to LMDz sub-grid-scale physical parameterizations, *Atmos. Chem. Phys.*, 15, 9765-9780, 2015.

Louanchi, F., M. Boudjakdji, and L. Nacef, Decadal changes in surface carbon dioxide and related variables in the Mediterranean Sea as inferred from a coupled data diagnostic model approach, ICES Journal of Marine Science, 66, 1538-1546, 2009.

Luyssaert,S., G. Abril, R. Andres, D. Bastviken, V. Bellassen, et al., The European land and inland water CO₂, CO, CH₄ and N₂O balance between 2001 and 2005, Biogeosciences, 9, 3357-3380, 2012.

Mailler, S., L. Menut, A. G. di Sarra, S. Becagli, T. Di Iorio, P. Formenti, B. Bessagnet, R. Briant, J. L. Gómez-Amo, M. Mallet, G. Rea, G. Siour, D. M. Sferlazzo, R. Traversi, R. Udisti, and S. Turquety, On the radiative impact of aerosols on photolysis rates: comparison of simulations and observations in the Lampedusa island during the CharMEx/ADRIMED campaign., Atmos. Chem. Phys., 16, 1219-1244, 2016.

Maki, T., M. Ikegami, T. Fujita, et al., New technique to analyse global distributions of CO₂ concentrations and fluxes from non-processed observational data, Tellus, Series B: Chemical and Physical Meteorology, 62, 797-809, 2010.

Mallet, M., F. Dulac, P. Formenti, P. Nabat, J. Sciare, G. Roberts, J. Pelon, G. Ancellet, D. Tanré, F. Parol, A. di Sarra, L. Alados, J. Arndt, F. Auriol, L. Blarel, T. Bourrianne, G. Brogniez, P. Chazette, S. Chevaillier, M. Claeys, B. D'Anna, C. Denjean, Y. Derimian, K. Desboeufs, T. Di Iorio, J.-F. Doussin, P. Durand, A. Feron, E. Freney, C. Gaimoz, P. Goloub, J. L. Gómez-Amo, M.J. Granados-Muñoz, N. Grand, E. Hamonou, I. Jankowiak, M. Jeannot, J.-F. Lon, M. Maill, S. Mailler, D. Meloni, L. Menut, G. Momboisse, J. Nicolas, T. Podvin, V. Pont, G. Rea, J.-B. Renard, L. Roblou, K. Schepanski, A. Schwarzenboeck, K. Sellegri, M. Sicard, F. Solmon, S. Somot, B. Torres, J. Totems, S. Triquet, N. Verdier, C. Verwaerde, J. Wenger, and P. Zapf, Overview of the Chemistry-Aerosol Mediterranean Experiment/Aerosol Direct Radiative Forcing on the Mediterranean Climate (ChArMEx/ADRIMED) summer 2013 campaign, Atmos. Chem. Phys., 16, 455-504, 2016.

Mallet, M., O. Dubovik, P. Nabat, et al., Absorption properties of Mediterranean aerosols obtained from multi-year ground-based remote sensing observations, Atmos. Chem. Phys. 13, 9195-9210, 2013.

Mallet, M.D., B. D'Anna, A. Meme, M. C. Bove, F. Cassola, G. Pace, K. Desboeufs, C. Di Biagio, J.-F. Doussin, M. Maille, D. Massabò, J. Sciare, P. Zapf, A. G. di Sarra, and P. Formenti, Summertime surface PM₁ aerosol composition and size by source region at the Lampedusa island in the central Mediterranean Sea, Atmos. Chem. Phys., 19, 11123-11142, 2019.

Marconi, M., D.M. Sferlazzo, S. Becagli, C. Bommarito, G. Calzolai, M. Chiari, A. di Sarra, et al., Saharan dust aerosol over the central Mediterranean Sea: PM₁₀ chemical composition and concentration versus optical columnar measurements, Atmos. Chem. Phys., 14, 2039–2054, 2014.

Marenco F., A. di Sarra, and J. De Luisi, Methodology for determining aerosol optical depth from Brewer 300-320-nm ozone measurements, Appl. Opt., 41, 1805-1814, 2002.

Marenco, F., and P. Tini Brunozzi, Different possibilities for water vapour measurements by lidar in daytime at ENEA's observatory in Lampedusa, Italy: a simulation, J. Optics A Pure Appl. Optics, 4, 408-418, 2002.

Martiny, N, R. Santer, and I. Smolskaia, Vicarious calibration of MERIS over dark waters in the near infrared, *Remote Sens. Environ.*, 94, 475-490, 2005.

Mateos, D., A. di Sarra, D. Meloni, C. Di Biagio, and D. M. Sferlazzo, Experimental determination of cloud influence on the spectral UV radiation and implications for biological effects, *J. Atmos. Solar Terr. Phys.*, 73, 1739-1746, 2011.

Mateos, D., J. Bilbao, A.I. Kudish, et al., Validation of OMI satellite erythemal daily dose retrievals using ground-based measurements from fourteen stations, *Remote Sens. Environ.*, 128, 1-10, 2013.

Mélin, F., M. Clerici, G. Zibordi, B.N. Holben, and A. Smirnov, Validation of SeaWiFS and MODIS aerosol products with globally distributed AERONET data, *Remote Sens. Environ.*, 114, 230-250, 2010.

Meloni, D. A. di Sarra, T. Di Iorio, et al., Influence of the vertical profile of Saharan dust on the visible direct radiative forcing, *J. Quant. Spectrosc. Radiat. Transfer*, 93, 397-413, 2005.

Meloni, D., W. Junkermann, A. di Sarra, M. Cacciani, L. De Silvestri, T. Di Iorio , V. Estell,s, J. L. Gçmez-Amo, G. Pace, and D. M. Sferlazzo, Altitude-resolved shortwave and longwave radiative effects of desert dust in the Mediterranean during the GAMARF campaign: indications of a net daily cooling in the dust layer, *J. Geophys. Res. Atmos.*, 120, 3386-3407, doi: 10.1002/2014JD022312, 2015.

Meloni, D., A. di Sarra, G. Biavati, J.J. DeLuisi, F. Monteleone, G. Pace, S. Piacentino, and D. Sferlazzo, Seasonal behavior of Saharan dust events at the Mediterranean island of Lampedusa in the period 1999-2005, *Atmos. Environ.*, 41, 3041-3056, 2007.

Meloni, D., A. di Sarra, J. DeLuisi, T. Di Iorio, G. Fiocco, W. Junkermann, and G. Pace, Tropospheric aerosols in the Mediterranean: II. Radiative effects through model simulations and measurements, *J. Geophys. Res.*, 108 (D10), 4317, doi: 10.1029/2002JD002807, 2003.

Meloni, D., A. di Sarra, T. Di Iorio, and G. Fiocco, Direct radiative forcing of Saharan dust in the Mediterranean from measurements at Lampedusa island and MISR space-borne observations, *J. Geophys. Res.*, 109 (D8), D08206, doi: 10.1029/2003JD003960, 2004.

Meloni, D., A. di Sarra, G. Fiocco, and W. Junkermann, Tropospheric aerosols in the Mediterranean: III. Measurements and modeling of actinic radiation profiles, *J. Geophys. Res.*, 108 (D10), 4323, doi: 10.1029/2002JD003293, 2003.

Meloni, D., A. di Sarra, J. R. Herman, F. Monteleone, and S. Piacentino, Comparison of ground-based and TOMS erythemal UV doses at the island of Lampedusa in the period 1998-2003: Role of tropospheric aerosols, *J. Geophys. Res.*, 110, D01202, doi: 10.1029/2004JD005283, 2005.

Meloni, D., A. di Sarra, F. Monteleone, G. Pace, S. Piacentino, and D. M. Sferlazzo, Seasonal transport patterns of intense Saharan dust events at the Mediterranean island of Lampedusa, *Atmos. Res.*, 88, 134-148, 2008.

Meloni, D., A. di Sarra, G. Pace, and F. Monteleone, Optical properties of aerosols over the central Mediterranean. 2. Determination of single scattering albedo at two wavelengths for different aerosol types, *Atmos. Chem. Phys.*, 6, 715–727, 2006.

Meloni, D., F. Marenco and A. di Sarra, Ultraviolet radiation and aerosol monitoring at Lampedusa, Italy, *Annals of Geophysics*, 46, 373-384, 2003.

Meloni, D., C. Di Biagio, A. di Sarra, F. Monteleone, G. Pace, and D. M. Sferlazzo, Accounting for the solar radiation influence on downward longwave irradiance measurements by pyrgeometers, *J. Atmos. Ocean. Technol.*, 29, 1629-1643, 2012.

Meloni, D., A. di Sarra, G. Brogniez, C. Denjean, L. De Silvestri, T. Di Iorio, P. Formenti, J. L. Gómez-Amo, J. Gröbner, N. Kouremeti, G. Liuzzi, M. Mallet, G. Pace, and D. M. Sferlazzo, Determining the infrared radiative effects of Saharan dust: a radiative transfer modelling study based on vertically resolved measurements at Lampedusa, *Atmos. Chem. Phys.*, 18, 4377-4401, 2018.

Menut, L., G. Rea, S. Mailler, D. Khvorostyanov, and S. Turquety, Aerosol forecast over the Mediterranean area during July 2013 (ADRIMED/CHARMEX), *Atmos. Chem. Phys.*, 15, 7897-7911, 2015.

Menut, L., G. Siour, S. Mailler, F. Couvidat, and B. Bessagnet, Observations and regional modeling of aerosol optical properties, speciation and size distribution over Northern Africa and western Europe, *Atmos. Chem. Phys.*, 16, 12961-12982, 2016.

Menut, L., S. Mailler, G. Siour, B. Bessagnet, S. Turquety, G. Rea, R. Briant, M. Mallet, J. Sciare, P. Formenti, and F. Meleux, Ozone and aerosol tropospheric concentrations variability analyzed using the ADRIMED measurements and the WRF and CHIMERE models, *Atmos. Chem. Phys.*, 15, 6159-6182, , 2015.

Menut, L., O. Masson, and B. Bessagnet, Contribution of Saharan dust on radionuclide aerosol activity levels in Europe. The 21-22 February 2004 case study, *J. Geophys. Res.*, 114, D16202, doi:10.1029/2009JD011767, 2009.

Mishra, A.K., K. Klingmueller, E. Fredj, J. Lelieveld, Y. Rudich, and I. Koren, Radiative signature of absorbing aerosol over the eastern Mediterranean basin, *Atmos. Chem. Phys.*, 14, 7213-7231, 2014.

Mishra,A.K., Y. Rudich, and I. Koren, Spatial boundaries of Aerosol Robotic Network observations over the Mediterranean basin, *Geophys. Res. Lett.*, 43, 2259-2266, doi:10.1002/2015GL067630, 2016.

Moroni, B., S. Crocchianti, C. Petroselli, R. Selvaggi, S. Becagli, R. Traversi, and D. Cappelletti, Potential source contribution function analysis of long-range transported aerosols in the Central Mediterranean: a comparative study of two background sites in Italy, *Rendiconti Lincei. Scienze Fisiche e Naturali*, 30, 337-349, 2019.

Nabat, P., S. Somot, M. Mallet, M. Michou, F. Sevault, F. Driouech, D. Meloni, A. di Sarra, C. Di Biagio, P. Formenti, M. Sicard, J.-F. Lon, and M.-N. Bouin, Dust aerosol radiative effects during summer 2012 simulated with a coupled regional aerosol-atmosphere-ocean model over the Mediterranean, *Atmos. Chem. Phys.*, 15, 3303-3326, 2015.

Nabat, P.; Somot, S.; Mallet, M.; et al., A 4-D climatology (1979-2009) of the monthly tropospheric aerosol optical depth distribution over the Mediterranean region from a comparative evaluation and blending of remote sensing and model products, *Atmos. Meas. Tech.*, 6,1287-1314, 2013.

Nassar, R.; D.B.A. Jones, S. S. Kulawik, et al., Inverse modeling of CO₂ sources and sinks using satellite observations of CO₂ from TES and surface flask measurements, *Amtos. Chem. Phys.*, 11, 6029-6047, 2011.

Nevison, C. D., N. M. Mahowald, S. C. Doney, I. D. Lima, G. R. van der Werf, J. T. Randerson, D. F. Baker, P. Kasibhatla, and G. A. McKinley, Contribution of ocean, fossil fuel, land biosphere, and biomass burning carbon fluxes to seasonal and interannual variability in atmospheric CO₂, *J. Geophys. Res.*, 113, doi:10.1029/2007JG000408, G01010, 2008.

Niang A, F. Badran, C. Moulin, et al., Retrieval of aerosol type and optical thickness over the Mediterranean from SeaWiFS images using an automatic neural classification method, *Remote Sens. Environ.*, 100, 82-94, 2006.

Nikitidou, E., A. Kazantzidis, and V. Salamalikis, The aerosol effect on direct normal irradiance in Europe under clear skies, *Renewable Energy*, 68, 475-484, 2014.

Nobileau, D., and D. Antoine, Detection of blue-absorbing aerosols using near infrared and visible (ocean color) remote sensing observations, *Remote Sens. Environ.*, 95, 367-387, 2005.

Omar, A. H., J.-G. Won, D. M. Winker, S.-C. Yoon, O. Dubovik, and M. P. McCormick, Development of global aerosol models using cluster analysis of Aerosol Robotic Network (AERONET) measurements, *J. Geophys. Res.*, 110, D10S14, doi:10.1029/2004JD004874, 2005.

Pace, G., A. di Sarra, D. Meloni, S. Piacentino, and P. Chamard, Optical properties of aerosols over the central Mediterranean. 1. Influence of transport and identification of different aerosol types, *Atmos. Chem. Phys.*, 6, 697–713, 2006.

Pace, G., D. Meloni, and A. di Sarra, Forest fire aerosol over the Mediterranean basin during summer 2003, *J. Geophys. Res.*, 110, D21202, doi:10.1029/2005JD005986, 2005.

Papadimas, C.D., N. Hatzianastassiou, N. Mihalopoulos, M. Kanakidou, B.D. Katsoulis, and I. Vardavas, Assessment of the MODIS Collections C005 and C004 aerosol optical depth products over the Mediterranean basin, *Atmospheric Chemistry and Physics*, 9, 2987-2999, 2009.

Patra, P.K., K. R. Gurney, A. S. Denning, S. Maksyutov, T. Nakazawa, et al., Sensitivity of inverse estimation of annual mean CO₂ sources and sinks to ocean-only sites versus all-sites observational networks, *Geophys. Res. Lett.*, 33, L05814, doi:10.1029/2005GL025403, 2006.

Patra, P.K., T. Saeki, E.J. Dlugokencky, et al., Regional Methane Emission Estimation Based on Observed Atmospheric Concentrations (2002–2012), *J. Meteorological Soc. Japan*, 94, 91–113, 2016.

Pederzoli, A., M. Mircea, S. Finardi, A. di Sarra, and G. Zanini, Quantification of Saharan dust contribution to PM10 concentrations over Italy in 2003–2005, *Atmos. Environ.*, 44, 4181-4190, 2010.

Peters, W., M.C. Krol, G.R. van der Werf, S. Houweling, C.D. Jones, J. Hughes, K. Schaefer, K. Masarie, A. Jacobson, J. B. Miller, C.H. Cho, M. Ramonet, M. Schmidt, L. Ciattaglia, F. Apadula, D. Heltai, F. Meinhardt, A. di Sarra, S. Piacentino, D. Sferlazzo, T. Aalto, J. Hatakka, J. Ström, L. Haszpra, H. A. J. Meijer, A. Jordan, X. Rodó, J.-A. Morgui, A. T. Vermeulen, K. Rozanski, M. Zimnoch, A. Manning, M. Leuenberger, C. Uglietti, A. J. Dolman, P. Ciais, M. Heimann, and P. P. Tans, Seven years

of recent European net terrestrial carbon dioxide exchange constrained by atmospheric observations, *Global Change Biology*, 16, 1317-1337, doi: 10.1111/j.1365-2486.2009.02078.x, 2010.

Petkov , B., C. Tomasi, V. Vitale, P. Bonasoni, C. Lanconelli, E. Benedetti, A. di Sarra, D. Sferlazzo, H. Diémoz, G. Agnesod, and R. Santaguida, Ground-based observations of solar radiation at three Italian sites, during the eclipse of March 29, 2006: Evidence of the environment impact on incoming global irradiance, *Atmos. Res.*, 96, 131-140, 2010.

Peylin P., P.J. Rayner, P. Bousquet, et al., Daily CO₂ flux estimates over Europe from continuous atmospheric measurements: 1, inverse methodology, *Atmos. Chem. Phys.*, 5, 3173-3186, 2005.

Pugnaghi S., M. Boccolari, S. Fazlagic, et al., Comparison of independent integrated water vapour estimates from GPS and sun photometer measurements and a meteorological model, *Physics Chem Earth*, 27, 355-362, 2002.

Ravaioli, M., C. Bergami, F. Riminucci, L. Langone, V. Cardin, A. di Sarra, S. Aracri, M. Bastianini, M. Bensi, A. Bergamasco, C. Bommarito, M. Borghini, G. Bortoluzzi, R. Bozzano, C. Cantoni, J. Chiggiato, E. Crisafi, R. D'Adamo, S. Durante, C. Fanara, F. Grilli, M. Lipizer, M. Marini, S. Misericocchi, E. Paschini, P. Penna, S. Pensieri, A. Pugnetti, F. Raicich, K. Schroeder, G. Siena, A. Specchiulli, G. Stanghellini, A. Vetrano, and A. Crise, The RITMARE Italian Fixed-Point Observatory Network (IFON) for marine environmental monitoring: a case study, *J. Operational Oceanogr.*, 9,s1, s202-s214, 2016.

Rea, G., S. Turquety, L. Menut, R. Briant, S. Mailler, and G. Siour, Source contributions to 2012 summertime aerosols in the Euro-Mediterranean region, *Atmos. Chem. Phys.*, 15, 8013-8036, 2015.

Ricaud, P., R. Zbinden, V. Catoire, V. Brocchi, F. Dulac, E. Hamonou, J.-C. Canonici, L. El Amraoui, S. Massart, B. Piguet, U. Dayan, P. Nabat, J. Sciare, M. Ramonet, M. Delmotte, A. di Sarra, D. Sferlazzo, T. Di Iorio, S. Piacentino, P. Cristofanelli, N. Mihalopoulos, G. Kouvarakis, M. Pikridas, C. Savvides, R. E. Mamouri, A. Nisantzi, D. G. Hadjimitsis, J.-L. Attié, H. Ferré, P. Theron, Y. Kangah, N. Jaidan, J. Guth, P. Jacquet, S. Chevrier, C. Robert, A. Bourdon, J.-F. Bourdinot, and J.-C. Etienne, The GLAM airborne campaign across the Mediterranean basin, *Bull. Amer. Meteorol. Soc.*, 99, 361-380, 2018.

Ridley, D.A., C. L. Heald, J. F. Kok, and C. Zhao, An observationally constrained estimate of global dust aerosol optical depth, *Atmos. Chem. Phys.*, 16, 15097–15117, 2016.

Rivaro, P., R. Messa, S. Massolo, and R. Frache, Distributions of carbonate properties along the water column in the Mediterranean Sea: Spatial and temporal variations, *Marine Chemistry*, 121, 236-245, 2010.

Roedenbeck, C., C. Gerbig, K. Trusilova, and M. Heimann, A two-step scheme for high-resolution regional atmospheric trace gas inversions based on independent models, *Atmos. Chem. Phys.*, 9, 5331-5342, 2009.

Saeki, T., S. Maksyutov, M. Saito, V. Valsala, T. Oda, R. J. Andres, D. Belikov, P. Tans, E. Dlugokencky, Y. Yoshida, I. Morino, O. Uchino, and T. Yokota, Inverse Modeling of CO₂ Fluxes Using GOSAT Data and Multi-Year Ground-Based Observations, *SOLA*, 9, 45-50, doi:10.2151/sola.2013-011, 2013.

Saikawa, E., R. G. Prinn, E. Dlugokencky, et al., Global and regional emissions estimates for N₂O, *Atmos. Chem. Phys.*, 14, 4617–4641, 2014.

Santangelo, R., S. Pugnaghi, S. Corradini, et al., Continuous photometric observations at ENEA base in Lampedusa to estimate precipitable water, *Annals of Geophysics*, 46, 415-421, 2003.

Santer, R., F. Zagolski, and O. Aznay, Aerosol phase function derived from CIMEL measurements, *Int. J. Remote Sens.*, 31 969-992, 2010.

Santese, M., F. De Tomasi, and M. R. Perrone, Moderate Resolution Imaging Spectroradiometer (MODIS) and Aerosol Robotic Network (AERONET) retrievals during dust outbreaks over the Mediterranean, *J. Geophys. Res.*, 112, D18201, 2007

Santese, M., M. R. Perrone, A. S. Zakey, F. De Tomasi, and F. Giorgi, Modeling of Saharan dust outbreaks over the Mediterranean by RegCM3: case studies, *Atmos. Chem. Phys.*, 10, 133-156, 2010.

Sayer, A.M., N. C. Hsu, C. Bettenhausen, Z. Ahmad, B. N. Holben, A. Smirnov, G. E. Thomas, and J. Zhang, SeaWiFS Ocean Aerosol Retrieval (SOAR): Algorithm, validation, and comparison with other data sets, *J. Geophys. Res.*, 117, D03206, doi:10.1029/2011JD016599, 2012.

Scaglione, S., D. Zola, F. Menchini, and I. Di Sarcina, Narrow-band multi-filter radiometer for total ozone content measurements: Mario Zucchelli Station (Antarctica) campaign, *Appl. Opt.*, 56, 1020-1027, 2017.

Schaap, M., R.M.A. Timmermans, R.B.A. Koelemeijer, G. de Leeuw, and P.J.H. Builtjes, Evaluation of MODIS aerosol optical thickness over Europe using sun photometer observations, *Atmos. Environ.*, 42, 2187-2197, 2008.

Schmalwieser, A. W., J. Gröbner, M. Blumthaler, B. Klotz, H. De Backer, D. Bolsée, R. Werner, D. Tomsic, L. Metelka, P. Eriksen, N. Jepsen, M. Aun, A. Heikkilä, T. Duprat, H. Sandmann, T. Weiss, A. Bais, Z. Toth, A. M. Siani, L. Vaccaro, H. Diémoz, D. Grifoni, G. Zipoli, G. Lorenzetto, B. H. Petkov, A. G. di Sarra, F. Massen, C. Yousif, A. A. Aculinin, P. den Outer, T. Svendby, A. Dahlback, B. Johnsen, J. Biszczuk-Jakubowska, J. Krzyscin, D. Henriques, N. Chubarova, P. Kolarž, Z. Mijatovic, D. Groselj, A. Pribullova, J. R. Moreta Gonzales, J. Bilbao, J. M. Vilaplana Guerrero, A. Serrano, S. Andersson, L. Vuilleumier, A. Webb, and J. O'Hagan, UV Index monitoring in Europe, *Photochem. Photobiol. Sci.*, 16, 1349-1370, 2017.

Schorlemmer, D., F. Mele, and W. Marzocchi, A completeness analysis of the National Seismic Network of Italy, *J. Geophys. Res.*, 115, B04308, doi:10.1029/2008JB006097, 2010.

Schroedter-Homscheidt, M., H. Elbern, and T. Holzer-Popp, Observation operator for the assimilation of aerosol type resolving satellite measurements into a chemical transport model, *Atmos. Chem. Phys.*, 10, 10435-10452, 2010

Schulze E. D., S. Luysaert, P. Ciais, et al., Importance of methane and nitrous oxide for Europe's terrestrial greenhouse-gas balance, *Nature Geosci.*, 2, 842-850, 2009.

Schutgens, N.A.J., T. Miyoshi, T. Takemura, and T. Nakajima, Sensitivity tests for an ensemble Kalman filter for aerosol assimilation, *Atmos. Chem. Phys.*, 10, 6583-6600, 2010.

Seckmeyer, G., D. Pissulla, M. Glandorf, et al., Variability of UV irradiance in Europe, *Photochem. Photobiol.*, 84, 172-179, 2008.

Seckmeyer, G., M. Glandorf, C. Wicher, et al., Europe's darker atmosphere in the UV-B, Photochem Phoobiol. Sci., 7, 925-930, 2008.

Sellitto, P., A. di Sarra, S. Corradini, M. Boichu, H. Herbin, P. Dubuisson, G. Sèze, D. Meloni, F. Monteleone, L. Merucci, J. Rusalem, G. Salerno, P. Briole, and B. Legras, Synergistic use of Lagrangian dispersion and radiative transfer modelling with satellite and surface remote sensing measurements for the investigation of volcanic plumes: the Mount Etna eruption of 25-27 October 2013, Atmos. Chem. Phys., 16, 6841–6861, 2016.

Sellitto, P., C. Zanetel, A. di Sarra, G. Salerno, A. Tapparo, D. Meloni, G. Pace, T. Caltabiano, P. Briole, and B. Legras, The impact of Mount Etna sulfur emissions on the atmospheric composition and aerosol properties in the central Mediterranean: a statistical analysis over the period 2000-2013 based on observations and Lagrangian modelling, Atmos. Environ., 148, 77-88, 2017.

Sellitto, P., A. G. di Sarra, and A. M. Siani, An improved algorithm for the determination of aerosol optical depth in the ultraviolet spectral range from Brewer spectrophotometer observations, J. Opt. A: Pure Appl. Opt., 8, 849-855, 2006.

Shi, Y., J. Zhang, J. S. Reid, E. J. Hyer, and N. C. Hsu, Critical evaluation of the MODIS Deep Blue aerosol optical depth product for data assimilation over North Africa, Atmos. Meas. Tech., 6, 949-969, 2013.

Shirai, T., M. Ishizawa, R. Zhuravlev, et al., A decadal inversion of CO₂ using the Global Eulerian–Lagrangian Coupled Atmospheric model (GELCA): sensitivity to the ground-based observation network, Tellus B, 69, 1291158, doi: 10.1080/16000889.2017.1291158, 2017.

Sic, B., L. El Amraoui, A. Piacentini, V. Marécal, E. Emili, D. Cariolle, M. Prather, and J.-L. Attié, Aerosol data assimilation in the chemical transport model MOCAGE during the TRAQA/ChArMEx campaign: aerosol optical depth, Atmos. Meas. Tech., 9, 5535-5554, 2016.

Spyrou, C., C. Mitsakou, G. Kallos, P. Louka, and G. Vlastou, An improved limited area model for describing the dust cycle in the atmosphere, J. Geophys. Res., 115, D17211, doi:10.1029/2009JD013682, 2010.

Steinkamp, K., and N. Gruber, Decadal trends of ocean and landcarbon fluxes from a regional jointocean-atmosphere inversion, Global Biogeochem. Cycles, 29, 2108–2126, doi:10.1002/2014GB004907, 2015.

Stier, P., J. H. Seinfeld, S. Kinne, and O. Boucher, Aerosol absorption and radiative forcing, Atmos. Chem. Phys., 7, 5237-5261, 2007.

Suits, N.S., A. S. Denning, J.A. Berry, et al., Simulation of carbon isotope discrimination of the terrestrial biosphere, Global Biogeochem. Cycle, 19, GB1017, 10.1029/2003GB002141, 2005.

Tafuro, A.M., F. Barnaba, F. De Tomasi, et al., Saharan dust particle properties over the central Mediterranean, Atmos. Res., 81, 67-93, 2006.

Taillardier, V., F. D'Ortenzio, and D. Antoine, Carbon fluxes in the mixed layer of the Mediterranean Sea in the 1980s and the 2000s, Deep-Sea Research, 65, 73-84, 2012.

Toledano, C., M. Wiegner, M. Garhammer, M. Seefeldner, J. Gasteiger, D. Müller, and P. Koepke, Spectral aerosol optical depth characterization of desert dust during SAMUM 2006, Tellus B, 61, 216-228, 2009.

Torres, B., O. Dubovik, D. Fuertes, G. Schuster, V. E. Cachorro, T. Lapyonok, P. Goloub, L. Blarel, A. Barreto, M. Mallet, C. Toledano, and D. Tanré, Advanced characterisation of aerosol size properties from measurements of spectral optical depth using the GRASP algorithm, Atmos. Meas. Tech., 10, 3743-3781, 2017.

Trisolino, P., A. di Sarra, D. Meloni, and G. Pace, Determination of global and diffuse photosynthetically active radiation from multi-filter shadowband radiometer (MFRSR), Appl. Opt., 55, 8280-8286, 2016.

Trisolino, P., A. di Sarra, F. Anello, C. Bommarito, T. Di Iorio, D. Meloni, F. Monteleone, G. Pace, S. Piacentino, and D. Sferlazzo, A long-term time series of global and diffuse photosynthetically active radiation in the Mediterranean: interannual variability and cloud effects, Atmos. Chem. Phys., 18, 7985–8000, 2018. doi: 10.5194/acp-18-7985-2018.

Tsuruta, A., T. Aalto, L. Backman, et al., Global methane emission estimates for 2000-2012 from Carbon Tracker Europe-CH4 v1.0, Geosci. Model Dev., 10, 1261-1289, 2017.

Tsuruta, A., T. Aalto, L. Backman, et al., Evaluating atmospheric methane inversion model results for Pallas, northern Finland, Boreal Environment Research, 20, 506–525, 2015.

Turk, D., V. Malacic, M. D. DeGrandpre, and W. R. McGillis, Carbon dioxide variability and air-sea fluxes in the northern Adriatic Sea, J. Geophys. Res., 115, C10043, doi:10.1029/2009JC006034, 2010.

Villani, M.G., P. Bergamaschi, M. Krol, J. F. Meirink, and F. Dentener, Inverse modeling of European CH4 emissions: sensitivity to the observational network, Atmos. Chem. Phys., 10, 1249-1267, 2010.

Vincent, J., B. Laurent, R. Losno, E. Bon Nguyen, P. Roullet, S. Sauvage, S. Chevaillier, P. Coddeville, N. Ouboulmane, A. G. di Sarra, A. Tovar-Sánchez, D. Sferlazzo, A. Massanet, S. Triquet, R. Morales Baquero, M. Fornier, C. Coursier, K. Desboeufs, F. Dulac, and G. Bergametti, Variability of mineral dust deposition in the western Mediterranean basin and South-East of France, Atmos. Chem. Phys., 16, 8749-8766, 2016.

Viola, R., G. Fiocco, M. Cacciani, T. Di Iorio, and A. di Sarra, Effects of atmospheric scattering and extinction on the retrieval of fluorescence and Cerenkov signals produced by extreme energy cosmic rays and neutrinos from space: Role of lidar for their assessment and correction, Astroparticle Physics, 21, 337-357, 2004.

Vuolo, M. R., L. Menut, and H. Chepfer, Impact of Transport Schemes on Modeled Dust Concentrations, J. Atmos. Ocean. Technol., 26, 1135-1143, 2009.

Wang, J.S., S. R. Kawa, G. J. Collatz, et al., A global synthesis inversion analysis of recent variability in CO₂ fluxes using GOSAT and in situ observations, Atmos. Chem. Phys., 18, 11097–11124, 2018.

Zagolski, F., R. Santer, and O. Aznay, A new climatology for atmospheric correction based on the aerosol inherent optical properties, J. Geophys. Res., 112, doi:10.1029/2006JD007496, D14208, 2007.



Zhou, C., R. Shi, C. Liu and W. Gao, A correlation analysis of monthly mean CO₂ retrieved from the Atmospheric Infrared Sounder with surface station measurements, International Journal of Remote Sensing, 34, 8710-8723, 2013.

Zizzo, G., M. Beccali, M. Bonomolo, B. Di Pietra, M.G. Ippolito, D. La Cascia, G. Leone, V. Lo Brano, F. Monteleone, A feasibility study of some DSM enabling solutions in small islands: The case of Lampedusa, Energy, 140, 1030-1046, 2017.

Zubler, E. M., U. Lohmann, D. Luethi, et al., Intercomparison of aerosol climatologies for use in a regional climate model over Europe, Geophys. Res. Lett., 38, L15705, 2011.

Zubler, E.M., D. Folini, U. Lohmann, D. Luethi, A. Muhlbauer, S. Pousse-Nottelmann, C. Schaar, and M. Wild, Implementation and evaluation of aerosol and cloud microphysics in a regional climate model, J. Geophys. Res., 116, D02211, doi:10.1029/2010JD014572, 2011.

Other selected recent studies

Antonioli, F., S. Kershaw, P. Renda, D. Rust, G. Belluomini, M. Cerasoli, U. Radtke, and S. Silenzi, Elevation of the last interglacial highstand in Sicily (Italy): A benchmark of coastal tectonics, *Quaternary International*, 3, 145-146, 2006.

Azzurro, E., G. La Mesa, E. Fanelli, et al., The rocky-reef fish assemblages of Malta and Lampedusa islands (Strait of Sicily, Mediterranean Sea): a visual census study in a changing biogeographical sector, *Journal of the Marine Biological Association of the United Kingdom*, 93, 2015-2026, 2013.

Azzurro, E., K. Zannaki, F. Andaloro, F. Giardina, and F. Tiralongo, First record of *Ophioblennius atlanticus* (Valenciennes, 1836) in Italian waters, with considerations on effective NIS monitoring in Mediterranean, *Bioinvasions Records*, 7, 437-440, 2018.

Badalamenti, E., L. Gristina, T. La Mantia, et al., Relationship between recruitment and mother plant vitality in the alien species *Acacia cyclops* A. Cunn. ex G. Don, *Forest Ecology Management*, 331, 237-244, 2014.

Carriò, D. S., V. Homar, A. Jansa, et al., Tropicalization process of the 7 November 2014 Mediterranean cyclone: Numerical sensitivity study, *Atmos. Res.*, 197, 300-312, 2017.

Casale, P., D. Freggi, A. Rigoli, et al., Geometric morphometrics, scute patterns and biometrics of loggerhead turtles (*Caretta caretta*) in the central Mediterranean, *Amphibia Reptilia*, 38, 145-146, 2017.

Castriota, L., M. Falautano, P. Battaglia, et al., First record of *Physalia physalis* in the Pelagie Islands (Strait of Sicily) and additional records in the Strait of Messina, *Cahiers de Biologie Marine*, 58, 243-246, 2017.

Cavaleri, L. F. Di Trapani, M.F. Ferrotto, A new hybrid procedure for the definition of seismic vulnerability in Mediterranean cross-border urban areas, *Nat. Hazards*, 86, S517-S541, 2017.

Coltellini, M., D. Cavallaro, G. D'Anna, et al., Exploring the submarine Graham Bank in the Sicily Channel, *Annals of Geophysics*, 59, S0208, 2016.

Consoli, P., V. Esposito, M. Falautano, et al., The impact of fisheries on vulnerable habitats: the case of trawling on circa-littoral grounds in the Strait of Sicily (central Mediterranean Sea), *Marine Biol. Res.*, 13, 1084-1094, 2017.

Di Luca, M., L. Toma, F. Severini, et al., First record of the invasive mosquito species *Aedes (Stegomyia) albopictus* (Diptera: Culicidae) on the southernmost Mediterranean islands of Italy and Europe, *Parasites and Vectors*, 10, 543, 2017.

Distefano, S. F. Gamberi, N. Baldassini, and A. Di Stefano, Late Miocene to Quaternary structural evolution of the Lampedusa island offshore, *Geografia Fisica e Dinamica Quaternaria*, 41, 17-31, 2018.

Evans, J., and P. J. Schembri, On the occurrence of *Cephalopholis Hemistiktos* and *C. Taeniops* (Actinopterygii, Perciformes, Serranidae) in Malta, with corrections of previous misidentifications, *Acta Ichthyologica et Piscatoria*, 47, 197-200, 2017.

Graudi, C., The Upper Pleistocene to Holocene sediments on the Mediterranean island of Lampedusa (Italy), *Journal of Quaternary Science*, 19, 537-545, 2004.

Gristina, A.S., S. Fici, M. Siragusa, et al., Hybridization in *Capparis spinosa* L.: Molecular and morphological evidence from a Mediterranean island complex, *Flora*, 209, 733-741, 2014.

Innangi, S., Tonielli, R., Romagnoli, C. et al., Seabed mapping in the Pelagie Islands marine protected area (Sicily Channel, southern Mediterranean) using Remote Sensing Object Based Image Analysis (RSOBIA), *Mar Geophys Res* 40: 333. <https://doi.org/10.1007/s11001-018-9371-6>, 2019a

Innangi, S., G. Di Martino, C. Romagnoli, and R. Tonielli, Seabed classification around Lampione islet, Pelagie Islands Marine Protected area, Sicily Channel, Mediterranean Sea, *Journal of Maps*, 15:2, 153-164, 2019b.

La Manna, G., M. Manghi, and G. Sara, Monitoring the habitat use of common Bottlenose Dolphins (*Tursiops truncatus*) using passive acoustics in a Mediterranean marine protected area, *Mediterranean Marine Science*, 15, 327-337, 2014.

La Manna, G., F. Ronchetti, and G. Sara, Predicting common bottlenose dolphin habitat preference to dynamically adapt management measures from a Marine Spatial Planning perspective, *Ocean and Coastal Management*, 130, 317-327, 2016.

Lodola, A., J. Ferrario, and A. Occhipinti-Ambrogi, Further Mediterranean expansion of the non-indigenous bryozoan *Celleporaria brunnea*: multiple records along the Italian coasts, *Scientia Marina*, 79, 263-274, 2015.

Manzillo, V.F., M. Gizzarelli, F. Vitale, S. Montagnaro, A. Torina, S. Sotera, and G. Oliva, Serological and entomological survey of canine leishmaniasis in Lampedusa island, Italy, *BMC Veterinary Research*, 14, 286, 2018.

Maric, M., M. De Troch, A. Occhipinti-Ambrogi, et al., Trophic interactions between indigenous and non-indigenous species in Lampedusa Island, Mediterranean Sea, *Marine Environ. Res.*, 120, 182-190, 2016.

Meccariello, M., L. Ferranti, G. Barreca, et al., New insights on the tectonics of the Lampedusa Plateau from the integration of offshore, on-land and space geodetic data, *Italian J. Geosciences*, 136, 206-219, 2017.

Mei, A., C. Manzo, G. Fontinovo, et al., Assessment of land cover changes in Lampedusa Island (Italy) using Landsat TM and OLI data, *Journal of African Earth Sciences*, 122, 15-24, 2016.

Mietto, P., I. Nofroni, E. Quaggiotto, On the systematic position of "Cima" melitensis Mifsud, 1998, with erection of the new genus *Mifsudia* (Heterobranchia Cimidae), *Biodiversity J.*, 5, 141-146, 2014.

Minissale, P., and S. Sciandrello, Ecological features affect patterns of plant communities in Mediterranean temporary rock pools, *Plant Biosystems*, 150, 171-179, 2016.

Nicolas, V., A. Mataame, P.A. Crochet, P. Geniez, S. Fahd, and A. Ohler, Phylogeography and ecological niche modeling unravel the evolutionary history of the African green toad, *Bufo*

boulengeri boulengeri (Amphibia: Bufonidae), through the Quaternary, J. Zoological Systematics and Evolutionary Res., 56, 102-116, 2018.

Panzera, F., G. Lombardo, S. Sicali, et al., Surface geology and morphologic effects on seismic site response: The study case of Lampedusa, Italy, Phys. Chem. Earth, 98, 62-72, 2017.

Pulcini, M., D.S. Pace, G. La Manna, et al., Distribution and abundance estimates of bottlenose dolphins (*Tursiops truncatus*) around Lampedusa Island (Sicily Channel, Italy): implications for their management, J. Marine Bio. Assoc. United Kingdom, 94, 1175-1184, 2014.

Renzi, M., T. Romeo, C. Guerranti, et al., Are shipwrecks a real hazard for the ecosystem in the Mediterranean Sea?, Marine Pollution Bulletin, 124, 21-32, 2017.

Rossi, V., A. Gandolfi, P. Menozzi, Mother's Age and Hatching Phenology Strategy of *Heterocypris incongruens* (Crustacea: Ostracoda) in Unpredictable Environment, J. Experimental Zoology – A: Ecological Genetics adn Physiology, 325, 701-712, 2016.

Rossi, V., A. Martorella, D. Scudieri, et al., Seasonal niche partitioning and coexistence of amphimictic and parthenogenetic lineages of *Heterocypris barbara* (Crustacea: Ostracoda), Canadian J. Zoology, 95, 7-14, 2017.

Sanna, D., F. Scarpa, T. Lai, et al., *Fistularia commersonii* (Teleostea: Fistulariidae): walking through the Lessepsian paradox of mitochondrial DNA, Italian J. Zoology, 82, 499-512, 2015.

Takacs, A, A.V. Molnar, O. Horvath, et al., The rare aquatic angiosperm *Elatine gussonei* (Elatinaceae) is more widely distributed than previously thought, Aquatic Botany, 141, 47-50, 2017.

Tonielli, R., S. Innangi, F. Budillon, et al., Distribution of *Posidonia oceanica* (L.) Delile meadows around Lampedusa Island (Strait of Sicily, Italy), J. of Maps, 12, 249-260, 2016.

Tozzi, R., P. De Michelis, I. Coco, and F. Giannattasio, A Preliminary Rick Assessment of Geomagnetically Induced Currents over the Italian Territory, Space Weather, 17, 46-58, 2019.