

EUMETSAT PROGRAMMES

Last amended on 01 Jan 2021

TABLE OF CONTENTS

INTRODUCTION

I MANDATORY PROGRAMMES

1 Meteosat Operational Programme

- System Description
- Financial Envelope and Scale of Contributions

2 General Budget

- Description
- Ceiling and Contributions

3 Meteosat Transition Programme

- System Description
- Financial Envelope and Contributions

4 Preparatory Programme for Meteosat Second Generation

- System Description
- Financial Envelope and Scale of Contributions

5 Meteosat Second Generation Programme

- Programme Definition
- Financial Envelope and Contributions

6 EUMETSAT Polar System Preparatory Programme

- System Description
- Financial Envelope and Scale of Contributions

7 EUMETSAT Polar System Programme

- System Description
- Financial Envelope and Contributions

8 Meteosat Third Generation Preparatory Programme

- Programme Definition
- Financial Envelope and Contributions

9 Meteosat Third Generation Programme

- Programme Definition
- Financial Envelope and Contributions

10 EUMETSAT Polar System Second Generation Preparatory Programme

- Preparatory Programme Definition
- Financial Envelope and Contributions

11 EUMETSAT Polar System Second Generation Programme

- Programme Definition
- Financial Envelope and Contributions

II SCALE OF CONTRIBUTIONS FOR MANDATORY PROGRAMMES AND GENERAL BUDGET**III OPTIONAL PROGRAMMES****1 OPTIONAL EUMETSAT JASON-2 ALTIMETRY PROGRAMME**

- System Description
- Financial Envelope, Scale of Contributions and Voting Coefficient

2 OPTIONAL EUMETSAT JASON-3 ALTIMETRY PROGRAMME

- System Description
- Financial Envelope, Scale of Contributions and Voting Coefficient

3 OPTIONAL EUMETSAT JASON-CS PROGRAMME

- System Description
- Financial Envelope, Scale of Contributions and Voting Coefficient

IV THIRD PARTY PROGRAMMES

- GMES Sentinel-3
- EUMETSAT Activities in Support of the Implementation of the Copernicus Programme in the Period 2014-2021

INTRODUCTION

When the Amending Protocol to the EUMETSAT Convention entered into force on 19 November 2000, the Annexes to the EUMETSAT Convention were abrogated in accordance with Article 23.2 of the Amending Protocol (see EUM/C/Res. XXXVI, approved by the 15th Council on 4-5 June 1991).

The Annexes to the 'original' Convention contained the System Descriptions and Scales of Contribution for all EUMETSAT programmes. Following the abrogation of the Annexes, this information, although still existing in Resolutions approved by the EUMETSAT Council, was no longer available for easy reference.

It is therefore the intention of this section to provide, in a user-friendly format, the System Descriptions and Scales of Contribution for all EUMETSAT programmes. References to relevant Council Resolutions are also included here. The full text of the Council Resolutions can be found on the EUMETSAT website.

To avoid redundancy and to facilitate future updates, we have in this publication deleted the Scales of Contributions from each Mandatory Programme which is currently in force. A new section containing the Scale of Contributions for Mandatory Programmes has been created. In programmes that have expired we have for historical reasons kept the Scale of Contributions which was in force at the time of expiry of the programme. No change has been made in Optional Programmes as each programme will keep its dedicated Scale.

I MANDATORY PROGRAMMES

As stipulated in the EUMETSAT Convention mandatory programmes are those programmes in which all Member States participate, which are:

- (a) the Meteosat Operational Programme (MOP);
- (b) the basic programmes required to continue the provision of observations from geostationary and polar orbits;
- (c) other programmes as defined as such by the Council.

Mandatory programmes and the General Budget are established through the adoption of a Programme Resolution by the Council, to which a detailed Programme Definition, containing all necessary programmatic, technical, financial, contractual, legal and other elements is attached.

METEOSAT OPERATIONAL PROGRAMME

SYSTEM DESCRIPTION

Applicable from 19 June 1986 until 31 May 1995

(originally formed Annex I of the EUMETSAT Convention, which was opened for signature at the Conference of Plenipotentiaries for the establishment of EUMETSAT, held on 24 May 1983. This programme expired in 1995.)

1 GENERAL

The European Meteorological Satellite system will continue the pre operational Meteosat programme of geostationary satellites. The nominal position of the satellite will be over the 0° meridian. The system will comprise a space segment and a ground segment. The design of the spacecraft will be based on that of Meteosat. The ground segment will also make use of the experience gained during the pre operational Meteosat programme and will provide for the tracking and control of the spacecraft and for central processing of the data.

2 FUNCTIONAL DESCRIPTION

2.1 Space Segment

The satellite will be equipped with the following capabilities:

- Imagery in three spectral regions, visible, infra red atmospheric window, infra red water vapour band.
- Dissemination of images and other data on two channels, each capable of transmitting digital or analogue data to users stations.
- Collection of data transmitted from in situ measuring stations.
- Distribution of meteorological data to earth stations.

2.2 Ground Segment

The ground segment will provide the following functions, most of which have to be performed in near real time to meet meteorological requirements:

- Control, monitoring and operational use of one active satellite.
- Possibility of controlling a second satellite not in operation.
- Reception and pre processing of image data. Pre processing is the process of determining and adjusting for radiometric and geometric variations in the raw data. It will comprise as a minimum, mutual registration of the different channels, calibration of the infra red atmospheric window channel, image localisation.
- Dissemination of pre processed images to primary (PDUS) and secondary (SDUS) user stations.
- Dissemination through the satellite of miscellaneous data including administrative messages and charts supplied from meteorological services.

- Dissemination of images from other meteorological satellites.
- Acquisition and limited processing of messages from in situ measuring stations (Data Collection Platforms (DCP)) and their dissemination. Dissemination of these messages will include both input to the meteorological Global Telecommunication System and transmission through the satellite to users station. (These transmissions will be in addition to the other transmissions listed in this section).
- Extraction of quantitative meteorological data, including wind vectors; other data needed for operational meteorology, such as sea surface temperature, upper tropospheric humidity, cloud amount and height; and a data set suitable for climatological purposes.
- Archiving in digital form of all available images for a sliding period of at least five months and of all the produced elaborated meteorological information permanently.
- Archiving on photographic film of at least 2 full disc images each day.
- Retrieval of archived information.
- Production and distribution of documentation including for instance an image catalogue and a system users' guide.
- Quality control of products and transmissions.

3 TECHNICAL PERFORMANCE

3.1 Space Segment

The detailed performance specification for the spacecraft will be decided by the Council but will not be inferior to the specification for the pre-operational Meteosats except that the facility for "interrogating" data collection platforms through a dedicated down link will be omitted.

The following improvements are foreseen:

- Improved lifetime as regards electric power and propellant.
- Improved reliability of radiometer and electronics.
- Water vapour channel to be brought to the same standard of design and manufacture as the other two channels; noise (interference) to be reduced.
- Simultaneous operation of the infra red window channel, the water vapour channel and both visible channels.
- "In flight" calibration of the water vapour channel.
- Temperature control of calibrating black body.
- Modification of transponder to allow for distribution of digital data to earth stations in addition to pre-operational Meteosat functions.

3.2 Ground Segment

The technical performance for the functions listed in 2.2 shall at least be that of the pre-operational system. The system will however be updated with the aim of improving reliability and reducing operating costs.

4 BRIDGING ACTIVITIES

The operation of the existing system, including Meteosat F1 and F2 and the satellite P2 (if launched within the framework of the pre operational programme) will also be incorporated with the operational programme with effect from 24 November 1983.

5 LAUNCH SCHEDULE

5.1 The operational programme will cover the procurement of components and building of sub-units necessary for three new flight models (MO1, MO2, MO3) and one spare.

Only one integration team will be used and the spacecraft will be integrated sequentially.

MO1 will be launched when ready, in principle in the first half of 1987.

MO2 will be launched about one and a half years later, in principle in the second half of 1988.

MO3 will be launched in principle in the second half of 1990.

This launch date could be moved as warranted by the status of the programme and the availability of launchers at decision time.

Insurance of the launches of MO1 and MO2 will be arranged in order to allow for integration and launch of an additional flight unit if necessary.

5.2 The maximum amount referred to in I assumes that all launches will share a dual launch on ARIANE. The Council may decide by unanimous vote to use single launches if the programme requires.

6 DURATION OF THE PROGRAMME

The use of the operational satellites resulting from the tentative schedule is expected to be 8.5 years starting with the launch of MO1 in 1986-87. In addition, there will be bridging activities using existing satellites and providing operation of those satellites (F1, F2, P2) as available during the period from 24 November 1983 until the launch of MO1 in 1986-87. The expected overall duration of the programme is 12.5 years from beginning 1983 until mid 1995.

METEOSAT OPERATIONAL PROGRAMME**FINANCIAL ENVELOPE AND SCALE OF CONTRIBUTIONS****1 OVERALL ENVELOPE**

The overall envelope for the initial system is estimated at 400 million accounting units (MAU) (mid-1982 prices and 1983 conversion rates) over the period 1983 to 1995, broken down as follows:

- Maximum amount of expenditure incurred by the Agency: 378 MAU
- EUMETSAT Secretariat (10.5 years): 10 MAU
- EUMETSAT contingency margin: 12 MAU

2 SCALE OF CONTRIBUTIONS¹

The Member States shall contribute to the remaining expenditure of the Meteosat Operational Programme including costs of the Secretariat associated with this programme and the contingency associated with this programme as of 1 January 1987 in accordance with the following scale of contributions.

MEMBER STATES	% CONTRIBUTIONS
Austria	0.60
Belgium	4.37
Denmark	0.58
Finland	0.35
France	25.45
Germany	26.23
Greece	0.30
Ireland	0.11
Italy	11.93
Netherlands	2.98
Norway	0.50
Portugal	0.30
Spain	5.21
Sweden	0.92
Switzerland	3.01
Turkey	0.50
United Kingdom	16.66
TOTAL	100.00

¹This scale of contributions reflects the one in force at the expiry of the programme in 1995.

GENERAL BUDGET

DESCRIPTION

Applicable from 01 Jan 2021 until today

(originally adopted in Resolution EUM/C/Res. XVIII at the 11th meeting of the EUMETSAT Council on 5-6 December 1989; the ceilings for each subsequent 5-year period were established in Resolutions EUM/C/93/Res. I, EUM/C/95/Res. VI, EUM/C/99/Res. V, EUM/C/57/05/Res. I, EUM/C/63/07/Res. II, EUM/C/67/09/Res. III, EUM/C/82/14/Res. III and EUM/C/92/19/Res. I)

The General Budget will constitute the programmatic frame for all EUMETSAT core and prospective activities in 1990 and subsequent years.

Core activities shall be defined as those which are not linked to a specific programme. They represent the basic technical and administrative infrastructure of EUMETSAT including core staff, buildings and equipment.

Prospective activities mean preliminary activities authorised by Council in preparation of future programmes which are not yet approved.

The overall description of General Budget activities is currently contained in Article 2.5 of the Amended Convention.

GENERAL BUDGET**CEILING AND CONTRIBUTIONS****1 CEILING**

The ceiling of the General Budget applicable for the period 2021-2025 amounts to M€ 103.2 at 2020 economic conditions, including M€ 13.5 for the East Building Extension & Parking with related budgetary provisions blocked until relevant decision by Council, and M€ 4.0 as Copernicus Risk Margin.

2 CONTRIBUTIONS

The Member States shall contribute to the General Budget in accordance with a scale of contributions based on the Gross National Income statistics issued by EUROSTAT. The current scale of contributions is provided in Section II below. The scale will be updated in triennial intervals.

METEOSAT TRANSITION PROGRAMME

SYSTEM DESCRIPTION

Applicable from 16 November 2012 until today

(as adopted in Resolution EUM/C/Res. XXVII at the 13th meeting of the EUMETSAT Council on 27-29 November 1990 and subsequently extended by EUM/C/97/Res. VII, EUM/C/02/Res. I, EUM/C/04/Res. II, EUM/C/62/07/Res. II, EUM/C/67/09/Res. V and EUM/C/77/12/Res. II)

1 INTRODUCTION

The Meteosat Transition Programme will ensure the continuation of the service provided by meteorological satellites in geostationary orbit after 30 November 1995 at least until 31 December 2017.

2 THE GROUND SEGMENT

A Ground Segment will be developed to take over operations of the MOP and MTP satellites in December 1995. The Ground Segment will be used to provide routine operations support at least until 31 December 2017.

3 SPACE SEGMENT

The MTP Space Segment consists of a single new satellite of the same design as the latest Meteosat satellite (MOP-3), with a launch date scheduled for late 1995. In addition, advance activities will be performed to ensure the possibility of a future decision to manufacture a second new satellite.

4 IMPLEMENTATION PLAN

That the programme will be implemented in two slices. The first slice includes the manufacture of one new satellite, advance activities for a possible second satellite, definition of the Ground Segment and programme management.

The second slice includes the implementation of the Ground Segment, the satellite launch and the operation of Space and Ground Segments at least for 22 years.

The authorisation to proceed with the second slice of activities will take into account relevant results from the first slice.

METEOSAT TRANSITION PROGRAMME
FINANCIAL ENVELOPE AND CONTRIBUTIONS

1 FINANCIAL ENVELOPE

The first slice of activities defined in the System Description will have a financial envelope of 110 MEUR at 1989 economic conditions. The overall programme envelope (first + second slices) shall not exceed 301 MEUR at 1989 economic conditions².

2 CONTRIBUTIONS

The Member States shall contribute to the Meteosat Transition Programme Budget in accordance with a scale of contributions based on the Gross National Income statistics issued by the OECD. The current scale of contributions is provided in Section II below. The scale will be updated in triennial intervals.

²Envelope as extended in Council Resolution EUM/C/77/12/Res. II.

PREPARATORY PROGRAMME FOR METEOSAT SECOND GENERATION³:**PHASE A****SYSTEM DESCRIPTION**

Applicable from 25 November 1992 until 31 December 1994

(as adopted in EUM/C/Res. XXVIII at the 13th meeting of EUMETSAT Council on 27-29 November 1990 and subsequently extended in EUM/C/Res. XLI and EUM/C/92/Res. VII)

1 INTRODUCTION

Phase A of the MSG Preparatory Programme corresponds to the definition of a geostationary satellite system to ensure operational continuity of the present Meteosat system.

This phase is foreseen for four years, starting from 1 January 1991.

Phase A, in 1991/1992/1993/1994, will study the feasibility of a spin satellite system embarking a visible and infra-red imaging radiometer (SEVIRI) in support of a multispectral high resolution imagery mission and of an atmospheric instability monitoring mission as well as complementary instruments which will neither become design drivers nor cost drivers for the system as described below.

2 SYSTEM DESCRIPTION

- 2.1** The MSG space segment will consist in a series of spin-stabilised satellites in geostationary orbit at 0 Degree N-0 Degree E and operable between the limits of ± 45 Degree longitude.
- 2.2** This system, based on two satellites in orbit simultaneously (one operational and one back-up) will be designed for a 12 years operation period after commissioning of the first flight model.
- 2.3** In accordance with EUM/C/Res.XXIII, all satellites will carry a core payload, consisting of the following sub-systems:
 - a) An imaging radiometer, referred to as SEVIRI (Spinning Enhanced Visible and Infra-Red Imager), in support of both basic and high resolution imagery missions as well as of air mass analysis.
 - b) Meteorological communication payload (MCP) for dissemination and relay of images as well meteorological and environmental data and products.
- 2.4** A complementary payload, experimental or operational, which should not become a design driver for the system.

³This preparatory programme has expired

2.5 MSG Ground Segment will comprise the following functional elements:

- a) satellite and mission control facilities,
- b) image processing and dissemination facilities,
- c) meteorological product extraction facilities,
- d) a central archive.

3 PHASE A CONTENT

Therefore, in 1991 phase A activities should concentrate on the definition of

- 3.1** a baseline SEVIRI with the set of channels which has been defined by SGATC and STG as meeting Council requirements stated in EUM/C/Res.XXIII,
- 3.2** a baseline MCP with raw data downlink and preprocessed data dissemination using the same frequency bands as MOP,
- 3.3** the complementary payload, after review of a call for ideas,
- 3.4** meteorological data and products to be disseminated,
- 3.5** ground segment architecture concepts,
- 3.6** the legal framework.

4 OUTLOOK

The results of a System Concept Review, to be carried out at completion of Phase A, will allow Council to take a decision on the extension of this programme to a Phase B.

Phase B will refine and review the concepts studied during Phase A and will lead to the final definition of the system and its architecture.

At the end of Phase B, a decision on the full programme proposal will be considered.

MSG PREPARATORY PROGRAMME**FINANCIAL ENVELOPE AND SCALE OF CONTRIBUTIONS****1 FINANCIAL ENVELOPE**

The budgetary envelope for the MSG/PP Programme is fixed at 4.2 MECU at 1991 economic conditions for the financial years 1991, 1992, 1993 and 1994.

2 SCALE OF CONTRIBUTIONS⁴

The Member States shall contribute to the Meteosat Second Generation Preparatory Programme in accordance with the following scale of contributions:

MEMBER STATES	% CONTRIBUTIONS
Austria	2.23
Belgium	2.70
Denmark	1.76
Finland	1.84
France	16.79
Germany	22.29
Greece	0.95
Ireland	0.54
Italy	15.46
Netherlands	4.03
Norway	1.47
Portugal	0.86
Spain	6.96
Sweden	3.20
Switzerland	3.33
Turkey	1.50
United Kingdom	14.09
TOTAL	100.00

⁴This scale of contributions reflects the one in force at the expiry of the programme

METEOSAT SECOND GENERATION PROGRAMME INCLUDING EXTENSION FOR MSG-4**PROGRAMME DEFINITION**

Applicable from 10 Feb 2020 until today

(originally adopted in Resolution EUM/C/92/Res. VI at the 25th Council Meeting on 22-24 June 1994; as extended in Resolution EUM/C/03/Res. I adopted at the 55th Council Meeting on 22-23 June 2004 and in EUM/C/88/17/Res. III presented for adoption at the 88th Council Meeting on 5-6 December 2017 and adopted on 10 February 2020)

1 MISSIONS

The Meteosat Second Generation (MSG) Programme will provide for the development, demonstration and operation of a new system of geostationary meteorological satellites. This system will be designed for the continuation and upgrade of meteorological observations from the geostationary orbit over Europe and Africa and adjacent oceanic areas after the end of the Meteosat Transition Programme (MTP), from 2003 until 2030. Accordingly, the following missions have been defined.

a) The Multispectral Imaging Mission

The multispectral imaging mission will exploit atmospheric windows to provide images of clouds and land/sea surfaces. The use of a radiometer with channels having spectral characteristics similar to those of the AVHRR flown on the US polar orbiting satellites is required for consistency, with the advantage of more frequent observations.

b) The Air Mass Analysis Mission

The air mass analysis mission will be used to monitor the thermodynamic characteristics of the atmosphere. The additional spectral channels to be used will be responsive in the water vapour, carbon dioxide and ozone absorption bands. Their spectral characteristics have been selected based on experience gained in Meteosat and GOES-VAS operations.

c) The High Resolution Imaging Mission

The high resolution visible imaging mission will be used to monitor small scale features such as convective cloud evolution, with a resolution at nadir of approximately 1 km. It will use a channel in the same visible band as the existing Meteosat.

d) The Product Extraction Mission

The product extraction mission will derive meteorological and other products from the basic image data. Its outputs will provide information pertinent to products such as:

- winds,
- sea and land surface temperatures,
- air mass instability indices,
- cloud description,
- fog,
- albedo,
- vegetation indices,
- precipitable water,
- tropopause height and structure,
- climate data sets, etc...

It will rely on the existing expertise within EUMETSAT Member States.

e) The Data Collection Mission

The data collection mission will continue the collection of environmental data from data collection platform.

f) The Dissemination Mission

The dissemination mission will provide image data and meteorological data to the user community. A primary objective of the mission is to deliver selected image data for nowcasting within a few minutes of the end of acquisition of each image, because the timeliness of data delivery is of the utmost importance. Access to dissemination links will be controlled through the employment of encryption schemes by EUMETSAT.

The dissemination mission will operate in two distinct modes:

- i) a High Rate Information Transmission (HRIT) mode, disseminating at least the full set of image data on the European area and a reduced set on the southern part of the Earth disk, together with other data, to major users and to product extraction centres having access to the appropriate receiving stations.
- ii) a Low Rate Information Transmission (LRIT) mode, disseminating a reduced set of image and other data, to users operating lower cost receiving stations.

The Meteorological Data Distribution (MDD) Mission and the Data Collection Platform Relay Service (DCPRS) of the first generation Meteosat programmes will be integrated with the MSG dissemination mission.

- g)** The MSG system may support additional operational or research missions not affecting the performance of the main missions, provided they do not have a significant impact on overall system complexity and **they are not cost drivers and are affordable to EUMETSAT**. Such missions could include a Search and Rescue support capability and/or a dedicated instrument for monitoring components of the Earth Radiation Budget (**GERB**).

2 THE MSG SYSTEM

2.1 Space Segment

The space segment of the Meteosat Second Generation system will be based on a series of four spin-stabilised satellites of an advanced design with the following payload:

- a) The Spinning Enhanced Visible and Infra-Red Imaging radiometer (SEVIRI), supporting the multispectral imaging, air mass analysis and high resolution visible imaging missions. The SEVIRI will use 12 channels, as follows:
 - seven imaging channels within the visible band and the infra-red windows,
 - four channels to measure infra-red emissions within the water vapour, carbon dioxide and ozone bands,
 - one broad band visible channel at finer spatial resolution.The sampling distance of the SEVIRI will be 3 km at sub satellite point, except for the broad band visible channel, for which it will be 1 km. Full Earth images in all these spectral channels will be produced at 15-minute intervals.
- b) The Geostationary Meteorological Communication Payload (GMCP), supporting the data dissemination and the data collection missions.
- c) Additional payloads (to the extent that these can be accommodated without significant impact on satellite size or complexity and that **they are not cost drivers and are affordable** to EUMETSAT), such as a small Scientific Instrument and/or a Geostationary Search and Rescue (GEOSAR) transponder **and/or GERB**.

2.2 Ground Segment

The Meteosat Second Generation ground segment will consist of a network of ground based facilities, established with the need of long term continuity in mind, with a central node located at the EUMETSAT Headquarters.

2.2.1 EUMETSAT System Ground Segment

- a) A Primary Ground Station (PGS), under the control of the satellite operator (EUMETSAT), for the acquisition of telemetry and raw instrument data and for the support of general system operations.
- b) A Back-up Ground Station (BGS) for emergency command operations, which could be co-located with an SGS or located at a station with existing satellite control functions.
- c) One or more Support Ground Stations (SGS) to be used for the acquisition and pre-processing of data from other meteorological satellites and their relay to the Central Facility.
- d) A Central Facility at the EUMETSAT Headquarters, for satellite and mission control, as well as for processing the raw image data from the satellites into level 1.5 data to be made available to users, and including three main functional elements:
 - i) Satellite Control Centre (SCC),
 - ii) Mission Control Centre (MSS),
 - iii) Data Processing Centre (DPC) in support of the imaging missions and data circulation.
- e) A MSG Archive and Retrieval capability, part of the Unified Meteorological Archive and Retrieval Facility (U-MARF), for the long-term archive and retrieval of the image data, and some meteorological products. The configuration and location (which may be distributed) are to be determined.

2.2.2 EUMETSAT Applications Ground Segment

The applications ground segment will include all the ground infrastructure involved in product extraction from image data:

- a) A Meteorological Products Extraction Facility (MPEF) shall be established in the EUMETSAT Headquarters and shall perform centralized control and management tasks to achieve control over the availability of agreed key products as well as those mature processing tasks which are not strongly dependent upon user interaction. Typically the tasks of the MPEF will consist of the operational production at synoptic scale (grid size around 100 km) of products such as wind vectors and (multipurpose) cluster analyses based upon multi-spectral processing of the complete image data, as a basis for products mentioned in paragraph 1 d).
- b) A network of Satellite Application Facilities (SAF), located at national weather services of EUMETSAT Member States or other agreed entities linked to a user community, such as ECMWF, for the extraction of products outside the scope of the MPEF. The nature of these products will be agreed by Council following analysis of user requirements. The implementation of each SAF will be the subject of a competitive Announcement of Opportunity and subsequent agreements covering relevant research and development as well as agreed operations.

The further refinement of the list of the products to be extracted from MSG images is a key activity during the detailed system definition phase (phase B), as is the elaboration of the criteria and procedures for allocation to MPEF and SAFs.

2.2.3 User Ground Segment

Receive-only ground stations will be operated by the users to acquire the data disseminated through the MSG System:

- a) High Rate User Stations (HRUS), for the acquisition of data through the High Rate Information Transmission (HRIT) scheme,
- b) Low Rate User Stations (LRUS), for the acquisition of data through the Low Rate Information Transmission (LRIT) scheme.

The transmission of raw instrument data from the satellite towards the Earth is not part of the MSG dissemination mission. However, if a Member State decides to procure a station capable of receiving the raw image data, then the Member State shall have timely access to the relevant image processing parameters derived at the central site, in accordance with the provisions of the EUMETSAT Data Policy.

3 PROGRAMME CONTENT

The MSG system will be implemented in co-operation with the European Space Agency. The EUMETSAT MSG programme will include the following tasks:

- a) A fixed financial contribution to the ESA MSG Programme (with participation in the detailed definition, design, development and demonstration of the MSG prototype satellite MSG-1).
- b) Procurement of the launcher for the MSG prototype satellite MSG-1, ready for a target launch date of mid-2000.
- c) Detailed definition of the ground segment, for a final decision by Council on the ground facilities network configuration.
- d) Development, procurement and test of the ground segment for the operations of the MSG system.
- e) System commissioning following the launch of MSG-1.
- f) Provision and launch of **three** additional flight models:
 - i) MSG-2 to be ready for launch within 18 months of the launch of MSG-1,
 - ii) MSG-3 and MSG-4 to be ready for launch **as required to keep predicted MSG system availability above the 90% threshold**;
- g) System operations for a period of at least **27** years after the commissioning of MSG-1.

4 IMPLEMENTATION PLAN

The Programme will be implemented in two slices:

- a) The first slice, or MSG demonstration slice, includes the fixed financial contribution to the ESA prototype development programme, the procurement of a launcher for the prototype, the development and procurement of the ground segment, and the system commissioning [items a) to e) under 3]. This slice will start in 1993 and end in **2003**.
- b) The second slice, or MSG operational slice, includes the procurement and launch of three further satellites and systems operations for at least 27 years, from **2002 until 2030** [items f), and g) under 3].

METEOSAT SECOND GENERATION PROGRAMME**FINANCIAL ENVELOPE AND CONTRIBUTIONS****1 FINANCIAL ENVELOPE**

The first slice of activities defined in the System Description will have a financial envelope of 352 MEUR at 1992 economic conditions. The overall programme ceiling (first and second slice) shall not exceed 1,394.2 MEUR at 1992 economic conditions.

2 CONTRIBUTIONS

The Member States shall contribute to the Meteosat Second Generation Programme Budget in accordance with a scale of contributions based on the Gross National Income statistics issued by EUROSTAT. The current scale of contributions is provided in Section II below. The scale will be updated in triennial intervals.

Possible cost overruns up to 10% of the financial envelope of the 1st slice and overall programme ceiling may be approved by Council by a vote representing at least two-thirds of the Member States present and voting, representing also at least two-thirds of the total amount of contributions.

PREPARATORY PROGRAMME FOR A EUMETSAT POLAR SYSTEM⁵

SYSTEM DESCRIPTION

Applicable from 07 September 1998 until 31 December 2000

(as approved in EUM/C/92/Res. VIII which was presented for adoption at the 21st meeting of the EUMETSAT Council on 23-25 November 1992, finally adopted at the 25th meeting of Council on 22-24 June 1994 and extended in EUM/C/98/Res. IX at the 39th Council meeting on 7 September 1998)

The EPS Preparatory Programme covers initial Space Segment Payload and Ground Segment activities related to the development of a series of satellites to provide continuous meteorological observations from morning Polar Orbit.

The activities are broken down into three separate areas:

- i) Mission**
Detailed definition of the mission and payload, including climate monitoring objectives, in cooperation with ESA and NOAA leading to the establishment of cooperation agreements with both organisations.
- ii) Space Segment Payload**
Covering the development and refinement of the specifications of the Meteorological Communication Package and start of critical development activities for the Microwave Humidity Sounder.
- iii) Ground Segment**
Covering the conduct of feasibility studies and subsequently the establishment of detailed specifications of the Ground Segment.

⁵This preparatory programme has expired.

EUMETSAT POLAR SYSTEM PREPARATORY PROGRAMME**FINANCIAL ENVELOPE AND SCALE OF CONTRIBUTIONS****1 FINANCIAL ENVELOPE**

The budgetary envelope for the EPS/PP is estimated at 30 MEUR at 1993 economic conditions.

2 SCALE OF CONTRIBUTIONS⁶

The Member States shall contribute to the EPS/PP Budget in accordance with the following scale of contributions:

MEMBER STATES	% CONTRIBUTIONS
Austria	2.47
Belgium	2.96
Denmark	1.96
Finland	1.33
France	16.58
Germany	25.25
Greece	1.35
Ireland	0.68
Italy	12.66
Netherlands	4.34
Norway	1.69
Portugal	1.16
Spain	6.15
Sweden	2.53
Switzerland	3.34
Turkey	2.04
United Kingdom	13.51

⁶This scale of contributions reflects the one in force at the expiry of the programme.

EUMETSAT POLAR SYSTEM PROGRAMME

SYSTEM DESCRIPTION AND PROGRAMME CONTENT

Applicable from 10 Feb 2020 until today

(originally approved in EUM/C/96/Res. V, which was presented for adoption at the 32nd meeting of the EUMETSAT Council on 3-5 December 1996 and finally adopted at the 42nd Council meeting on 22-23 June 1999, and extended in EUM/C/88/17/Res. I adopted at the 88th Council meeting on 05-06 December 2017.

Amended to increase the Financial Envelope in accordance with EUM/C/67/09/Res. I adopted at the 67th Council meeting on 30 June-1 July 2009, with EUM/C/91/19/Res. II adopted at the 91st Council meeting on 25-26 June 2019 and with EUM/C/88/17/Res. II presented for adoption at the 88th Council meeting on 05-06 December 2017 and adopted on 10 February 2020)

1 MISSIONS

The EUMETSAT Polar System (EPS) will provide for the development and operation of a system providing continuation and enhancement of observations from the morning polar orbit. This system will be designed to provide continuous observations from the end of the current service provided by the United States National Oceanic and Atmospheric Administration (NOAA), from 2002 until all three Metop satellites are decommissioned and related close-out activities are completed, or as otherwise agreed by Council. The EPS programme is a component of a Joint European/US Polar System comprising satellites with morning and afternoon (equatorial crossing time) orbits. Accordingly, the following main missions have been defined.

a) Operational Meteorology and Climate Monitoring

Global Sounding(incl. Advanced Sounding):	provides vertical profiles of temperature and humidity to support the numerical forecasting models.
Global Imagery:	provides cloud imagery for forecasting applications. Used for the calculation of sea surface temperatures, vegetation indices, ice and snow cover, atmospheric aerosol content and radiation budget parameters. Also supports the global sounding mission through the identification of cloud free areas.
Data Collection/Location:	supports, amongst other activities, World Weather objectives by the reception and dissemination of in-situ meteorological observations from ocean buoys and other similar data collection platforms.
Wind Scatterometry:	provides speed and direction of winds at the Ocean surface.

Climate Monitoring: provides inter alia information from Imagery and Sounding, Sea Ice coverage information, Ozone Observations.

b) Further Mission Capabilities

Provide Data on Cloud Distribution, Earth Missions, Atmospheric Minor Constituents, Stress at Ocean Surface.

These missions contribute to the Global Climate Observing System (GCOS), the World Climate Research Programme (WCRP) and the International Geosphere/Biosphere Programme (IGBP).

c) Data Services

Global Data Access: supports global scale forecasting by providing global data to users within 2 ¼ hours of the instant of observation.

Local Data Access: supports forecasting activities by the real-time transmission of data to local reception stations (via the LRPT and HRPT services).

d) Additional Services

Space Environment Monitoring: supports routine monitoring of the low earth orbit charged particle environment by a Space Environment Monitoring instrument (SEM)

Humanitarian: supports an international Search and Rescue service (S&R).

2 THE EUMETSAT POLAR SYSTEM

2.1 Space Segment

The space segment of the EUMETSAT Polar System is based on a series of three METOP satellites embarking the following payload:

- | | | |
|----|---|--|
| a) | Advanced Microwave Sounding Unit-A (AMSU-A): | Microwave sounder with 15 channels in the range 23-90 GHz (will be replaced by a Microwave Temperature Sounder (NPOESS or MTS), if available for METOP-3); |
| b) | Microwave Humidity Sounder (MHS): | Microwave sounder with 5 channels at 89,157 and around 183 GHz; |
| c) | High resolution Infra-Red Sounder (HIRS): | Sounder with 19 infrared channels in the range 3-15 microns, and one visible channel; |
| d) | Infrared Atmospheric Sounding Interferometer (IASI): | Infrared Michelson Interferometer covering the 3.4-15.5 microns range; |
| e) | Global Navigation Satellite Systems Receiver for Atmospheric Sounding (GRAS): | Receiver performing Radio Occultation measurements of the signals provided by the GPS or GLONASS navigation satellites; |

- | | | |
|----|---|--|
| f) | Advanced Very High Resolution Radiometer (AVHRR): | Imaging radiometer with 6 channels in the range 0.6-12 microns (will be replaced by a Visible and Infra-Red Imager (NPOESS or VIRI), if available for METOP-3); |
| g) | Data Collection System (DCS-Argos): | UHF receiver and signal processor; |
| h) | Ozone Monitoring Instrument: | Global Ozone Monitoring Experiment (GOME-2) flying on METOP-1 and 2 and ImS being considered for METOP 3 assuming compatibility with the EPS financial envelope; |
| i) | Advanced Scatterometer (ASCAT): | Pulsed radar in C-band; |
| j) | Space Environment Monitor (SEM): | |
| k) | Search and Rescue (S&R): | |

2.2 Ground Segment

The EUMETSAT Polar System ground segment will consist of a network of functional facilities whose definition takes into account identified functional, communication and location constraints. The architecture of the ground segment takes due account of the EUMETSAT policy on the repartition of processing facilities amongst a central and national sites.

- a) The Polar Command and Data Acquisition (PCDA) station, to be located in Northern Europe, provides the receiving and transmission facilities for satellite monitoring, tracking and control and X-Band receiving facilities for the acquisition of the Global Data Stream recorded on-board. The PCDA is supplemented by a back-up station. During the LEOP phase and contingency operation, the PCDA will be complemented by a rented S Band ground network.
- b) The centrally located Polar Satellite Control Centre (PSCC) performs the operation of the METOP satellite and monitors and controls the health and safety of the platform and the instruments.
- c) The centrally located Polar Mission Control Centre (PMCC) is responsible for the management of the overall EPS system. It establishes the work schedule for the METOP satellites, controls all elements of the Ground Segment and monitors the execution of the various tasks. The PMCC is responsible for the planning of the satellite payload activities and for the monitoring of all EPS missions execution.
- d) The centrally located Polar Data Ingestion Facility (PDIF) receives the global data received by the PCDA station and generates earth located, quality controlled, and calibrated data, which are then forwarded for product generation.
- e) The centrally located Polar Product Extraction Facility (PPEF) generates key meteorological products for general distribution. It also provides general support and expertise to the routine management of the system as a whole.

- f) Satellite Application Facilities (SAF) will be established in Member States to provide meteorological and environmental products not generated by the PPEF.
- g) The centrally located Polar Archive and Catalogue Facility (PACF) will archive at least all centrally generated measurements data and products from the METOP and, possibly, from the NOAA Initial Joint Polar System (IJPS) satellites. It will maintain a catalogue of all information in the archive and provide the appropriate tools for consultation and data retrieval.
- h) Data circulation networks ensure the distribution/exchange of data and the interfaces between the facilities.

3 PROGRAMME CONTENT

The EPS system will be implemented in cooperation with the United States National Oceanic and Atmospheric Administration (NOAA), the European Space Agency (ESA) and the Centre National d'Etudes Spatiales (CNES). The EPS Programme will include the following:

- a) A Space Segment which will consist of three METOP satellites accommodating the payload instruments identified under b) below.

The Space Segment will be established in co-operation with the European Space Agency, in the framework of a Single Space Segment, according to the modalities defined in the Cooperation Agreement.

- b) The following instruments for flight on the METOP satellites:
 - i) Advanced Microwave Sounding Unit-A (AMSU-A) replaced by a Microwave Temperature Sounder (NPOESS or MTS) if available for METOP-3;
 - ii) Microwave Humidity Sounder (MHS);
 - iii) High Resolution Infrared Sounder (HIRS);
 - iv) Infrared Atmospheric Sounding Interferometer (IASI);
 - v) Global Navigation Satellite Systems Receiver for Atmospheric Sounding (GRAS);
 - vi) Advanced Very High Resolution Sounder (AVHRR) replaced by a Visible and Infra-Red Imager (NPOESS or VIRI) if available for METOP-3;
 - vii) Data Collection System- Argos (DCS-Argos);
 - viii) Global Ozone Monitoring Experiment (GOME-2) flying on METOP-1 and 2 and ImS being considered for METOP-3 assuming compatibility with the EPS financial envelope;
 - ix) Advanced Wind Scatterometer (ASCAT);
 - x) Space Environment Monitor (SEM);
 - xi) Search and Rescue Service (S&R).

A Cooperation Agreement will be entered into with the United States National Oceanic and Atmospheric Administration (NOAA) for the provision of the instruments in i), iii), vi), x) and xi) above.

Cooperation Agreements will be entered into with the Centre National d'Etudes Spatiales (CNES) for the provision of the instruments in iv) and vii) above.

The instruments in v), viii) and ix) will be procured as part of the Single Space Segment in cooperation with the European Space Agency.

The instrument in ii) will be procured by EUMETSAT.

- c) Procurement of the launch services for the METOP satellites.
- d) Conclusion of a Cooperation Agreement with the Centre National d'Etudes Spatiales on a launch shared between METOP-1 and SPOT-5.
- e) Identification of a partner for a second, and possibly third, shared launch and conclusion of the corresponding agreement(s), or procurement of dedicated launch service(s) at a comparable cost.
- f) The development, procurement and test of the ground segment for the operations of the EPS System.
- g) System commissioning following the launch of the satellites.
- h) Operations until all three Metop satellites are decommissioned and related close-out activities are completed, or as otherwise agreed by Council.
- i) Conclusion of an Agreement with NOAA to provide the afternoon service of the Initial Joint Polar System.
- j) Procurement of 2 Microwave Humidity Sounders (MHS) for the US satellites NOAA N and NOAA N'.

EUMETSAT POLAR SYSTEM PROGRAMME**FINANCIAL ENVELOPE AND CONTRIBUTIONS****1 FINANCIAL ENVELOPE**

The activities defined in the System Description will have a financial envelope of M€ 1,705.0 at 1994 economic conditions.

2 CONTRIBUTIONS

The Member States shall contribute to the EUMETSAT Polar System Programme in accordance with a scale of contributions based on the Gross National Income statistics issued by EUROSTAT. The current scale of contributions is provided in section II below. The scale will be updated in triennial intervals.

Possible cost overruns up to 10% of the financial envelope may be approved by Council by a vote representing at least two-thirds of the Member States present and voting, representing also at least two-thirds of the total amount of contributions. (Note that this cost overrun has been exhausted through Resolution EUM/C/67/09/Res. I).

METEOSAT THIRD GENERATION

PREPARATORY PROGRAMME DEFINITION

Applicable from 01 December 2010 until 31 December 2011

(as approved in EUM/C/62/07/Res. I, which was presented for adoption at the 62nd meeting of the EUMETSAT Council on 26-27 June 2007 and finally adopted on 25 June 2008 and subsequently extended in EUM/C/71/10/Res. II)

1 GENERAL

The Meteosat Second Generation (MSG) system is the primary European source of geostationary observations over Europe and Africa and started routine operation services in January 2004. MSG is one of the key EUMETSAT contributions to the Global Observing System (GOS) of the World Meteorological Organization (WMO). The series of four MSG satellites will deliver observations and services at least until end of 2018 (MSG-4). According to availability analyses, the first in-orbit element of the Meteosat Third Generation (MTG) system needs to be available around 2015, to ensure continuity of the EUMETSAT imagery mission.

MTG preparatory activities started end of 2000 in cooperation with the European Space Agency (ESA), following the decision of the EUMETSAT Council to proceed with a EUMETSAT/Post-MSG User Consultation Process aimed at capturing the foreseeable needs of EUMETSAT users in the 2015-2025 timeframe. This process led to the definition of the mission requirements for the MTG candidate observation missions.

2 MISSION OBJECTIVES AND CANDIDATE MISSIONS

The MTG Mission Requirements baseline for the Phase A is the result of the user consultation process, the Mission Definition Review output (spring 2006), and the requirements descoping undertaken with the MTG Mission Team until end of 2006. The selected mission concept for the MTG Phase A encompasses four candidate observation missions, which are:

- **Full Disk High Spectral resolution Imagery (FDHSI)** mission, covering the full disk with a Basic Repeat Cycle (BRC) of 10 minutes with a spatial resolution of 1 / 2 km;
- **High spatial Resolution Fast Imagery (HRFI)** mission, looking at local scales with a BRC of 2.5 minutes and a spatial resolution of 0.5 / 1 Km;
- **InfraRed Sounding (IRS)** mission covering the full disk with a BRC of 30 minutes (goal – 60 minutes threshold) and a spatial resolution of 4 km, providing hyperspectral sounding information with a spectral resolution of 0.625 cm⁻¹ in **Long Wave InfraRed** and **Mid Wave InfraRed**;
- **Lightning Imagery (LI)** mission, detecting lightning events linked to discharges taking place in clouds or between clouds and ground, over 80% of the full disk;

A priority ranking has been assigned to the MTG candidate missions with priority 1 for FDHSI and HRFI, both to be realized by one instrument, the so called Flexible Combined (FCI) imager, priority 2 for the IRS and priority 3 for the LI mission.

3 MTG SYSTEM CONCEPT

The MTG system concept encompasses the following characteristics:

- Space Segment based on a Twin-satellite in-orbit configuration (TSC):
 - TSC satellites (Imaging and Sounding) implemented using a common platform;
 - Use of 3-axis stabilised platforms for all required satellites;
- Development of satellites based on inheritance of commercial Geostationary platforms;
- Compatibility with more than one launcher (capability of vertical and horizontal processing);
- Maximum reuse of existing EUMETSAT Infrastructures;
- Distribution of the Ground Segment capabilities, including the assets of the EUMETSAT Satellite Application Facilities (SAF Network);
- Need to establish at EUMETSAT level (for the MTG era) a Ground Segment supporting parallel operations of the MSG and MTG Series;
- Interoperability, in terms of standardisation of the space to ground interface, supporting a possible integration into required international contexts (e.g, GEOS, GMES, etc.).

The MTG satellites will operate from the geostationary orbit at 0° longitude, this being the nominal position of the operational satellites, with additional orbital positions for the hot/active and spare satellites between 10° W and 10° E.

4 PREPARATORY PROGRAMME CONTENT

The MTG Preparatory Programme covers the EUMETSAT activities associated with the closeout of MTG Phase A in 2008 and contains for EUMETSAT the full MTG Phase B, up to the System Preliminary Design Review (PDR) planned for mid 2010.

It is assumed that all activities following the PDR will be covered under the MTG Development and Operational Programme.

Phase B will focus on consolidation of the requirements for the MTG system, and their justification via detailed analyses and trade-off, to derive necessary design elements, in line with programmatic constraints (schedule and costs). These activities will allow the system to be subsequently developed, produced, operated and maintained.

The requirements activities are formally closed by a Preliminary Design Review (PDR), which leads to the Development Configuration Baseline of the MTG system. The definition and justification activities start after the System Requirements Review (SRR) at which the system specification is baselined. Justification Files are generated by analyses, trade-offs, and Design Reports and will constitute an important element of the documented project progress. An essential part of the work will be the analysis of risks on technical, costing and scheduling aspects.

At EUMETSAT level, the Phase B activities will encompass the overall MTG System, including the Ground Segment and all system interfaces. A further important element of the Phase B activities will consist in following-up and supporting the Space Segment activities performed by ESA.

During Phase B, the necessary cooperation agreement with ESA covering the Phase C/D of the Space Segment will be established and submitted to Council for approval.

A close interaction with users over the course of EUMETSAT Phase B activities through direct involvement of the MTG Mission Team and MTG User consultation Workshops as required will ensure the elaboration of a consolidated EURD (End User Requirements Document).

The duration of the Preparatory Programme is from 01 January 2008 until the start of the MTG Development and Operations Programme, which will cover for EUMETSAT the Phases C/D/E of the MTG Programme, assumed to be no later than mid 2010.

5 IMPLEMENTATION

The main activities planned during the MTG Preparatory Programme will consist of:

- Management and Quality Assurance (QA);
- System Engineering, as the main contribution to the planned effort and including:
 - End User/Mission Requirements baselining and Maintenance;
 - System Requirements & Design;
 - Functional Design;
 - Baselining and maintenance of Segment Level Specifications, external and internal element ICDs;
 - Operations Concept & Constraints;
 - Development Plans;
 - System Engineering Implementation;
 - System Analysis;
 - System and Segment level Reviews;
 - Prototyping of meteorological product S/W packages;
 - System Integration Verification & Validation planning.
- External System Support Studies, addressing technical and scientific topics;
- External Ground Segment Studies, related to the MTG Overall Ground Segment Architecture and its implementation approach.

MTG PREPARATORY PROGRAMME**FINANCIAL ENVELOPE AND CONTRIBUTIONS****1 FINANCIAL ENVELOPE**

That the financial envelope of the Preparatory Programme shall amount to 30.0 MEUR at 2007 economic conditions, with an indicative payment profile of 11.0 MEUR in 2008, 12.4 MEUR in 2009, and 6.6 MEUR in 2010.

2 CONTRIBUTIONS

The Member States shall contribute to the EUMETSAT MTG Preparatory Programme in accordance with a scale of contributions based on the Gross National Income statistics issued by the OECD. The current scale of contributions is provided in Section II below. The scale will be updated in triennial intervals.

METEOSAT THIRD GENERATION PROGRAMME DEFINITION

Applicable from 25 February 2011 until today

(as approved in EUM/C/69/10/Res. I, which was presented for adoption at the 69th meeting of the EUMETSAT Council on 26 March 2010 and finally adopted on 25 February 2011)

1 INTRODUCTION

The establishment of the MTG Programme derives from the EUMETSAT Convention, where the primary objective of EUMETSAT to establish, maintain and exploit European systems of operational meteorological satellites is stated, together with the further objective to contribute to the operational monitoring of the climate and the detection of global climatic changes.

2 MISSION OBJECTIVES AND MTG MISSIONS

MTG is the basic Programme required to continue the provision of observations from geostationary orbit following MSG and as such is a mandatory Programme. As successor of MSG, it has the capability and capacities to provide the geostationary satellite data needs to continue supporting and improving meteorological applications and services at Meteorological Centres. The Imagery mission provides substantially enhanced information compared to that currently delivered by SEVIRI on MSG to improve the Nowcasting (NWC) and regional/global Numerical Weather Prediction (NWP) systems. The novel Infrared sounding mission delivers unprecedented information on the dynamic features of atmospheric moisture and temperature profiles in high vertical, horizontal and temporal resolution, beyond serving emerging applications of operational chemistry and air pollution. Nowcasting applications are further supported by the lightning imaging mission delivering continuously and simultaneously information on total lightning (cloud to cloud and cloud to ground) over the full disc with a high timeliness and homogeneous data quality. Finally the Sentinel 4 mission of GMES will be implemented via MTG, supporting the need for continuous monitoring of the atmospheric composition and air quality.

2.1 Observation Missions

The nominal MTG system will be based upon two types of satellites, MTG-I, the imaging satellite, and MTG-S, the sounding satellite. MTG-I will embark an imaging radiometer, the Flexible Combined Imager (FCI), and an imaging lightning detection instrument, the Lightning Imager (LI). MTG-S will embark an imaging Fourier interferometer, the InfraRed Sounder (IRS), and a high resolution spectrometer, the Ultraviolet- Visible Near infrared (UVN) spectrometer, provided by ESA as a part of the GMES Space Component programme.

The MTG System is designed, in support to nowcasting (NWC) and Numerical Weather Prediction (NWP), to fulfil the objectives agreed for the following observation missions:

- the **Full Disk High Spectral resolution Imagery (FDHSI)** mission, which will be provided via measurements taken by the FCI. In FDHSI mission mode data from the FCI will be provided over the full earth disc at a repeat cycle time of 10 minutes with a spatial resolution of 1 km;

- the **H**igh spatial **R**esolution **F**ast refresh **I**magery (**HRFI**) mission, which will be provided via measurements taken by the FCI. In HRFI mission mode data from 4 channels of the FCI will be provided on regional scales (e.g. about 1/4th or 1/3rd of the full disk seen from the geostationary position) at a repeat cycle rate of 2.5 or 3.3 minutes and a spatial resolution of 0.5 km and 1.0 km;
- the **I**nfra**R**ed Sounding (**IRS**) mission able scan the full earth disc within 60 minutes providing a spatial resolution of 4 km, and hyperspectral imaging and sounding information at a spectral resolution of 0.625 cm⁻¹ in two bands, a **L**ong **W**ave **I**nfra**R**ed (**LWIR**: 700 – 1210 cm⁻¹) and **M**id **W**ave **I**nfra**R**ed (**MWIR**: 1600 -2175 cm⁻¹) band;
- the **L**ightning **I**magery (**LI**) mission, continuously detecting optical pulses, over almost the full earth disc in view from the geostationary satellite position;

Moreover, the MTG missions comprise the accommodation of the GMES Sentinel -4 (**S4**) sounding mission, achieved through the Ultraviolet, Visible & Near-infrared (**UVN**) Instrument, covering Europe every hour taking measurements in three spectral bands (UV: 305 - 400 nm; VIS: 400 - 500 nm, NIR: 750 - 775 nm) with a resolution around 8 km.

In addition, the MTG mission will make a major contribution to climate monitoring activities providing high quality radiances, reprocessed product supporting generation of Essential Climate Variables (ECVs), providing also stewardship of decadal geostationary data records of the First and Second Generation of Meteosat.

2.2 Other MTG System Functions

Besides the essential functions covering the optical observations, the MTG system includes essential support functions necessary to fulfil its operational services, including:

- The Level 2 product generation and extraction;
- The processing of data received from Data Collection System (DCS) platforms collecting data of in-situ observations gathered from the land beacons, buoys, ships, balloons or airplanes;
- The Foreign Satellite Dissemination, that collects selected data from other EUMETSAT and Third Party satellite systems for support to global applications;
- Delivery and Data services to users, including:
 - Near real-time and direct data distribution services;
 - Data stewardship and re-analysis support;
 - Off-line data delivery;
 - On line services to Users;
 - Data exploitation support, reach-out, training, and help desk;
- The Search and Rescue mission: similarly to MSG, the MTG system will accommodate a SAR terminal, enabling the operations of the mission under the aegis of the COSPAS-SARSAT system;
- Extension of the DCS capabilities to support the relay and delivery to Argos ground stations of messages transmitted by Argos platforms.

3 MTG SYSTEM DESCRIPTION

3.1 System Architecture

The operational architecture of the MTG system consists of a Space Segment made up by a nominal configuration of two MTG-I and one MTG-S satellites linked to a distributed Ground Segment comprising functional facilities at various sites.

The MTG system consists of the following main segments and services:

- Space Segment, embedding the protoflight and recurrent MTG-I and MTG-S satellites, ground support elements (Ground Support Equipments – GSE - and tools) and services used for the space segment development or delivered in support to the system development and verification (Satellite Simulator, TT&C Suitcase, Payload Data Generator, etc) ;
- Ground Segment, supporting the planning, management, control and monitoring of the missions and acquiring, processing, and distributing to the users the observations taken and the products extracted. To fulfil the functions required to meet the mission objectives, substantial new developments associated with the new MTG missions will be undertaken for the MTG Ground Segment. In addition, the Ground Segment will rely on maintained infrastructure from the current systems as Infrastructure Facilities and Multi Programme Facilities.
- Launch and LEOP Provider services.

3.2 Space Segment

The MTG Space Segment consists of four imaging satellites (MTG-I1 to 4) and two sounding satellites (MTG-S1 to 2) with the payload complements given below:

- MTG-I1 to 4: FCI, LI, DCS and SAR
- MTG-S1 to 2: IRS and UVN

3.2.1 Satellites

The imaging and sounding satellites are based on 3- axis stabilised platforms taking as much technological heritage from commercial communication satellites as is pertinent and safe to fulfil the MTG service requirements. The platform shall be based on a common architecture.

3.2.2 Payload Elements

3.2.2.1 Flexible Combined Imager (FCI)

The FCI simultaneously provides data for 16 FDHSI, 4 HRFI channels and 2 channels with an extended radiometric range for fire detection.

The FCI can be commanded to operate in either:

- a Full Disc Coverage (FDC) over a repeat cycle of 10 minutes with a mandatory coverage described by a circle of 17.7° diameter centred on the Sub-Satellite Point (SSP), and
- a Local Area Coverage (LAC) over a repeat cycle of 10/2, 10/3 or 10/4 minutes, with the coverage reduced proportionally. The LAC zone can be positioned anywhere over the FDC.

3.2.2.2 Infra-Red Sounder (IRS)

The IRS is a Fourier Transform Spectrometer (FTS) providing measurements in two bands mid-wave infrared (MWIR) and long-wave infrared (LWIR).

The IRS takes data according to a repeat sequence selected from four Local Area Coverage (LAC) zones. Each LAC zone covers a quarter of the Full Disc Coverage (FDC), described by a circle of 17.7° diameter centred on the Sub-Satellite Point (SSP) and can be positioned anywhere over the FDC. A LAC zone is scanned within 15 minutes.

3.2.2.3 Lightning Imager (LI)

The LI continuously monitors lightning flashes during day and night, covering an area of the earth disk within a circle of 160 in diameter subtended from the geo-stationary position and shifted northward to cover EUMETSAT Member States.

3.2.2.4 UVN – Sentinel 4 Spectrometer

The satellite will have the possibility to embark the UVN-Sentinel-4 instrument. The instrument will be developed as part of GMES in compliance with MTG interfaces and within the capabilities allocated to the satellites to fulfil the Sentinel-4 mission.

3.3 MTG Ground Segment

The Ground Segment contains the main ground elements necessary to support the mission.

They are logically decomposed in Facilities as follows:

- o Ground Station Facilities (GSTF);
- o Mission Operations Facility (MOF);
- o Instrument Data Processing Facility (IDPF);
- o Multi-Programme Facilities (MPF);
- o Infrastructure Facilities and Supporting Facilities;
- o and, as part of the Application Ground Processing System:
 - the Level 2 Processing Facility (L2PF),
 - the Satellite Application Facilities (SAF) network;

The Ground Station Facilities are made up of Telemetry Tracking & Command (TT&C) Ground Stations which include the functions to support acquisition of satellites housekeeping telemetry, transmission of telecommands, tracking and ranging. The Mission Data Acquisition (MDA) Ground Stations receive the scientific data from the satellite payload and interfaces with the front end applications of the IDPF.

The Mission Operations Facility will include the capability to command and control multiple MTG spacecraft.

The processing of the Instrument data will ingest the data and generate Level 1 and Level 2 products. The Level 1 products will be generated by the IDPF. The Level 2 products will be partially centrally generated via the L2PF and partially generated by the Satellite Application Facilities network. Tasks and outputs of the Satellite Application Facilities (SAF) network will be the subject of dedicated proposals for the Continuous Development and Operations Phase to be agreed by Council.

The MTG Ground Segment will make use of and extend as appropriate existing MPF for such aspects as dissemination and archiving/retrieval of products, following a continuity of maintenance and a credible upgrade path. MPF will include the EUMETSAT Data Centre, previously known as the Unified Meteorological Archive and Retrieval Facility (U-MARF) which receives and archives images and meteorological products from EUMETSAT satellites (METEOSAT and METOP), the EXGATE and INGATE to provide a secure file transfer service between operational environments within EUMETSAT and with remote locations through external network interfaces, and EUMETCast to disseminate data and products to the users.

The EUMETSAT Headquarters, the Central Site of the MTG Ground Segment will include the main components needed for mission operations and exploitation (e.g. MOF, IDPF, L2PF and MPF). It will also include other infrastructure and supporting facilities and possibly the prime MDA Ground Station.

In addition, the Ground Segment will include other sites, as follows:

- Backup Spacecraft Control Centre (BSCC), having same MOF functionality as the one in the Central Site in order to continue monitoring & control of the in-orbit spacecraft constellation;
- Diversity MDA Ground Station, to minimise impact of link outages caused by heavy precipitation;
- Prime and Secondary TT&C Ground Stations, with site diversity foreseen for availability and ranging considerations;
- EUMETCast uplink station, for satellite based dissemination.

Finally, the Satellite Application Facilities (SAF) network is not centrally hosted.

4 MTG IN-ORBIT DEPLOYMENT PLAN

The deployment of the MTG system is driven by the required duration of the operational services, associated availability and readiness of the prototype satellites. This has been defined to ensure the optimal continuity of MTG services to the User Community in-line with the definition of high system and spacecraft availability figures, as well as to ensure the continuity of the services provided by MSG in articulation with the deployment of the last MSG satellites and in preparation for the post-MTG satellites.

The resulting MTG satellite deployment scenario will take account of actual operational serviceability of MSG and MTG satellites to maximise the useful life of each satellite whilst maintaining the required operational availability, developing from a baseline of earliest launch dates:

- MTG-I1: Dec 2016
- MTG-S1: June 2018
- MTG-I2: Dec 2021
- MTG-I3: Jan 2025
- MTG-S2: June 2026
- MTG-I4: Dec 2029

Measures for allowing extended satellite in orbit lifetime will be implemented: in this respect, the propellant margin embarked on board the satellite will allow a possible scenario of 25 years of operational service for the imagery mission.

In support to this MTG satellites deployment, the Ground Segment infrastructure will be developed and deployed according to a staggered incremental approach (through a Ground Segment versioning concept).

5 SCOPE OF EUMETSAT PROGRAMME

The scope of the EUMETSAT MTG Programme encompasses the following main elements:

- A fixed financial contribution to the ESA MTG Space Segment Development Programme;
- Procurement of the four recurrent satellites and related activities;
- Procurement of Launch and LEOP services for all six MTG satellites;
- Establishment of a ground segment system to support the operation of the MTG System;
- At least twenty years of routine operations of the imagery mission, encompassing fifteen and half years of routine operations of the sounding mission;
- Ten years of continuous development and operations (CDOP) activities of the EUMETSAT SAFs;
- The management of the developments and procurements, and the conditioning of the infrastructure to host components of the system, including back-up services and related systems.

6 IMPLEMENTATION ARRANGEMENTS

6.1 Interaction with Users and Experts

The process for involvement of users and experts established during the initial phases of the MTG activities will continue during the development and operations phases. The MTG Mission Team which has been instrumental to integrate and consolidate the information base and help EUMETSAT Secretariat and the MTG Team to shape the discussions with Delegates, will continue to be involved in the implementation phases of the Programme.

A key result of the coordinated efforts is the end user requirements document (EURD) subject to approval by Council. A list of products to be generated centrally at EUMETSAT HQ is established for reference, design and sizing of the core functionality of the ground segment. The initial set products in the list emphasises the continuity of MSG services into the next generation and the most direct and essential derivatives from the new instruments.

Users support will still be needed in the implementation phase to ensure that optimum benefit is obtained from the observations and system under development. Further support from users will also be essential in preparing for and implementing the calibration and validation plans, and preparedness of user will be an objective of the efforts of the Programme.

6.2 Coordination Mechanisms between EUMETSAT and ESA

The roles of EUMETSAT and ESA are detailed in a dedicated Agreement with ESA on MTG to be approved by EUMETSAT Council, specifying, among others, the roles of EUMETSAT and ESA within the MTG, financial liabilities, procurement policy, implementation mechanisms, and ownerships of data.

6.3 Sentinel 4 Implementation

The implementation of the Sentinel 4 on the MTG-S satellites will be formalised through an “Implementing Arrangement” with ESA, to be signed upon entry into force of the MTG Programme. This Implementing Arrangement is based on the Framework Agreement between EUMETSAT and ESA on the cooperation on GMES signed on 20 July 2009. ESA is responsible for the GMES Space Component, and as such will develop the Sentinel 4 mission and instrument, in compliance with MTG interfaces and within the capabilities allocated to the satellites to fulfil the Sentinel-4 mission

It is to be noted that the above Implementing Arrangement with ESA does not cover the funding of the operational cost of the mission which EUMETSAT Member States expect to be provided from a yet to be defined EC GMES operational Budget.

6.4 Coordination with SAFs

SAFs are part of EUMETSAT’s multi-mission infrastructure and thus an integral part of the EUMETSAT Programmes and their ground segments, which together with the central level-2 product generation facilities constitute the Application Ground Processing System.

Through the development of the MTG system SAFs will enter the second 5-year slice of their Continuous Development and Operation Phase (CDOP), which will span from 2012 to 2017. Subsequently a third phase of CDOP for addition five years will be supported through MTG. Almost coincidentally with the start of the third CDOP slice SAFs will have to transition from using MSG observations to the use of MTG Imager data.

6.5 Other Partner Agencies

In order to continue the provision of support and services for Search and Rescue operations a cooperation scheme with COSPAS-SARSAT will be established.

Should the technical ongoing discussions with CNES conclude fruitfully with an agreement to support and supplement the ARGOS mission with a geostationary component, a dedicated agreement will be set up.

7 PROGRAMME ENVELOPE & INDICATIVE EXPENDITURE PROFILE

The proposed EUMETSAT MTG Programme envelope amounts to M€2,369 at 2008 economic conditions. It is equivalent to M€2,470 at 2010 e.c.

The following table shows the indicative expenditure profile of the MTG Programme:

Year	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	Total
MEUR at 2008 e.c.	62	121	149	200	213	198	177	161	104	105	119	81	76	71	72	65	64	59	56	27	27	27	27	27	27	27	27	2369

Figure 7 1: Preliminary MTG expenditure profile

MTG PROGRAMME**FINANCIAL ENVELOPE AND CONTRIBUTIONS****1 FINANCIAL ENVELOPE**

That the financial envelope of the MTG Programme shall amount to 2,369 MEUR at 2008 economic conditions, with an indicative expenditure profile as described in the Programme Definition.

2 CONTRIBUTIONS

The Member States shall contribute to the EUMETSAT MTG Programme in accordance with a scale of contributions based on the Gross National Income statistics issued by the OECD. The current scale of contributions is provided in Section II below. The scale will be updated in triennial intervals.

EUMETSAT POLAR SYSTEM SECOND GENERATION

PREPARATORY PROGRAMME DEFINITION

Applicable from 15 November 2012 until 31 December 2016

(as approved in EUM/C/73/11/Res I, which was presented for adoption at the 73rd Meeting of the EUMETSAT Council on 5 October 2011 and finally adopted on 15 November 2012)

1. GENERAL

The EUMETSAT Polar System (EPS) is Europe's first polar orbiting operational meteorological satellite system, and with its Metop satellites it is the European contribution to the Initial Joint Polar-Orbiting Operational Satellite System (IJPS). EPS started routine operation services in May 2007, and the series of three Metop satellites are expected to deliver observations and services until 2021. According to availability analyses, the first in-orbit element of the EUMETSAT Polar System Second Generation (EPS-SG) needs to be available in 2019 to ensure continuity to EPS.

The EPS-SG preparatory activities started in 2005 with the user consultation process established with Member States, aimed at capturing the needs of EUMETSAT users in the 2020-2035 timeframe and conducted in cooperation with the European Space Agency (ESA) as part of the Phase 0. Following the endorsement by the EUMETSAT Council of the Application Expert Groups Position Papers as outcome of the user consultation in 2006, the process led to the definition of the mission requirements for the EPS-SG candidate missions that were endorsed by Council in June 2009. Iterations with EUMETSAT's international partners ESA, NOAA, DLR and CNES on the definition of cooperation in the EPS-SG Programme have been ongoing since 2008.

2 MISSION OBJECTIVES AND CANDIDATE MISSIONS

The EPS-SG mission requirements baseline for the Phase A which started in January 2010 is the result of the user consultation process, the Mission Definition Review in autumn 2009 which closed the Phase 0, and the requirements de-scoping undertaken with the EPS-SG Mission Experts Team (PMET) until mid of 2010.

The selected mission concept for the EPS-SG Phase A encompasses a total of nine candidate observation missions, which are:

- **Infrared Atmospheric Sounding (IAS)** mission, providing hyper-spectral infrared sounding with a spectral resolution of 0.125 cm^{-1} within the spectral range from 645 to 2760 cm^{-1} at an average spatial sampling distance of 25 km;
- **Visible/Infrared Imaging (VII)** mission, providing moderate-resolution optical imaging in >20 spectral channels ranging from 0.443 to $13.345 \text{ }\mu\text{m}$ with a spatial sampling of 250 to 500 m;
- **MicroWave Sounding (MWS)** mission, providing all-weather microwave sounding in the spectral range from 23.4 to 229 GHz, at a spatial sampling of 10 to 20 km;
- **SCAtterometry (SCA)** mission, providing back-scattered signals in the 5.9 GHz band at a spatial resolution of 25 km;

- **Radio Occultation sounding (RO)** mission, providing high vertical resolution, all-weather soundings by tracking GPS (Global Positioning System) and Galileo satellites;
- **MicroWave Imaging (MWI)** mission, providing precipitation and cloud imaging in the spectral range from 18.7 to 668 GHz at a spatial sampling from 8 km (highest frequency) to 12 km (lowest frequency);
- **Nadir-viewing Ultra-violet Visible Near-infrared shortwave infrared Sounding (UVNS)** mission, providing hyper-spectral sounding with a spectral resolution from 0.05 to 1 nm within the spectral range from 0.27 to 2.4 μm at a spatial sampling of 15 km;
- **Multi-viewing Multi-channel Multi-polarisation imaging mission (3MI)**, providing moderate resolution aerosol imaging in the spectral region ranging from ultra-violet (0.342 μm) to short-wave infrared (2.13 μm), at a spatial sampling of 2 to 4 km;
- **Radiant Energy Radiometry mission (RER)**, providing earth radiation budget measurements in three bands of the solar and terrestrial spectral domains with a spatial sampling of 10 km.

A priority ranking has been assigned to the EPS-SG candidate missions with the rank “very high” for the IAS, VII, MWS and SCA missions, rank “high” for the RO mission, rank “medium” for the MWI, UVNS and 3MI missions, and rank “low” for the RER mission.

3 EPS-SG SYSTEM CONCEPT

The EPS-SG system concept encompasses the following characteristics:

- Designed to constitute the European contribution to the Joint Polar System with the U.S.A. (mid-morning orbit);
- Space Segment based on a two satellites in-orbit configuration;
- Strong heritage from EPS continuity missions;
- Accommodation and operations of GMES Sentinel 5 instruments;
- Satellite development based on maximum reuse of existing technologies;
- Distribution of Ground Segment capabilities, including the assets of the EUMETSAT Satellite Application Facilities (SAF Network);
- Reliance on evolution of available data acquisition capabilities (i.e. Svalbard and Antarctica stations);
- Provision of global and regional downlink capabilities;
- Re-use of EUMETSAT infrastructures, taking into account the EPS heritage and multi-mission reusable elements;
- Compatibility with more than one launcher.

The EPS-SG satellites will fly in a sun synchronous, low earth orbit, at 817 km altitude and 09:30 descending equatorial crossing time (mid-morning orbit). The two satellites will be separated from each other within the orbit of typically 25 minutes, in order to separate visibility periods and perform routine operations from the same ground station(s).

4 PREPARATORY PROGRAMME CONTENT

The EPS-SG Preparatory Programme covers the EUMETSAT activities associated with the EPS-SG Phase B starting in May 2012, up to the completion of the Phase B activities end 2014.

It is assumed that all activities following the PDR will be covered under the full EPS-SG Programme, covering the EPS-SG Phases C/D/E.

Phase B will focus on the consolidation of the requirements for the EPS-SG system, and their justification via their detailed analyses and trade-off, to derive necessary design elements, in line with programmatic constraints (schedule and costs). These activities will allow the system to be subsequently developed, produced, operated and maintained.

During Phase B, an incremental system requirements review process will be conducted at system level and space segment level, taking into account the needs of the ESA Space Segment Phase B, of the EUMETSAT Ground Segment studies, and of the cooperation with the international partners.

The Phase B activities are formally closed by the Preliminary Design Review (PDR).

5 IMPLEMENTATION

The main activities planned during the EPS-SG Preparatory Programme will consist of:

- Preparatory Programme Management:
 - Management
 - Project Control and Planning
- System and Operations Preparation
 - System Management
 - End User Activities
 - System Engineering
 - System Definition and Development
 - Meteorological Products Activities
 - Operations Preparation
 - System Integration and Verification and Validation
 - External Services (Launch Services Activities and LEOP Services Activities)
- Satellites Activities
- Instruments Activities
 - Instruments with Existing Design
 - New Instruments
- Ground Segment Activities
- Quality Assurance

**EUMETSAT POLAR SYSTEM SECOND GENERATION PREPARATORY
PROGRAMME (EPS-SG PP)**

FINANCIAL ENVELOPE AND CONTRIBUTIONS

1 FINANCIAL ENVELOPE

The financial envelope of the EPS-SG PP shall amount to 40.91 MEUR at 2011 economic conditions, with an indicative payment profile of 5.92 MEUR in 2012, 17.30 MEUR in 2013, and 17.69 MEUR in 2014.

2 CONTRIBUTIONS

The Member States shall contribute to the EPS-SG PP in accordance with a GNI-based scale of contributions established in accordance with Article 13 of the EUMETSAT Financial Rules. The current scale of contributions is provided in Section II below. The scale will be updated in triennial intervals.

EUMETSAT POLAR SYSTEM SECOND GENERATION

PROGRAMME DEFINITION

Applicable from 04 Dec 2019 until today

(as approved in EUM/C/80/14/Res. I, which was presented for adoption at the 80th Meeting of the EUMETSAT Council on 1 July 2014, finally adopted on 22 May 2015 with entry into force on 1 January 2016)

1 INTRODUCTION

The establishment of the EPS-SG Programme derives from the EUMETSAT Convention, where the primary objective of EUMETSAT to establish, maintain and exploit European systems of operational meteorological satellites is stated, together with the further objective to contribute to the operational monitoring of the climate and the detection of global climatic changes. EPS-SG is the basic Programme required to continue the provision of observations from polar orbit following EUMETSAT Polar System (EPS) and as such is a mandatory Programme.

2 MISSION OBJECTIVES AND EPS-SG MISSION

As the successor of the EPS Programme, the EPS-SG Programme will continue to support and enhance the core services of operational meteorology and climate monitoring from the mid morning polar orbit and will implement the End User Requirements Document approved by Council.

In the frame of the Joint Polar System (JPS) shared with the US National Ocean and Atmosphere Administration (NOAA), it will provide observations from the mid morning orbit supporting a large spectrum of applications at the National Meteorological Services and other operational entities of EUMETSAT Member, as well as WMO users in general.

In particular, Numerical Weather Prediction at regional and global scales will benefit from the EPS-SG enhanced infra-red, micro-wave, and radio-occultation soundings of temperature and humidity, polar atmospheric motion vectors extracted from optical imagery, novel precipitation and cloud measurements of imagers in the optical, sub-millimetre and micro-wave spectra, and high-resolution ocean surface wind-vector and soil moisture measurements extracted from scatterometer observations.

The imaging and scatterometry missions will also support nowcasting applications at high latitudes where geostationary measurements are not available, as well as operational oceanography through the delivery of ocean surface wind vectors, sea surface temperature, sea ice cover, and other marine products.

Atmospheric composition applications, particularly monitoring and forecasting of air quality, ozone, aerosols and volcanic ash, and surface ultra-violet radiation, will be served with high spectral and spatial resolution soundings and imagery in the spectrum ranging from ultra-violet to the thermal infrared.

Operational hydrology and water management will be served with precipitation, soil moisture and snow measurements.

A number of measurements from the optical imaging mission will be relevant for land surface analysis at large scale in support of land-atmosphere interactions and biosphere applications.

All EPS-SG observation missions will support climate monitoring, based on the production of relevant Climate Data Records involving also heritage observations from the EPS Programme.

2.1 Observation Missions

The nominal EPS-SG system will include a configuration of two satellites (Satellite A and satellite B) carrying different sets of instruments to maximise synergy among the observations.

Satellite A will carry six instruments to fulfil the sounding and optical imaging missions:

- The Infrared Atmospheric Sounding mission (**IAS**), provides hyper-spectral infrared soundings of temperature, water vapour, and trace gases with a spectral resolution of 0.25 cm^{-1} within the spectral range from 645 to 2760 cm^{-1} at an average spatial sampling distance of 25 km;
- The Visible/Infrared Imaging mission (**VII**), provides moderate-resolution optical imaging of clouds, aerosols, and surface variables in 20 spectral channels ranging from 0.443 to $13.345 \text{ }\mu\text{m}$ with a spatial sampling of 250 to 500 m;
- The MicroWave Sounding mission (**MWS**), provides all-weather microwave sounding of atmospheric temperature and humidity in the frequency range from 23.4 to 229 GHz, at a spatial resolution of 17 to 40 km;
- The Radio Occultation sounding mission (**RO**), provides high vertical resolution, all-weather soundings of atmospheric temperature and water vapour by tracking GPS (Global Positioning System), Galileo and optionally GLONASS, and Compass-Beidou satellites;
- The Multi-viewing Multi-channel Multi-polarisation Imaging mission (**3MI**), provides moderate resolution aerosol imaging in 12 spectral channels of the spectral region ranging from the visible ($0.41 \text{ }\mu\text{m}$) to the short-wave infrared ($2.13 \text{ }\mu\text{m}$), at a spatial resolution of 4km;
- The nadir-viewing Ultra-violet Visible Near-infrared Shortwave infrared sounding mission (**UVNS**), implemented by the Copernicus Sentinel-5 instrument, provides hyper-spectral sounding of trace gases with a spectral resolution from 0.05 to 1 nm within the spectral range from 0.27 to $2.385 \text{ }\mu\text{m}$ at a spatial resolution of 7 km.

Satellite B will carry four instruments to fulfil the passive micro-wave and sub-millimetre-wave imaging, scatterometry, and radio occultation sounding missions:

- The Scatterometry mission (**SCA**), provides back-scattered signals in the 5.3 GHz band to measure ocean-surface vector winds and soil moisture of land surfaces at a spatial resolution of 25 km;
- The Micro-Wave Imaging mission (**MWI**), provides precipitation and cloud imaging in 18 channels (8 of which being dual-polarisation) in the frequency range from 18.7 to 183 GHz at a spatial resolution from 10 km (highest frequency) to 50 km (lowest frequency);
- The Ice Cloud Imaging mission (**ICI**) provides ice cloud and snowfall imaging in 11 channels (2 of which being dual-polarisation) in the frequency range from 183 to 664 GHz at a spatial resolution of 15 km;
- A second RO sounding instrument to complement that on Metop-SG A to provide a higher number of all-weather RO soundings of temperature and water vapour by tracking GPS, Galileo and optionally GLONASS, and Compass-Beidou satellites.

The Metop-SG B satellite also carries an Advanced Data Collection System (A-DCS4) for the collection and transmission of observations and data from surface, buoy, ship, balloon or airborne data collection platforms.

3 EPS-SG system description

3.1 System Architecture

The EPS-SG system consists of the following main elements:

- Space Segment;
- Ground Segment;
- Launch services;
- LEOP services.

3.2 Space Segment

The EPS-SG Space Segment consists of three Metop-SG A satellites and three Metop-SG B satellites equipped with different instrument payload fulfilling the observation missions in synergy. Both Metop-SG A and Metop-SG B types of satellite have large commonalities to facilitate efficient operations.

The space segment also includes all necessary Ground Support Equipment (GSE) for satellite AIV, such as mechanical, electrical and optical GSE's test facilities to support test and qualification of the satellites and specific tools used for system verification and validation, such as the satellite simulators or Radio Frequency (RF) suitcases.

The payloads carried by each type of satellite will be different, with the exception of the Radio Occultation (RO) instrument to be embarked on both A and B satellites.

The mapping between the EPS-SG observation missions and the corresponding instruments to be carried on the Metop-SG satellites is as follows:

Metop-SG A Missions	Instrument (and Provider)
Infrared Atmospheric Sounding (IAS)	IASI-NG (CNES)
Visible-Infrared Imaging (VII)	METImage (DLR)
Microwave Sounding (MWS)	MWS (ESA)
Radio Occultation (RO)	RO (ESA)
Multi-viewing, -channel, -polarisation Imaging (3MI)	3MI (ESA)
UV/VIS/NIR/SWIR Sounding (UVNS)	Sentinel-5 (Copernicus/ ESA)

Metop-SG B Missions	Instrument (and Provider)
Scatterometry (SCA)	SCA (ESA)
Microwave Imaging for Precipitation (MWI)	MWI (ESA)
Ice Cloud Imaging (ICI)	ICI (ESA)
Radio Occultation (RO)	RO (ESA)
Advanced Data Collection (ADCS)	A-DCS4 (CNES)

All instruments will nominally be on and taking measurements continuously, although day/night observations will be different for some instruments, i.e. METimage, Sentinel-5 and 3MI will generate reduced amounts of data at night.

3.3 EPS-SG Ground Segment

The EPS-SG Overall Ground Segment will support all the ground functions required to meet the mission objectives and comprises a set of core functions, supplemented by functions provided by services and partners:

- Mission Control and Operations ;
- Payload Data Acquisition and Processing;
- Multi Mission Elements (MMEs).

SAFs are part of EUMETSAT's multi-mission infrastructure, and contribute to the implementation of the Payload Data Acquisition and Processing function for agreed level-2 products.

The EPS-SG Ground Segment functions will be implemented by physical elements located at the EUMETSAT Headquarters and other sites.

The full complement of sites contributing to the EPS-SG Ground Segment is:

- The Mission Control Centre (MCC) at EUMETSAT Headquarters;
- The Remote Mission Control Centre (RMCC) is located at a remote location and provides capability to command and control the Space Segment in the case of partial or total loss of the MCC;
- The Ground Stations sites for Tracking, Telemetry and Command/Control (TT&C);
- The Ground Station sites for payload data reception, both polar stations for global data, and regional stations. The polar global data reception sites are expected to include NOAA antennas in the McMurdo station in the Antarctic as part of the JPS support;
- The EUMETCast uplink station for data dissemination;
- The Satellite Application Facilities (SAFs) distributed across EUMETSAT Member States;
- The Scatterometer transponders sites.

In addition to these sites, there are also the sites of partners and service providers.

4 EPS-SG in-orbit deployment plan

Because the EPS-SG Programme is the follow-on to the EPS Programme and the EUMETSAT contribution to the JPS shared with NOAA, the Metop-SG satellites will be operated in the same mid morning orbit as the Metop satellites.

The baseline in-orbit configuration for the EPS-SG space segment is a dual spacecraft configuration (Metop-SG A and Metop-SG B).

Although the baseline assumption is that each spacecraft in the programme will be launched independently, both satellites of the dual configuration will be operated simultaneously in the same mid morning orbit, at defined relative phases in the orbit. Considering that both types of satellites are required to ensure continuity of EPS observations, the prototype satellites are planned to be launched 18 months apart

The programme foresees a series of three spacecraft of each type, with a 7.5-year design lifetime.

The deployment of the EPS-SG system and the successive Metop-SG satellites is driven by availability and readiness of the prototype satellites and the required duration of the operational services and by the need to ensure the continuity of the services provided by the last Metop satellites of the EPS system.

The foreseen EPS-SG satellite deployment scenario is as follows:

- Nominal launch of Metop-SG A1: 2021
- Nominal launch of Metop-SG B1: 2022
- Nominal launch of Metop-SG A2: 2028
- Nominal launch of Metop-SG B2: 2029
- Nominal launch of Metop-SG A3: 2035
- Nominal launch of Metop-SG B3: 2036

One difference between the EPS and EPS-SG Programmes is the need to comply with space debris mitigation regulations which have evolved considerably over the past 10 years. Therefore, in accordance with applicable debris mitigation regulations, the baseline is to de-orbit the Metop-SG satellites at their end of life, performing a controlled re-entry targeting the open ocean. The choice of the end of life date will be a balance between the maximisation of the scientific data from an in-orbit asset and the need to secure a defined minimum amount of fuel to successfully perform a controlled re-entry.

5 SCOPE OF EUMETSAT PROGRAMME

The scope of the EPS-SG Programme encompasses the following main elements:

- Two series of three successive satellites, termed “Satellite A” and “Satellite B”;
- A fixed financial contribution to the ESA Metop-SG Space Segment Development Programme covering the development of both prototype satellites;
- Procurement of the four recurrent satellites and related activities;
- A fixed contribution to the development by DLR of the METImage instrument and the procurement of two recurrent METImage instruments;
- A fixed contribution to the development by CNES of the IASI-NG instruments and procurement of two recurrent IASI-NG instruments;
- Procurement of six Launch and LEOP services;
- Establishment of a ground segment system to support the operation of the EPS-SG system;
- At least 21 years of operations of each series of satellites, which can only be assured with a 3 + 3 satellite programme including two parallel series of three successive Metop-SG A and Metop-SG B satellites;
- 10 years of continuous development and operations (CDOP) activities of the EUMETSAT SAFs;
- The management of the developments and procurements, and the conditioning of the infrastructure to host components of the system, including back-up services and related systems.

6 IMPLEMENTATION ARRANGEMENTS

6.1 Interaction with Users and Experts

The process for involvement of users and experts established during the initial phases of the EPS-SG activities will continue during the development and operations phases. The EPS-SG Mission Team which has been instrumental to integrate and consolidate the information base and help EUMETSAT.

The EPS-SG End User Requirements Document (EURD), owned by Council, is at the highest level in the EPS-SG specification tree and is the applicable users’ reference for the design and the development of EPS-SG at system level and segment levels (space and ground segments). Accordingly, a downward traceability from the EURD to the System requirements Document (SRD) and further down to the segment system requirements documents has been established and is maintained for the Phase B and following Phases.

An initial version of the EURD (EUM/C/78/13/DOC/07) was approved by Council as baseline for EPS-SG Preparatory Programme. The EURD will be updated in the light of results from the Phase B activities and will be presented to EUMETSAT Council for approval.

6.2 Cooperation with ESA

The roles of EUMETSAT and ESA are detailed in a dedicated Agreement with ESA on Metop-SG approved by the EUMETSAT Council, specifying, amongst others, the roles of EUMETSAT and ESA within the EPS-SG, financial liabilities, procurement policy, implementation mechanisms, and ownerships of data.

6.3 Other partner agencies

In addition to cooperation with ESA, EUMETSAT will also cooperate with DLR and CNES for the acquisition of the METImage (DLR), IASI-NG (CNES) and the implementation of the ARGOS (CNES) mission. Dedicated agreements are approved by Council.

EPS-SG will be implemented as the European contributions to the Joint Polar System established in cooperation with NOAA, subject to a dedicated Agreement addressing development and coordinated operations also approved by Council.

6.4 Sentinel-5 Implementation

The implementation of the Sentinel-5 on the Metop-SG satellites will be formalised through the “Draft Implementing Arrangement with ESA on GMES Sentinel-5”, to be signed upon entry into force of the EPS-SG Programme. This Implementing Arrangement is based on the Framework Agreement between EUMETSAT and ESA on the cooperation on GMES signed on 20 July 2009. ESA will develop the Sentinel-5 mission and deliver three instruments, two of which are expected to be funded by the EU Copernicus Programme in compliance with the EPS-SG interfaces and within the capabilities allocated to the satellites to fulfil the Sentinel-5 mission.

The Copernicus Regulation approved by the EU Council and the European Parliament foresees that operations of the Sentinel-5 instruments as part of the EPS-SG system will be funded by the EU under Delegation Agreements between EUMETSAT and the EU covering EUMETSAT’s activities in support of Copernicus in the 2014-2020 period and by subsequent agreements under successive EU Multiannual Financial Frameworks.

7 PROGRAMME ENVELOPE & INDICATIVE EXPENDITURE PROFILE

The proposed EUMETSAT EPS-SG Programme envelope amounts to MEUR 3,323 at 2012 economic conditions. It is equivalent to MEUR 3,495 at 2015 economic conditions.

The following table shows the indicative expenditure profile of the EPS-SG Programme:

Year	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
MEUR (’12 e.c.)	26.1	118.3	187.6	246.6	299.8	267.2	236.1	201.5	151.7	97.9	90.6

Year	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036 to 2044
MEUR (’12 e.c.)	124.1	167.5	145.4	109.3	68.1	65.9	100.0	76.7	134.6	127.5	280.1

EPS SG PROGRAMME**FINANCIAL ENVELOPE AND CONTRIBUTIONS****1 FINANCIAL ENVELOPE**

The financial envelope of the EUMETSAT EPS SG Programme shall amount to 3,323 MEUR at 2012 economic conditions, with an indicative expenditure profile as described in the Programme Definition.

2 CONTRIBUTIONS

The Member States shall contribute to the EUMETSAT EPS SG Programme in accordance with a scale of contributions based on the Gross National Income statistics issued by EUROSTAT. The current scale of contributions is provided in Section II below. The scale will be updated in triennial intervals.

II SCALE OF CONTRIBUTIONS FOR GENERAL BUDGET AND MANDATORY PROGRAMMES

Applicable from 01 Jan 2021 until today

In accordance with Article 10.2 of the EUMETSAT Convention, each Member State shall pay an annual contribution to the EUMETSAT General Budget and Mandatory Programmes on the basis of the average Gross National Product [Income] of each Member State for the three latest years for which statistics are available.

Based on the scale of contributions presented to Council at its 95th meeting, the current scale of contributions for the EUMETSAT General Budget and Mandatory Programmes is as follows:

MEMBER STATE	CONTRIBUTION (%)
AUSTRIA (AT)	2.1576%
BELGIUM (BE)	2.6235%
BULGARIA (BG)	0.2984%
SWITZERLAND (CH)	3.5008%
CZECH REPUBLIC (CZ)	1.0654%
GERMANY (DE)	19.4123%
DENMARK (DK)	1.7469%
ESTONIA (EE)	0.1361%
SPAIN (ES)	6.7769%
FINLAND (FI)	1.3213%
FRANCE (FR)	13.6920%
UNITED KINGDOM (GB)	13.8104%
GREECE (GR)	1.0522%
CROATIA (HR)	0.2839%
HUNGARY (HU)	0.7030%
IRELAND (IE)	1.3848%
ICELAND (IS)	0.1078%
ITALY (IT)	10.1799%
LITHUANIA (LT)	0.2373%
LUXEMBOURG (LU)	0.2137%
LATVIA (LV)	0.1563%
NETHERLANDS (NL)	4.3279%
NORWAY (NO)	2.1451%
POLAND (PL)	2.5937%
PORTUGAL (PT)	1.1140%
ROMANIA (RO)	1.0705%
SWEDEN (SE)	2.7943%
SLOVENIA (SI)	0.2463%
SLOVAK REPUBLIC (SK)	0.4862%
TURKEY (TR)	4.3615%
TOTAL	100.0000

Scale of Contributions for mandatory programmes and general budget

The current scale of contributions is based on the reference period 2016-2018, applicable for the period 2021-2023. The scale will be updated in triennial intervals.

The basis for the calculation of the contributions is the Gross National Income issued by EUROSTAT internet online statistics database on 1 September 2020. It was completed with data retrieved on 1 September 2020 from the World Bank online statistics database for the year 2018 for Bulgaria and Turkey and for the years 2016, 2017 and 2018 for Iceland.

III OPTIONAL PROGRAMMES

As stipulated in the EUMETSAT Convention, optional programmes are those which count with the participation by those Member States that agree so to do. Optional Programmes are programmes within the objectives of EUMETSAT agreed as such by the Council.

Optional programmes are established through the adoption of a Programme Declaration by the Member States interested to which a detailed Programme Definition, containing all necessary programmatic, technical, financial, contractual, legal and other elements is attached. Any optional programme shall be within the objectives of EUMETSAT and be in accordance with the general framework of the Convention and the rules agreed by the Council for its application. The Programme Declaration is approved by the Council in an Enabling Resolution.

Any Member State shall have the opportunity to participate in the preparation of a draft Programme Declaration and may become a Participating State of the optional programme within the time frame set out in the Programme Declaration.

Optional programmes take effect once at least one third of all EUMETSAT Member States have declared their participation by signing the Declaration within the time frame set out and the subscriptions of these Participating States have reached 90% of the total financial envelope.

EUMETSAT JASON-2 ALTIMETRY OPTIONAL PROGRAMME DEFINITION

Applicable from 04 Dec 2019 until today

Adopted by Potential Participating States on 4-5 December 2001 in Council Declaration EUM/C/01/Decl. I, amended by Council Resolutions EUM/C/02/Res. III adopted on 26-27 November 2002 and EUM/C/03/Res. III adopted on 24-25 June 2003 and entered into force on 27 June 2003.

Amended thereafter to reflect accessions of new Participating States by Council Resolutions EUM/C/59/06/Res. II adopted on 3-4 July 2006, EUM/C/60/06/Res. II adopted on 30 November-1 December 2006, EUM/C/66/08/Res. VII adopted on 9-10 December 2008, EUM/C/67/09/Res. VII adopted on 30 June-1 July 2009, EUM/C/72/11/Res. II adopted on 28-29 June 2011, EUM/C/72/11/Res. V adopted on 28-29 June 2011, EUM/C/78/13/Res. III adopted on 25-26 June 2013 and EUM/C/79/13/Res. II adopted on 26-27 November 2013.

Further amended to extend its duration by Council Resolutions EUM/C/77/12/Res. III adopted on 15-16 November 2012, EUM/C/79/13/Res. IV adopted on 26-27 November 2013 and entered into force on 15 September 2014 and EUM/C/86/16/Res. III presented for adoption at the 86th meeting of EUMETSAT Council on 6-7 December 2016 and adopted on 11 July.

The amended Declaration EUM/C/01/Decl. I was signed by the following Participating States:

PARTICIPATING STATES	DATE
BELGIUM (BE)	21 October 2002
BULGARIA (BG)	30 April 2014
SWITZERLAND (CH)	08 April 2002
GERMANY (DE)	25 June 2003
DENMARK (DK)	26 June 2003
ESTONIA (EE)	26 June 2013
SPAIN (ES)	12 June 2003
FINLAND (FI)	23 October 2002
FRANCE (FR)	16 September 2002
UNITED KINGDOM (GB)	27 June 2003
GREECE (GR)	22 June 2004
CROATIA (HR)	08 December 2006
IRELAND (IE)	13 November 2002
ICELAND (IS)	07 January 2014
ITALY (IT)	11 October 2002
LITHUANIA (LT)	01 January 2014
LUXEMBOURG (LU)	29 March 2004
LATVIA (LV)	26 May 2009
NETHERLANDS (NL)	11 November 2002
NORWAY (NO)	31 October 2002
PORTUGAL (PT)	22 June 2004
ROMANIA (RO)	29 November 2010
SWEDEN (SE)	25 June 2003
SLOVENIA (SI)	19 February 2008
TURKEY (TR)	30 October 2003

1 GENERAL

The primary objective of the EUMETSAT Jason-2 Altimetry Programme will be to ensure that the EUMETSAT user community continues to receive precise altimetry data on an operational basis. To meet this need, Jason-2 will be an Earth orbiting satellite in a 66° orbit equipped with a radar altimeter and other instruments to directly measure sea surface elevation along a fixed grid of sub-satellite groundtracks. Jason-2 will, for an estimated period of ten years, continue the data collection started with Topex/Poseidon and continued with Jason-1. The intention is for EUMETSAT to be an equal partner in the Ocean Surface Topography Mission (OSTM) alongside NOAA, NASA and CNES. Both NASA and CNES have confirmed that a decision by their authorities to proceed with support for OSTM is dependent on the financial involvement of the operational agencies EUMETSAT and NOAA.

2 MISSION OBJECTIVES

The main focus of OSTM is to pursue the unique accuracy, continuity and coverage of the Topex/Poseidon and Jason-1 missions in support of operational activities such as marine meteorology, seasonal forecasting, oceanographic services and the monitoring of the climate and for describing and understanding the ocean circulation, its variability on all scales, and its influence on climate.

The basic missions to be addressed by OSTM are described below.

2.1 Marine meteorology

The two parameters measured by altimetry that have meteorological applications are wind speed and significant waveheight (SWH). Sea-state is a parameter with rapid short timescale changes of a few hours. Sea-state prediction models are forced by NWP forecasts of surface winds, but dense and frequent measurements on short time-scales are needed to constrain the models efficiently, and this is beyond the scope of in-situ networks. Real time wind speed and SWH as measured by the Jason-2 altimeter will be of value in data assimilation into models. Operational systems are already running in several meteorological centres providing reliable 12-24 hours forecasts.

2.2 Mesoscale oceanography

Three dimensional mesoscale structures have horizontal spatial scales of 30-300 km and time-scales of 20-90 days. They are mainly associated with the formation and propagation of eddies which are very energetic, have a key role in heat transport from low to high latitudes, and need to be forecast to support fisheries and other applications.

2.3 Seasonal Forecasts and Climate

Seasonal and Interannual variability is known to be significantly impacted by the El Niño and this has a consequential impact on a wide range of economic and social activities of countries affected by these events. To date altimetric data assimilation runs have significantly improved the quality of the seasonal and interannual forecasting (6 months to 1 year in advance), and Jason-2 will continue to contribute and enhance this service.

OSTM will have a major contribution to the observation of large spatial variability (intra-seasonal to interannual) thanks to the expected low error budget and a very precise orbit determination. The OSTM observations will allow an improved characterisation of the seasonal cycle and its geographic dependence as well as better understanding of the associated ocean-atmosphere interactions. The accurate knowledge of the seasonal cycle is especially important to evaluate and to adjust at a first order the ocean models and climate models. OSTM will also continue to contribute to our understanding of mean sea level trends.

2.4 Other Applications

Altimetry is also useful for many applications in geodesy, geophysics, glaciology and hydrology.

The observations from OSTM will continue to contribute to our improved knowledge of tides. Water vapour content as measured by the radiometers on-board altimetric satellites can be useful to monitor atmosphere characteristics in the troposphere and to constrain operational weather models. Precipitation is another parameter that may be derived from the dual-frequency radar altimeter and the radiometer and be used by meteorologists to complete their data sets.

Despite the inappropriate technical design and orbit geometry, interesting results have been obtained with Topex/Poseidon data by scientists studying sea-ice, enclosed seas, lakes, large rivers and flat continental topography.

3 OCEAN SURFACE TOPOGRAPHY MISSION (OSTM) SYSTEM DESCRIPTION

3.1 Overview

The OSTM end to end system includes a satellite, launch, and a full ground system. The task sharing between the four partners will ensure a coherent overall system. The overall system described below is the total system that will be jointly provided by the four partners. Section 4 deals with the specific EUMETSAT activities.

3.2 Space Segment

The Jason-2 payload consists of a:

- Two-frequency altimeter called Poseidon-2 and its antenna
- Three-frequency radiometer and its antenna
- Doppler Orbitography and Radiopositioning Integrated by Satellite (Doris) on board package;
- Laser retroreflector array;
- Turbo Rogue Space Receiver (TRSR) GPS space receiver and up to two (2) antennas.

The Jason-2 satellite bus will be the PROTEUS (Plateforme Reconfigurable pour l'Observation de la terre, les Telecommunications et les Utilisations Scientifiques) platform developed for Jason-1.

NASA will provide the launch of the Jason-2 satellite.

3.3 Ground System Description

The ground system consists of a control ground system and a mission ground system distributed between the US and Europe and between the four partners.

3.3.1 Control Ground System

The Control Ground System comprises:

- a. A Satellite Control Centre (SCC)** located in Toulouse to monitor the satellite during the complete mission lifetime. Satellite control and operations are also executed from this centre until the end of the assessment phase.
- b. A Project Operation Control Centre (POCC)** expected to be located in Pasadena California under NOAA/NASA control. This centre will be operational from the end of the assessment phase and will control the satellite and the associated instruments for the remainder of the mission.
- c. An Earth Terminal Network** to provide command transmission and data acquisition. There will be at least three Earth Terminals, one of which will be in Europe to provide global coverage.

3.3.2 Mission Ground System

The Mission Ground System comprises:

- a. The EUMETSAT Mission Centre(EMC)** to provide:
 - Data reception and primary processing for real time products;
 - User interfaces;
 - Real time data distribution and archiving.
- b. The CNES Mission System Centre** comprises the Segment Sol Multimission Altimétrie et Orbitographie (SSALTO) and a DORIS system beacon network. The functions are:
 - Instrument programming and monitoring (altimeter and DORIS)
 - Commands requests generation (altimeter and DORIS)
 - Mission management and operation plan definition
 - Precise Orbit Determination (POD)
 - Algorithm definition and POD data production and validation
 - Offline altimeter data processing and validation of altimetry product
 - Offline data distribution and archiving
 - Network of ground beacons
- c. A NASA/NOAA Mission Centre** (expected to be part of the JPL POCC) whose functions are:
 - Instrument programming and monitoring (Radiometer and TRSR)
 - Command requests generation (Radiometer and TRSR).
 - Offline altimeter data processing and validation of altimetry product in parallel with the EUMETSAT, CNES mission centre
 - Real Time altimeter data processing
 - Real time and offline data distribution and archiving

3.4 Data Products and Services

3.4.1 Geophysical Products

The basic data services proposed for OSTM are a continuation of the services provided for Jason-1. The products are:

- A **three hour real time Operational Sensor Data Record (OSDR)**, mainly for marine meteorological applications. The aim is to have 75% of the data available within three hours and 95% within five hours, but every effort will be made to improve upon this aim for European regional data. The wind wave accuracy will be better than 2m/s or 10% with an orbit accuracy of better than 50cm and a range accuracy of better than 4.5cm.
- A **three day Interim Geophysical Data Record (IGDR)** for oceanography. The aim is to have 95% of the products available. The wind wave accuracy will be better than 1.7m/s or 10% with an orbit accuracy of better than 4cm and a range accuracy of better than 3.3cm.
- A **thirty day Geophysical Data Record (GDR)** for off-line science. The wind wave accuracy will be better than 1.7m/s or 10% with an orbit accuracy of better than 2cm and a range accuracy of better than 3.3cm.

3.4.2 Other Products

In addition there will be a set of specialist products, such as the combined products making effective use of OSTM and Envisat altimetry data, designed for expert users who wish to undertake certain analysis. These primarily concern orbit parameters and cross over products as well as the radiometer data.

3.4.3 Data Dissemination

The OSDR will be distributed using the GTS network, and such other networks (e.g. the World Wide Web) as may be agreed by EUMETSAT Participating States. EUMETSAT will be responsible for receiving data within Europe and making the data available to users on a routine basis in a way that ensures all EUMETSAT Participating States gain access to them in an optimum manner. NOAA/NASA will have a similar responsibility within the USA.

The IGDR will be distributed using the GTS network, and such other networks (e.g. the World Wide Web) as may be available. Within Europe the primary centre for processing the IGDR will be the SSALTO based in Toulouse. They will receive and archive all the data from both the European and US based Earth Terminals.

Within Europe the primary centre for processing and distributing the GDR will be the SSALTO based in Toulouse. They will receive and archive all the data from both the European and US based Earth Terminals. These data will be available on request.

3.4.4 Data Policy

It is recommended that all data available through this programme be made available in accordance with WMO Resolution 40 (Cg-XII) and that all OSTM data are classified as “essential”.

4 THE EUMETSAT JASON-2 ALTIMETRY PROGRAMME CONTENT

The EUMETSAT Jason-2 Altimetry Programme covers the EUMETSAT contribution to the US-European OSTM and aims at providing a ten-year OSTM operational data service to Member States and other users. The main elements of the EUMETSAT Programme are:

- a.** A financial contribution by EUMETSAT to CNES. This, along with the CNES, NASA, and NOAA funds will ensure the supply of the satellite, launcher and all ground segment and operations not specifically provided by EUMETSAT.
- b.** Acquisition, installation, operations and maintenance of a EUMETSAT Earth Terminal to receive data from the satellite and uplink the commands to the satellite. The preferred location is Darmstadt.
- c.** The algorithms for the processing of the real time data in EUMETSAT will be provided by the SSALTO based on the Jason-1 activities. Associated with this will be the need for a computing hardware and data dissemination chain.
- d.** The operational role of EUMETSAT shall be to:
 - Receive via the EUMETSAT Earth Terminal all data scheduled for reception in Europe;
 - Process these raw data to produce the OSDR products;
 - Transmit all the received raw data to the SSALTO and the NASA/NOAA Mission Centre for archiving and offline processing;
 - Receive the OSDR products generated in the US from their reception site (TBC);
 - Distribute the OSDR products to users;
 - Maintain a rolling archive to ensure data are safely archived at the long term archives;
 - Provide a user interface for enquiries on data formats, quality availability etc;
 - Contribute to activities related to scientific Announcements of Opportunity and visiting scientists;
 - Engage in other activities as agreed, to optimise the data service provided to EUMETSAT Member States and other users.
- e.** Management of the Cooperation with CNES, and the US partners.

5 IMPLEMENTATION

OSTM is a four party activity with clear and distinct responsibilities being allocated to each party. A four party Memorandum of Understanding and associated bilateral Agreements will set out these roles in detail.

An OSTM Joint Steering Group (OSG) will be established to provide direction and to review project implementation status. The OSG will establish a Project Plan. This plan will contain detailed statements as to how the cooperative project is to be carried out. It will include all aspects of the mission. This Project Plan will form the basis for the EUMETSAT/CNES activities.

Each party will also establish its own OSTM Project Office to provide for its project planning and management. Each office will be responsible for ensuring that its role is fulfilled.

EUMETSAT will implement the EUMETSAT Jason-2 Altimetry Programme in a single slice. Jason-2 has to be ready for launch in December 2004. The actual launch date is dependent upon the successful launch and operations of Jason-1. The expected period of operations is 10 years. It is intended that agreement will be sought to extend operations if the performance of the satellite remains satisfactory towards the end of this period. This will require a separate decision by all EUMETSAT Participating States wishing to continue.

Jason-2 was launched in 2008. The mission ended on 1 October 2019.

**EUMETSAT JASON-2 ALTIMETRY OPTIONAL PROGRAMME
FINANCIAL ENVELOPE, SCALE OF CONTRIBUTIONS AND VOTING
COEFFICIENT**

1 FINANCIAL ENVELOPE

The overall envelope for EUMETSAT's contribution to the Ocean Surface Topography Mission (OSTM) through the EUMETSAT Jason-2 Altimetry Programme shall be limited to a maximum of 31.7 MEUR at 2001 economic conditions.

The EUMETSAT payment profile, at 2001 economic conditions, is:

Year	2003	2004	2005	2006	2007	2008	2009
MEUR	2.498	2.644	3.094	3.144	3.215	3.245	3.158
Year	2010	2011	2012	2013	2014	2015	2016
MEUR	3.309	3.293	0.676	0.557	0.528	0.448	0.400
Year	2017	2018	2019	2020			
MEUR	0.419	0.421	0.421	0.212			

2 SCALE OF CONTRIBUTIONS AND VOTING COEFFICIENT

The Participating States shall contribute to the EUMETSAT Jason-2 Altimetry Programme in accordance with the following scale of contributions indicated in the table below. This table also lays down the voting coefficient of each Participating States, pursuant to the scale of contribution, and taking into account Article 5.3 b) of the EUMETSAT Convention.

PARTICIPATING STATE	CONTRIBUTION %	VOTING COEFFICIENT %
BELGIUM (BE)	3.0380%	3.0380%
BULGARIA (BG)	0.2446%	0.2446%
SWITZERLAND (CH)	3.4311%	3.4311%
GERMANY (DE)	26.3673%	26.3673%
DENMARK (DK)	1.9466%	1.9466%
ESTONIA (EE)	0.0858%	0.0858%
SPAIN (ES)	6.6360%	6.6360%
FINLAND (FI)	1.4452%	1.4452%
FRANCE (FR)	17.1754%	17.1754%
UNITED KINGDOM (GB)	10.4703%	10.4703%
GREECE (GR)	0.7178%	0.7178%
CROATIA (HR)	0.2201%	0.2201%
IRELAND (IE)	0.9439%	0.9439%
ICELAND (IS)	0.0736%	0.0736%
ITALY (IT)	13.3214%	13.3214%
LITHUANIA (LT)	0.1563%	0.1563%
LUXEMBOURG (LU)	0.2163%	0.2163%
LATVIA (LV)	0.0954%	0.0954%
NETHERLANDS (NL)	4.5127%	4.5127%
NORWAY (NO)	1.7796%	1.7796%
PORTUGAL (PT)	1.2683%	1.2683%
ROMANIA (RO)	0.5795%	0.5795%
SWEDEN (SE)	2.7331%	2.7331%
SLOVENIA (SI)	0.2313%	0.2313%
TURKEY (TR)	2.3104%	2.3104%
TOTAL	100.0000	100.0000

OPTIONAL EUMETSAT JASON-3 ALTIMETRY PROGRAMME DEFINITION

Applicable from 30 Jun 2020 until today

Adopted by the Potential Participating States on 1 July 2009 in Council Declaration EUM/C/67/09/Dcl. I, amended by Council Resolution EUM/C/68/09/Res. I adopted on 1-2 December 2009 and entered into force on 1 February 2010, and extended by EUMC/93/20/Res. I adopted on 30 June 2020.

Amended thereafter to reflect the accession of new Participating States by Council Resolutions EUM/C/72/11/Res. III and EUM/C/72/11/Res. VI both adopted on 28-29 June 2011, by EUM/C/78/13/Res. IV adopted on 25-26 June 2013 and by EUM/C/79/13/Res. III adopted on 26-27 November 2013.

The amended Council Declaration EUM/C/67/09/Dcl. I has been signed by the following Participating States:

PARTICIPATING STATES	DATE
BELGIUM (BE)	29 January 2010
BULGARIA (BG)	30 April 2014
SWITZERLAND (CH)	27 August 2009
GERMANY (DE)	4 January 2010
DENMARK (DK)	23 November 2009
ESTONIA (EE)	26 June 2013
SPAIN (ES)	29 January 2010
FINLAND (FI)	2 October 2009
FRANCE (FR)	31 January 2010
UNITED KINGDOM (GB)	1 February 2010
GREECE (GR)	17 July 2009
CROATIA (HR)	1 February 2010
IRELAND (IE)	8 October 2009
ICELAND (IS)	7 January 2014
ITALY (IT)	7 October 2009
LITHUANIA (LT)	1 January 2014
LUXEMBOURG (LU)	1 December 2009
NETHERLANDS (NL)	3 November 2009
NORWAY (NO)	9 October 2009
PORTUGAL (PT)	1 December 2009
ROMANIA (RO)	29 November 2010
SWEDEN (SE)	21 December 2009
SLOVENIA (SI)	28 December 2009
TURKEY (TR)	28 October 2009

1 GENERAL

The primary objective of the Programme is to ensure that the user community continues to receive precise altimetry data on an operational basis while Europe prepares for a long term operational perspective. To meet this need, Jason-3 will be an Earth orbiting satellite in a 66° orbit equipped with a radar altimeter and other instruments to directly measure sea surface elevation along a fixed grid of sub-satellite ground tracks. Jason-3 will thereby continue the data collection carried out by Topex/Poseidon, Jason-1 and Jason-2.

As an evolution of the Jason-2 OSTM Programme, the Optional EUMETSAT Jason-3 Altimetry Programme will rely on an international partnership between EUMETSAT, NOAA and CNES and NASA. In addition, it is expected that ESA and the European Commission will contribute. The increased role of NOAA and EUMETSAT as operational agencies reflects the ongoing transition from Research and Development towards full operations.

2 MISSION APPLICATIONS

The main focus of Jason-3 is to provide continuity to the unique accuracy, continuity and coverage of the Topex/Poseidon, Jason-1 and Jason-2 missions in support of operational applications related to extreme weather events and operational oceanography and climate applications and forecasting.

2.1 Operational Applications

2.1.1 Marine Meteorology

Meteorological centers run sea state forecast models to anticipate the evolution of waves and swells, which are superimposed, on all parts of the Earth, providing sailors and workers at sea with regular forecasts and special weather updates when weather conditions deteriorate. Such models (e.g. VAG at Météo-France, WAM at the ECMWF European Center) benefit greatly from real-time wave-height and wind speed altimetry products such as those issued within 3 hours from Jason-1 and 2, and ENVISAT.

2.1.2 Short, Medium Range and Seasonal Forecast

The assimilation of altimetry data into coupled atmosphere-ocean models has also proved to be very beneficial for short range, as well as medium range, monthly and seasonal forecasting, which are core activities of the National Meteorological Services. It has already been shown that coupled Atmospheric/Wave models allow to better estimate the flux at the interface between the atmosphere and the ocean, with some positive impact on numerical weather prediction. Also the actual heat content of the ocean mixed layer can have a decisive influence on the development and short range forecasting of high impact weather. In particular the derivation, from altimetry measurements of the so called Tropical Heat Content Potential (THCP), allows an improved prediction of hurricane intensity as was first demonstrated in 2005 with Katrina and Rita, and now being run operationally at NOAA. Likewise, recent mesoscale simulations have demonstrated that, in September/October, an increase of 3°C over some depth in the Mediterranean sea can more than double cumulated rainfall over 6-12 hours, in those convective situations associated with severe floods and major losses in nearby areas.

On longer timescales, the assimilation of both satellite (altimetry and sea surface temperature) and in situ data in ocean models coupled with atmosphere models is key to improving monthly and seasonal forecast.

2.1.3 Ocean Modeling

Several global and regional models (e.g. MERCATOR, FOAM, ECCO...) have been developed and run in an experimental or pre-operational configuration, before entering the operational phase with the MyOcean project. They provide high resolution, high frequency 3D products which depict and forecast a few weeks in advance the very short scale nature of the ocean signal, including current positions and intensity, position and scales of eddies and thermal fronts. Because of the highly turbulent characteristics of this short range signal and its non-linear evolution, it is necessary to take advantage of global, dense, and accurate observations. Altimetry is especially powerful for monitoring in near-real time the mesoscale signal and adjusting regularly the models. The derived products satisfy many applications (e.g. marine safety, marine pollution, ship routing, navy needs, oil drilling, coastal forecasts, fish stock management...).

2.1.4 Coastal Applications

Another field of activity is that concerning coastal areas where there are many problems related to risk prevention and coastal development. High resolution models require as an input high accuracy products in the coastal band as well as at the deep ocean boundary. One example is the prediction of storm surges. Another example is the trajectory monitoring and forecasting of drifting polluted waters, ships, and objects lost at sea. In this domain too, altimetry products have a key role to assess and to constrain frequently the models, improving thus the forecasts.

2.1.5 Security Related Applications

Sound can propagate a long way under water and five times faster on average than it does in air. Variations in the speed of sound with depth determine how sound waves are propagated and are key parameter for security forces deployed at sea.

In the ocean, we encounter fronts, anticyclones, depressions, currents and hot and cold eddies. Each of these structures causes temperature, salinity and velocity profiles to vary. In such turbulent conditions, military oceanography aims to give forces the most accurate picture possible of the ocean so that systems can be employed effectively. In this respect, the advent of operational altimetry satellites has opened new horizons.

2.2 Climate Applications and Forecasting

2.2.1 Sea Level Rise and Climate Change

At the other end of the ocean variability spectrum, the secular mean sea level trend is a key indicator of global warming. Global sea level rise (GSLR) – the most obvious manifestation of climate change in the oceans – directly threatens critical coastal infrastructure through increased erosion and more frequent flooding. 146 million people live within 1 meter of mean high water worldwide.

Projections of GSLR for the end of this century as stated in the Third Assessment Report (TAR, 2001) of the Intergovernmental Panel on Climate Change (IPCC) ranged from 9 to 88 cm, while those in the Fourth Assessment Report (AR4, 2007) range from 18 to 59 cm. To evaluate how realistic these projections are, they will need to be compared with future direct observations of GSLR; and the only way to resolve the global variability inherent in sea level rise is to use observations to be collected by Jason-class altimeter missions, in a manner that is fully consistent with the series accumulated since 1992 by TOPEX/Poseidon, Jason-1 and Jason-2.

The continuity of these high accuracy measurements is more crucial as there are major uncertainties on sea level rise, associated with major changes in the climate system. The AR4 report stated that...*models [of GSLR] used to date do not include uncertainties...[such as the] ...effects of changes in ice sheet flow.* Forced to ignore these uncertainties because existing climate models are unable to account for them, AR4 further states *...the upper values of the ranges given are not to be considered upper bounds...for GSLR.* The recent U.S. Climate Change Science Program Synthesis and Assessment Report on Abrupt Climate Change goes even further stating that inclusion of these uncertainties *...will likely lead to sea-level projections for the end of the 21st century that substantially exceed the projections presented in the IPCC AR4 report.*

The uncertainties are already showing in the available data sets, with the rise in global sea level (1.8 mm/yr averaged over the past century) increasing to 3.1 mm/yr over the past 1½ decades but decreasing to 2.5 mm/y in more recent years, with less contribution from thermal expansion of the upper ocean and more from melting of continental glaciers. Furthermore, the geographic distribution of sea level rise is even more difficult to predict. Under the scenario of a massive melting of the Greenland ice sheets, the anticipated sea level rise in Europe or South America would be quite different, and recent research results suggest that the assumed stability of the Greenland ice sheets may be very questionable. Reliable projections of regional sea level rise which is of great concerns to coastal zones around the world are crucially dependent on a global observing system. Therefore, it is essential that we maintain and extend our existing capability to collect direct observations of GSLR by satellite altimetry; these measurements have been made continuously since 1992 by a series of three satellites, the most recent, Jason-2, having been launched this past June.

The continuation of Jason type missions is a unique way to fulfill this objective of great importance and of general interest.

2.2.2 Research Topics

The ocean exhibits variability at different scales in time and space, affecting significantly mass and heat transport, exchanges with the atmosphere, and consequently the climate. Sea surface topography as measured by altimetry has proven its usefulness to understand the physics behind this variability. Model parameterization has been improved thanks to these new findings. But there is still more to do. Apart from the seasonal cycle, which leads to an increase or decrease in sea level in each hemisphere, exceeding 15 cm in some areas, there are significant variations from one year to the next which are not yet well understood.

The El Nino event, the North Atlantic Oscillation, the Pacific Decadal Oscillation, the planetary waves crossing the oceans over periods of months to years and even decades are among the mechanisms which need to be better characterized. The predictability of the coupled ocean-atmosphere system at decadal ranges is a subject of intensifying modeling research, with the control of the ocean state playing a key role.

Because of the long period of these phenomena, very long time series of altimeter observations are needed, requiring follow-on missions to Jason-2.

3 CORE PRODUCTS AND SERVICES

3.1 Products Description

The Jason-3 products will be based on the Jason-2 ones as described in the table below.

	Products	Main Variables	Frequency	Application Class
1	Operational Geophysical Data Record (OGDR)	Significant Wave Height (SWH) Surface Wind Speed (WIND) Sea Surface Height (SSH)	3 hours	Nowcasting Operational Wave Forecasting
2	Interim Geophysical Data Record (IGDR)	Sea Surface Height (SSH) Absolute Dynamic Topography (ADT) Ocean Geostrophic Velocities	Daily	Medium-Range Forecasting Seasonal Forecasting Ocean Weather
3	Geophysical Data Record (GDR)	Sea Surface Height (SSH)	10 daily (one repeat cycle)	Climate Monitoring Climate Modeling

It should be noted that some demonstration products will be evaluated on Jason-2, for instance, coastal and in land water products. If the performance and quality of those products are demonstrated, then they could become operational products in Jason-3, in which case they would be included in the Operational Service Specification.

3.2 Archiving and Dissemination

The Near Real Time products will be disseminated by EUMETSAT through Eumetcast and also on the GTS network. These products will also be archived in the UMARF. The longer latency IGDR and GDR products will be processed as for Jason-2, disseminated and archived by CNES in Europe and by NOAA in the US. In addition, EUMETSAT is also investigating the possibility to disseminate multi-mission altimetry products.

4 SYSTEM DESCRIPTION

4.1 Overview

The Jason-3 end to end system includes a satellite, launch, and a full ground system. The task sharing between the partners will ensure a coherent overall system. The overall system described below is the total system that will be jointly provided by all partners.

4.2 Space Segment

The satellite includes the satellite bus and the instruments constituting the payload. The total weight of the satellite will be around 550Kg. The satellite bus is made up of a platform based on the PROTEUS platform, a payload instrument module and a launcher adapter.

The Jason-3 payload consists of the following instruments:

- Two-frequency altimeter called Poseidon
- Three-frequency advance microwave radiometer
- Doppler Orbitography and Radiopositioning Integrated by Satellite (DORIS) on board package
- Global Positioning System Payload (GPS-P)
- Laser Reflector Array (LRA)

NOAA will provide the launch of the Jason-3 satellite.

4.3 Ground System

The ground segment, for satellite and instrument command and control, and for product generation, will be based on a maximum re-use of existing elements from Jason-2. This system is now operational for some months and is compliant with the needs. This ground segment is operated by both the US and Europe and makes extensive use of already existing assets. It has a robust design which includes several levels of redundancy. It comprises:

- **A Satellite Control Centre** provided by CNES. This centre monitors the satellite during the complete mission life time but is only used for satellite control in the early phases of the mission or in the case of a major anomaly during Operations;
- **A Satellite Operations Control Centre** provided by NOAA. After the initial phases of the mission, all nominal operations regarding satellite control and flight operations are executed from this centre;
- **An Earth Terminal/Stations Network:** the CNES control centre and the NOAA operation control centre rely (for command transmission and data acquisition) upon a ground terminal network of earth terminal/stations suitably located to allow the required orbit coverage compliant with the data latency requirement.

This network is based on:

- An earth terminal in Europe.
- Two earth terminals in the USA
- An additional set of S-band earth terminals for early mission phases and contingency purpose.

The exact location of these earth terminals needs to be further analyzed to cope with the constraints induced by the initial formation flying between Jason-2 and Jason-3 (both satellites flying one minute apart from each other) which prevents to use the same antennas as for Jason-2.

The operations set-up is based on that of Jason-2, with NOAA in charge of routine satellite operations and CNES leading the satellite expertise and operations in case of anomaly during the mission. With the view of keeping recurrence with Jason-2 and minimising the development costs and associated risks, the Jason-2 operations concept was retained.

5 COOPERATIVE FRAMEWORK AND SHARING OF RESPONSIBILITIES

Like the Jason-2 programme, it is proposed to base the Programme on international cooperation. In the case of Jason-3, and taking into account that this programme represents a further step in the transition towards a long term operational altimetry programme, the following Partners are involved.

From a funding stand point, NOAA, EUMETSAT, CNES, NASA, the European Commission and ESA contribute to the Programme. To avoid the complexity of a 6 partners' Agreement, and bearing in mind that only NOAA, EUMETSAT, CNES and NASA will be directly in charge of the development and the operations of the system, it is proposed to establish a four partner Memorandum of Understanding (MOU) and a set of bilateral Agreements or Arrangements including one between NOAA and NASA for the US contribution:

- Four-partite MOU (EUMETSAT, NOAA, CNES, NASA)
- Agreement between EUMETSAT and CNES
- Agreement between EUMETSAT and ESA
- Agreement between EUMETSAT and the European Commission (EC)

Taking into account the nature of the Jason-3 cooperative framework, it is proposed to adopt the same Data Policy as for the OSTM (Jason-2) cooperation. This means that all Jason-3 data products would be made available in accordance with WMO Resolution 40 (Cg-XII) and be classified as "Essential".

Access to GMES Services and to ESA will be explicitly covered in the arrangements to be concluded with the EC and ESA regarding their funding contributions to the programme.

The operational agencies, EUMETSAT and NOAA, will take the lead on the programme, with CNES making a significant in kind contribution and acting at technical level as system coordinator. NASA will support with the other partners for scientific activities.

EUMETSAT will maintain the operational role already established for the Jason-2 Programme, ie it will operate the Earth Terminal, process, disseminate and archive the near real time products, provide the user services and conduct mission operations jointly with NOAA and CNES.

In addition, EUMETSAT will make payments to CNES to fund part of the CNES activities, and retain a fraction of the funding to prepare and perform its operational activities. EUMETSAT will not play a direct role in the procurements effected by CNES.

NOAA will join EUMETSAT in taking the lead on the programme. NOAA will also provide the launcher and launch services, the radiometer, GPS-P receiver and laser retroreflector and, together with CNES and EUMETSAT, operate the system after the end of commissioning along an equivalent scheme as for Jason-2.

CNES will make a significant in kind contribution, consisting mainly of the satellite bus and human resources. In addition, CNES will act as procurement agent on behalf of EUMETSAT, integrate all payload elements and operate the satellite after the launch.

All agreements will be on a "reasonable efforts" basis, and EUMETSAT will ensure that it does not assume any financial liability for elements or funding to be provided by Partners.

6 SCOPE OF EUMETSAT PROGRAMME AND IMPLEMENTATION

It should be recalled that the primary objective of the Programme and of the EUMETSAT involvement is to secure continuity of data services and that this Programme, recurrent from Jason-2, does not have the development aspects normally associated with the core EUMETSAT meteorological programmes.

The EUMETSAT Jason-3 Altimetry Programme covers the EUMETSAT contribution to the joint system established with the partners and aims at providing a five-year operational data service to Participating States and other users. The main elements of the EUMETSAT programme are:

- A financial contribution by EUMETSAT to CNES,
- Establishment, operations and maintenance of the EUMETSAT Earth Terminal (to be confirmed)
- Processing, dissemination and archive of the near real time products, provision of user services and conduct of mission operations jointly with NOAA and CNES

EUMETSAT will implement the Jason-3 Altimetry Programme in a single slice. Jason-3 has to be ready for launch in mid-2013. The initial expected period of operations was five years and has been extended for such time as operations and maintenance activities are funded by the EU, in the context of approved EUMETSAT Third Party Copernicus Programmes, and by the US programme partners, following unanimous recommendations of the Jason-3 Joint Steering Group to extend routine operations.

7 LONG TERM OPERATIONAL PERSPECTIVE WITH A EUROPEAN JASON-CS PROGRAMME

The Jason-3 programme should be seen as the first intermediate step towards an operational high precision altimetry Jason-CS programme to be agreed with ESA in the 2011 timeframe. This programme would consist of a series of Jason-class satellites based on the Cryosat mission heritage, until a transition to a demonstrated new technology could be considered as an operational altimetry mission.

Following the positive decisions taken at the ESA Council at Ministerial Level in November 2008 (C-MIN 08), dedicated studies on Jason-CS have been approved. These studies should provide the necessary technical and programmatic input for a decision to develop a Jason-CS programme creating a long term operational perspective, at the latest by the ESA Council at Ministerial level currently planned in 2011.

This programme should be developed on the basis of the EUMETSAT-ESA cooperation model successfully used for operational meteorology. It is indeed essential to plan for a series of operational satellites developed along the principles used for operational meteorology in Europe.

**OPTIONAL EUMETSAT JASON-3 ALTIMETRY PROGRAMME
FINANCIAL ENVELOPE, SCALE OF CONTRIBUTIONS AND VOTING
COEFFICIENT**

1 FINANCIAL ENVELOPE

The overall envelope for the Optional EUMETSAT Jason-3 Altimetry Programme shall be limited to a maximum of M€63.6 at 2009 economic conditions (M€60 at 2007 economic conditions).

The indicative EUMETSAT payment profile, based upon a mid 2013 launch and five years of operations, is:

Year	2010	2011	2012	2013	2014	2015	2016	2017	2018
M€	20.9	26.2	13	3.5	0	0	0	0	0

2 SCALE OF CONTRIBUTIONS AND VOTING COEFFICIENT

The Participating States shall contribute to the EUMETSAT Jason-3 Altimetry Programme in accordance with the scale of contributions indicated in the table below. This table also lays down the voting coefficient of each Participating States, pursuant to the scale of contribution, and taking into account Article 5.3 b) of the EUMETSAT Convention.

PARTICIPATING STATE	CONTRIBUTION %	VOTING COEFFICIENT %
BELGIUM (BE)	2.8655%	2.8655%
BULGARIA (BG)	0.2446%	0.2446%
SWITZERLAND (CH)	3.0591%	3.0591%
GERMANY (DE)	13.1710%	13.1710%
DENMARK (DK)	1.9781%	1.9781%
ESTONIA (EE)	0.0858%	0.0858%
SPAIN (ES)	8.4114%	8.4114%
FINLAND (FI)	1.5020%	1.5020%
FRANCE (FR)	21.9525%	21.9525%
UNITED KINGDOM (GB)	15.6406%	15.6406%
GREECE (GR)	0.9191%	0.9191%
CROATIA (HR)	0.2752%	0.2752%
IRELAND (IE)	1.2971%	1.2971%
ICELAND (IS)	0.0736%	0.0736%
ITALY (IT)	13.3980%	13.3980%
LITHUANIA (LT)	0.1563%	0.1563%
LUXEMBOURG (LU)	0.2393%	0.2393%
NETHERLANDS (NL)	4.8766%	4.8766%
NORWAY (NO)	2.2556%	2.2556%
PORTUGAL (PT)	1.3681%	1.3681%
ROMANIA (RO)	0.6395%	0.6395%
SWEDEN (SE)	2.8130%	2.8130%
SLOVENIA (SI)	0.2556%	0.2556%
TURKEY (TR)	2.5224%	2.5224%
TOTAL	100.0000	100.0000

OPTIONAL EUMETSAT JASON-CS PROGRAMME DEFINITION

Applicable from 17 December 2018 until today

Adopted by the Potential Participating States on 26 November 2014 in Council Declaration EUM/C/82/14/Dcl. I, replaced on 23-24 June 2015 by Council Declaration EUM/C/83/15/Dcl. I which entered into force on 9 September 2015.

Amended by Council Resolutions EUM/C/84/15/Res. I on the immediate accession of Member States upon subscription, and EUM/C/85/16/Res. III adopted on 28-29 June 2016, EUM/C/87/17/Res. I adopted on 30 June 2017, EUM/C/88/17/Res. IV adopted on 5-6 December 2017, EUM/C/89/18/Res. I adopted on 3-4 July 2018 and EUM/C/90/18/Res. II adopted on 6-7 December 2018 on the extension of the period of subscription.

Amended thereafter to reflect the subscriptions as new Participating States of Norway as described in the Minutes of the 84th Council Meeting (EUM/C/84/15/MIN), Denmark by letter dated 22 December 2015, Finland as described in the Minutes of the 85th Council Meeting (EUM/C/85/16/MIN), Ireland as described in the Minutes of the 87th Council Meeting (EUM/C/87/17/MIN) and Spain by letter dated 17 December 2018.

The Council Declaration EUM/C/83/15/Dcl. I has been signed by the following Participating States:

PARTICIPATING STATES	DATE
AUSTRIA (AT)	8 September 2015
SWITZERLAND (CH)	18 March 2015
GERMANY (DE)	16 June 2015
DENMARK (DK)	22 December 2015
SPAIN (ES)	17 December 2018
FINLAND (FI)	29 June 2016
FRANCE (FR)	26 November 2014
IRELAND (IR)	27 June 2017
ICELAND (IS)	10 June 2015
ITALY (IT)	25 May 2015
LUXEMBOURG (LU)	8 May 2015
THE NETHERLANDS (NL)	19 June 2015
NORWAY (NO)	1 December 2015
PORTUGAL (PT)	10 August 2015
SWEDEN (SE)	23 June 2015
TURKEY (TR)	28 August 2015
UNITED KINGDOM (UK)	24 June 2015

1 INTRODUCTION

Capitalising on the success of the Topex-Poseidon and Jason missions on the heritage from the Jason-3, Cryosat-2 and Sentinel-3 programme, the Sentinel-6 mission is expected to continue and enhance the Jason, Jason-2 and Jason-3 missions in providing critical high precision observations of ocean surface topography, until 2030⁺.

In addition, the Sentinel-6 mission will take advantage of the unique time sampling of its non synchronous orbit, to provide radio occultation observations that are complementary to those provided by sun-synchronous missions.

The Sentinel-6 mission will be implemented by two successive Jason-CS satellites and will be developed and exploited in cooperation between Europe and the United States, through a partnership between the EU, ESA, EUMETSAT and the National Aeronautics and Space Administration (NASA).

The overall European contribution to the development and implementation of the mission will be implemented through the combination of the ESA GMES Space Component Programme Segment 3 (GSC-3), this EUMETSAT Optional Jason-CS Programme and the EU Copernicus programme. The latter will be associated to Delegations Agreements with ESA and EUMETSAT. The Delegation Agreement with EUMETSAT will be implemented through EUMETSAT Third Party Programmes covering contributions of the organisation to the EU Copernicus Programme.

The EUMETSAT Optional Jason-CS Programme is the direct EUMETSAT contribution to the development and implementation of the Sentinel-6 mission.

2 SHARING OF RESPONSIBILITIES AND COSTS FOR THE DEVELOPMENT AND IMPLEMENTATION OF THE SENTINEL-6 MISSION

2.1 Sharing of technical responsibilities

The EU, ESA, NASA and EUMETSAT have agreed the following high level sharing of responsibilities for the development and implementation of the Sentinel-6 mission:

- EUMETSAT is the system authority and is responsible for the Sentinel-6 ground segment development and operations preparation. EUMETSAT will also carry out the operations build up and operations of the Sentinel-6 system including both satellites and delivery of data services to Copernicus Service Providers and users on behalf of the EU;
- ESA is responsible for the development of the first satellite and the instruments prototype processors, for the procurement of the recurrent satellite on behalf of EUMETSAT and the EU, for the delivery of both satellites to orbit, including the LEOP services, and for satellite commissioning and storage of the recurrent spacecraft;
- NASA delivers US payload instruments for both satellites, ground segment development support, provides both launch services and contributes to operations;
- ESA, EUMETSAT and NASA share the responsibility of science teams' coordination and Calibration/Validation activities, with EC being involved in the interactions with the science teams.

In recognition of the vast expertise available in CNES, the partners will seek support from CNES for system and ground segment activities and in the preparation and release of relevant Research Announcements.

2.2 Detailed EUMETSAT responsibilities

The detailed EUMETSAT responsibilities in the development and implementation of the Sentinel-6 mission are the following:

- Lead the overall Sentinel-6 system engineering with the support of other partners.
- Perform mission management during the lifetime of each satellite with support of other partners.
- Provide the command and control centre for the satellites and the MDA and TT&C European ground station (for command and data acquisition).
- Provide NRT data processing for altimetry data acquired by EUMETSAT ground station.
- Provide offline data processing for Topography and Radio Occultation mission.
- Provide Radio Occultation raw data acquired by the European ground station and any necessary ancillary data to NASA/NOAA.
- At the end of the LEOP phase, take over the operational responsibility for the satellites.
- Conduct commissioning and routine operation activities with the support of the partners.
- Exchange with NASA all necessary data and products to fulfil responsibilities of the partners.
- Develop the operational processor in accordance with specifications and test data (generated by the prototype processor) deliver by ESA
- Deliver to NASA the operational processors to support NOAA provision of NRT topography products.
- Provide dissemination of all NRT data (NOAA and EUMETSAT) and offline products.
- Provide a long-term archive of all NRT and offline data including telemetry, orbital and auxiliary data sets;
- Contribute together with the other partners to:
 - Ensuring the mission performance and related Calibration and Validation activities;
 - Support interactions with the scientific community and coordination of the science support activities, e.g. in the context of the international OSTST and of the Science Advisory Group to be established on the European side by ESA and EUMETSAT in coordination with the EC;
 - Support the preparation and release of relevant Research Announcements and the selection and coordination of Investigators.

2.3 Sharing of costs

As regards funding, the following has been agreed:

- ESA funds the development of the first Jason-CS satellite (JCS-A) implementing the Sentinel-6 mission, the related In Orbit Commissioning, LEOP service and instrument prototype processors delivered to EUMETSAT;
- EUMETSAT funds a fixed financial contribution to the ESA development of the first Jason-CS satellite (JCS-A), the development of the European part of the Sentinel-6 overall ground segment and operations preparation, and co-funds the procurement of the recurrent spacecraft with the EU;
- The EU funds the build-up of operations and operations for both spacecraft, the LEOP service and the storage for the recurrent spacecraft, and co-funds the recurrent spacecraft with EUMETSAT;
- NASA funds both launch services and all US payload instruments, ground segment support and the US contribution to operations preparation and operations.

3 SENTINEL-6 MISSION: OBJECTIVES AND BENEFITS

3.1 Sentinel-6 mission objectives and data services

The primary observation mission of Sentinel-6 is high precision ocean altimetry (HPOA) aimed at monitoring sea surface height (SSH), significant wave height (SWH) and wind speed at the ocean surface.

The Sentinel-6 HPOA products shall be of sufficient accuracy and quality for Sentinel-6 to serve as the reference altimeter mission against which all altimeter missions coordinated under the Ocean Surface Topography Virtual Constellation of the Committee for Earth Observation Satellites (CEOS), e.g. Sentinel-3, SARAL/AltiKa, HY-2) can be cross-calibrated, such that their observations can be combined for monitoring the broadest possible spectrum of ocean variability and to provide inputs to operational ocean prediction models.

Furthermore, the Sentinel-3 and Sentinel-6 altimeter missions altogether need to sample mesoscale and sub-mesoscale ocean circulation features through the use altimeter SAR⁷ mode capabilities, to fulfil the requirements of important applications in operational oceanography.

The highest quality of products is also needed for monitoring sea level rise at global and regional scales in our changing climate. This requires flying the same non-synchronous orbit as the Jason missions and places demanding requirements for extensive calibration and validation activities involving support from the radar altimetry science community. This also calls for high quality off-line products including highly accurate corrections that cannot be generated in near real time.

The Sentinel-6 altimeter mission shall also contribute to marine meteorology by providing significant wave height and wind speed products in near real-time.

⁷Synthetic Aperture Radar

These objectives of the Sentinel-6 altimeter mission will be fulfilled by three basic data services:

- Near Real Time service (NRT), with an end-to-end timeliness of 3 hours;
- Short Time Critical service (STC), with an end-to-end timeliness of 36 hours;
- Non-Time Critical service (NTC), with an end-to-end timeliness of 60 days.

As a secondary objective, the Sentinel-6 mission will support a radio occultation observation mission contributing to climate change monitoring and weather forecasting. This observation mission will provide unique coverage and sampling in space and time from the non-synchronous orbit that are not accessible from sun-synchronous orbits providing observations at fixed local solar times.

To maximise the number of occultations per day and thus contribute to the fulfilment of requirements expressed e.g. in the EGOS-IP⁸, the GNSS-RO instrument of Sentinel-6 needs to allow tracking of several GNSS constellations. Related products shall include bending angle, refractivity, and higher level profiles to infer information on atmospheric temperature and humidity.

For radio occultation, three services will be established:

- Near Real Time service (NRT), with an end-to-end timeliness of 3 hours.
- Two independent Non-Time Critical services (NTC), with an end-to-end timeliness of 60 days, for Climate applications and data quality monitoring (one US and one European NTC service).

The Sentinel-6 mission shall be operational, meaning that it shall meet the requirements of the operational Copernicus Marine Monitoring services and of other operational weather, marine and climate services. This leads to stringent requirements on availability, reliability, timely distribution of data products, support to the operational downstream information service providers, including reprocessing capabilities.

3.2 Expected benefits

The benefits of *operational oceanography* in the areas of marine safety, shipping, fisheries, off shore industry, marine renewable energy, management of marine environment and resources, represent a fraction of the “blue” economy which in the European Union represents a gross added value of around €500 billion per year and involves 5.4 million jobs.

With its Copernicus Programme, the European Union has taken the leadership in the development of operational oceanography in Europe, through the implementation of the Copernicus Marine Service via the MyOcean projects, and the implementation of Sentinel space missions required to feed these services with observations from space. In this regard, the contribution of the Sentinel-6 mission will be decisive, as the unique reference mission for the virtual constellation of altimeter missions: it will not only deliver invaluable observations but also provide the basis for unified products that are needed by operational ocean models, thus leveraging substantial benefits for EU and EUMETSAT Member States, far beyond those of its capabilities considered in isolation.

⁸ Implementation Plan for the Evolution of Global Observation Systems (EGOS-IP), WMO Integrated Global Observing System, Technical Report No. 2013-4.

The simultaneous observations of surface wind speed, sea state and surface currents delivered by Sentinel-6 will also benefit the increasing integration of real time operational oceanography and *marine meteorology*. In addition, the high resolution of the pioneering interleaved radar altimeter mode of Sentinel-6 will give access to sub-mesoscale features (small eddies) associated with the most energetic ocean currents.

This will enhance the benefits of both the marine forecasts delivered by the National Meteorological Services of the “marine” Member States of EUMETSAT and the ocean forecasts delivered by Copernicus.

In the area of climate services taken in the broadest sense, socio-economic benefits will first accrue from the sea level monitoring service delivered by Sentinel-6, through the extension up to 2030⁺ of the unique Climate Data Record accumulated since 1992 by the Topex-Poseidon and Jason missions. Also from a climate monitoring perspective, the Sentinel-6 radio occultation measurements will contribute to the assessment of the rate of the expected warming in the troposphere and cooling in the stratosphere.

4 SENTINEL-6/JASON-CS SYSTEM DESCRIPTION

The Sentinel-6 system consists of the following main elements:

- Space Segment;
- Overall Ground Segment;
- Launch service;
- LEOP.

4.1 Space Segment

The Sentinel-6 Space Segment consists of two successive Jason-CS satellites (A and B), based on the CryoSat-2 heritage platform, with some tailoring to specific needs of the Sentinel-6 mission.

The platforms will include the following subsystems:

- The structure;
- The thermal control subsystem;
- The propulsion subsystem;
- The attitude and control system (AOCS);
- The power subsystem;
- The data handling subsystem;
- The communications subsystem.

The Telemetry, Tracking & Command (TT&C) part of the communication subsystem will use S-band for uplink of telecommands and downlink of telemetry, while the payload data downlink will be in X band, as required to accommodate the data rate generated by the instrument payload.

The Jason-CS satellites will embark the following payload instruments:

- For the altimeter observation mission:
 - o A Ku/C band altimeter (Poseidon-4) developed and procured by ESA;
 - o A microwave radiometer (AMR-C) provided by NASA;
 - o A GNSS receiver (GNSS-POD) developed and procured by ESA;
 - o A DORIS instrument developed and procured by ESA;
 - o A Laser Retroreflector Array (LRA) provided by NASA
- For the radio-occultation observation mission:
 - o a radio occultation instrument (GNSS-RO) provided by NASA.

The Jason-CS satellites will be designed for launch on a Falcon 9-class launcher and to be technically compatible with three potential US launch vehicles (Falcon-9, Atlas-4 and Antares).

The Space Segment also includes all necessary Ground Support Equipment (GSE) for satellite AIV, such as mechanical and electrical GSE's test facilities to support test and qualification of the satellites and specific tools used for system verification and validation, such as Radio Frequency suitcase.

4.2 Overall Ground Segment

The Sentinel-6 Overall Ground Segment (OGS) shared between EUMETSAT and NASA/NOAA will support all the ground functions required to meet the mission objectives and will be capable of supporting two Jason-CS satellites (A and B) in orbit.

The OGS include the following main components:

- Mission Control and Operations (MCO);
- Payload Data Acquisition and Processing (PDAP);
- Multi Mission Elements (MMEs).

The Mission Control and Operations system implements the following main functions:

- Spacecraft M&C;
- Flight Dynamics;
- Mission Planning.

The MCO will be supported by TT&C Stations, operating in S-band providing visibility of the satellites on average twice per day for reception of telemetry and commanding.

For *data acquisition*, the PDAP will include two Mission Data Acquisition (MDA) Stations receiving in X-band on-board recorded payload data once per orbit and forwarding data to the EUMETSAT MCC for processing and distribution.

For *processing*, the PDAP system will implement eight main functions:

- Ingest and Distribute Data;
- Extract and Consolidate Payload Data;
- Generate Level 0 (L0) Products;
- Generate Level 1 (L1) Products;
- Generate Level 2 Products;
- Aggregate and Reformat Data;
- Manage Processing;
- Monitor Production.

The overall PDAP will be supported on the European side by Precise Orbit Determination and production of Level 2P and Global Level 3 Products delivered as services by CNES and by the ROM SAF for L2 NTC product processing of radio occultation data and on the US side by NASA provided services.

The Multi Mission Elements (MMEs) are EUMETSAT operational facilities and common infrastructure already used by existing programmes, split in four groups:

- The Infrastructure (MME-INF) comprises building infrastructure in the Technical Infrastructure Building, control rooms in the main building, networks and storage systems;
- The Ground Segment Monitoring and Control (MME-MON) system provides a set of tools for monitoring the Ground Segment hardware and services, including analysis, reporting and product quality monitoring;
- The EUMETSAT Data Centre (MME-DAC) receives and archives data and products and provides data retrieval services, including on-line access, and user support functions;
- The Dissemination (MME-DISS) system provides a secure file transfer service through external network interfaces, and includes EUMETCast as the prime EUMETSAT near real time delivery service to end users.

In most cases, the re-use of the MMEs will require little modification other than to increase bandwidth and storage capacity.

The Sentinel-6 OGS functions will be implemented by physical elements located at different sites:

- The Mission Control Centre (MCC) at EUMETSAT Headquarters will host:
 - all Mission Control and Operations systems;
 - the main PDAP processing system for all L0, L1 and L2 products, except the processing of Level-2 NTC products provided by the ROM SAF;
- The Remote Mission Control Centre (RMCC), collocated with the EPS/EPS-SG RMCC will host a back up instance all Mission Control and Operations systems;
- The NOAA SOCC will host the US contributions to the Mission Control and Operations, a system for the Near Real Time processing of US-acquired data dumps and multi-mission facilities and services for delivering data and products to users in the US;
- The US Fairbanks site will host the NOAA Mission Data Acquisition antenna, and one of two NOAA Tracking, Telemetry and Command/Control antennas;
- The US Wallops site will host the second NOAA Tracking, Telemetry and Command/Control antenna;
- One high latitude site in Europe will host both the European Mission Data Acquisition antenna and the European Tracking, Telemetry and Command/Control antenna;

- CNES will host the altimeter product quality monitoring service, the POD service and Level 2P/Level 3 processing services;
- NASA/JPL will host the Performance monitoring service for US instruments;
- One TBD site will host the altimeter transponder service;
- UCAR/NOAA will host the Radio Occultation NRT service and one of the two independent NTC processing service;
- The Radio Occultation Meteorology Satellite Application Facility (ROM SAF) will host the Level-2 processing service supporting the second radio-occultation NTC service. As part of the future CDOPs, ROM-SAF may also provide other possible contributions including Level 4 gridded products for Climate monitoring.

4.3 Launch Services

The launch services are under the responsibility of NASA and are inclusive, i.e. cover also launch site facilities and logistic services.

4.4 Launch and Early Operations Phase (LEOP)

ESA performs Launch and Early Orbit Phase (LEOP) operations for each satellite, until the handover to EUMETSAT.

5 DEPLOYMENT

Assuming a design lifetime of 5.5 years for each Jason-CS satellite - with consumables for another 2 years - both Jason-CS satellites will be launched in sequence:

- Jason-CS A end of 2020;
- Jason-CS B early 2026.

This will ensure that the Jason-3 and Sentinel-6 HPOA missions, combined, will have the same lifespan as the Sentinel 3 marine mission, thus enabling the combined use of their data by the marine user community.

6 SCOPE OF THE EUMETSAT OPTIONAL JASON-CS PROGRAMME

The EUMETSAT Optional Jason-CS Programme covers all activities contributing to the development and implementation of the Sentinel-6 mission that are under the direct responsibility of EUMETSAT, and/or funded by EUMETSAT.

From a technical and managerial point of view this covers mainly:

- Overall coordination with technical partners and with the European Commission;
- The role of System authority;
- System level activities, including system AIT and preparation of operations;
- The development of the European part of the Sentinel-6 overall ground segment, including related procurements and upgrades of existing EUMETSAT facilities;
- Support to ESA for space segment development, LEOP services and in orbit commissioning;
- Contributions to interactions with the user communities and the altimeter science community during the design and development phase of the Sentinel-6/Jason-CS system.

This excludes the build-up of operations and routine operations activities that are outside of the scope of the EUMETSAT Optional Jason-CS Programme.

From a financial perspective the Programme covers funding of:

- The aforementioned technical and managerial activities;
- A fixed financial contribution to the ESA space development programme;
- Funding of the recurrent altimeter and Doris instruments procured by ESA;
- Contribution to the funding of ESA internal costs related to its role of procurement agent for the recurrent altimeter and Doris instruments;
- A management margin covering the risks associated to all activities within the scope of the Optional Jason-CS Programme.

EUMETSAT's fixed contribution to the development of the first satellite is MEUR 18.8 at 2015 e.c (MEUR 18 at 2012 e.c.).

The EUMETSAT contribution to the cost of the recurrent satellite is MEUR 40.3 at 2015 e.c (MEUR 37.5 at 2012 e.c.) and covers:

- o The full industrial procurement cost of the recurrent altimeter and Doris instruments;
- o A proportionate contribution to the ESA internal costs associated to its role of procurement agent for the recurrent altimeter and Doris instruments.

The operations build up and routine operations activities that are outside the scope of the Jason-CS Programme will be performed as tasks entrusted by the EU to EUMETSAT under relevant Third Party Programmes funded by the EU Copernicus Programme under successive Multi-annual Financial Frameworks.

7 IMPLEMENTATION ARRANGEMENTS

7.1 Interactions with users and experts

The international Ocean Surface Topography Science Team will continue to serve as an international user to requirements for altimeter missions in general and related science matters.

A European Science Advisory Group will be established by ESA and EUMETSAT to support the development and implementation of the Sentinel-6 HPOA mission and European participation in the OSTST.

For the radio-occultation secondary mission, mechanisms will be established with UCAR and the SAF-ROM for the provision of appropriate science support.

EUMETSAT will address Sentinel-6 - relevant interactions with its user community through its Delegate Bodies, and support interactions with the relevant Copernicus Service Providers and users through the appropriate fora and mechanisms established by the European Commission.

7.2 Further decisions by Council

The MOU and Agreements foreseen in section 7.3 hereafter will be submitted for approval to Council, as foreseen by the Convention.

Proposed changes to the EURD and later on to the Operational Service Specification will be processed in coordination with the partners and the EC and submitted for approval by EUMETSAT Delegate Bodies.

Council will also make any decision required for the implementation of the Optional Jason-CS Programme, in particular foreseen EUMETSAT procurements, in line with the Convention.

7.3 Cooperation Framework

7.3.1 Three-partner MOU

A three-partner Memorandum of Understanding (MoU) between EUMETSAT, ESA and NASA will be established to capture the respective responsibilities.

This MOU will inter alia establish the Joint Steering Group (JSG) and the Project Plan integrating all contributions into a joint, unified high level planning and management framework addressing inter alia the Sentinel-6/Jason-CS development logic, detailed planning, review milestones, deliverables across partners, coordinated baseline documentation and joint management mechanisms. The MOU will capture applicable rules and legal arrangements applicable across the partners, and confirm the free and open data policy.

The European Commission, representing the EU, will be associated to the deliberations of the JSG during the development phase and will become a full member in the operations phase.

The parties will use reasonable efforts to carry out their respective responsibilities in accordance with Project Plan, and to avoid changes that will have a negative effect on the other party with regard to scientific return, implementation approach, cost, and/or schedule. Where changes cannot be avoided they will be planned to minimise any negative effects, and all changes to the Project Plan that may impact costs, mission performance and schedule will require the approval of the JSG.

The MOU will not foresee any exchange of funds between the partners. EUMETSAT will ensure that it does not assume any financial liability for elements provided by other partners.

7.3.2 Cooperation with ESA

Considering the major roles of ESA at space segment level and EUMETSAT at system and overall ground segment levels, and the foreseen exchange of funds with ESA, a dedicated Cooperation agreement will be established.

As regards EUMETSAT's financial contributions, the Agreement will be based on principles similar to those adopted for cooperation on mandatory programmes, but will limit the financial contributions and liability of EUMETSAT to the cost of the full procurement of the recurrent altimeter and Doris instruments.

This Agreement will refer to a Programme Implementation Plan addressing all detailed implementation arrangements between both organisations.

7.3.3 Cooperation with other partners

An agreement will be concluded between EUMETSAT and CNES for the provision of system level expertise support, as appropriate during the development phase, and for the integration of the services in the Sentinel-6 system and related support to EUMETSAT IV&V activities.

The provision of these services during the operations phase will also be secured by this agreement.

The agreement will also cover CNES participation in science support activities, including the preparation, release and implementation of relevant Research Announcements in cooperation with NASA.

8 DATA POLICY

The data policy for the Sentinel-6 mission shall be free and open, with no restriction, as is the case for the Jason-2 and Jason-3 missions.

**OPTIONAL EUMETSAT JASON-CS PROGRAMME FINANCIAL ENVELOPE, SCALE
OF CONTRIBUTIONS AND VOTING COEFFICIENT****1 FINANCIAL ENVELOPE & INDICATIVE EXPENDITURE PROFILE**

The financial envelope of the EUMETSAT Jason-CS Programme is estimated at MEUR 111.0 at 2015 e.c. (or MEUR 104.6 at 2012 e.c.) with the following indicative expenditure profile (in KEUR at 2015 e.c.):

2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026
100	16,533	28,596	23,315	22,246	12,436	2,246	880	900	1,380	1,772	596

2 SCALE OF CONTRIBUTIONS AND VOTING COEFFICIENT

The Participating States shall contribute to the EUMETSAT Jason-CS Programme in accordance with the scale of contributions indicated in the table below. This table also lays down the voting coefficient of each Participating State, pursuant to the scale of contributions, and taking into account Article 5.3(b) of the EUMETSAT Convention.

PARTICIPATING STATE	CONTRIBUTION %	VOTING COEFFICIENT %
AUSTRIA (AT)	2.2387 %	2.2387 %
SWITZERLAND (CH)	4.7434 %	4.7434 %
GERMANY (DE)	23.6193 %	23.6193 %
DENMARK (DK)	1.7561 %	1.7561 %
SPAIN (ES)	2.7630 %	2.7630 %
FINLAND (FI)	1.4691 %	1.4691 %
FRANCE (FR)	18.0901 %	18.0901 %
IRELAND (IR)	0.9443 %	0.9443 %
ICELAND (IS)	0.1045 %	0.1045 %
ITALY (IT)	9.8198 %	9.8198 %
LUXEMBOURG (LU)	0.2861 %	0.2861 %
THE NETHERLANDS (NL)	5.3063 %	5.3063 %
NORWAY (NO)	3.0575 %	3.0575 %
PORTUGAL (PT)	1.3063 %	1.3063 %
SWEDEN (SE)	3.4775 %	3.4775 %
TURKEY (TR)	4.8108 %	4.8108 %
UNITED KINGDOM (UK)	16.2072 %	16.2072 %
TOTAL	100.0000	100.0000

IV THIRD PARTY PROGRAMMES

As stipulated in the EUMETSAT Convention, third-party programmes are those activities which are not in conflict with the objectives of EUMETSAT and are carried out by EUMETSAT as requested by third parties and approved by Council with a unanimous vote. The costs of such activities are borne by the third party concerned.

Currently, EUMETSAT is carrying out the following third-party programmes:

- 1** GMES Sentinel-3, as endorsed in Council Resolution EUM/C/67/09/Res. II adopted at the 67th meeting of the EUMETSAT Council on 30 June-1 July 2009;
- 2** EUMETSAT Activities in Support of the Implementation of the Copernicus Programme in the Period 2014-2021, as endorsed in Council Resolution EUM/C/81/14/Res. I adopted at the 81st meeting of the EUMETSAT Council on 15 October 2014 and amended thereafter by Council Resolution EUM/C/90/18/Res. I adopted at the 90th Council meeting on 6-7 December 2018.