



PREPARATION AND OPERATIONS OF THE MISSION PERFORMANCE CENTRE  
(MPC) FOR THE COPERNICUS SENTINEL-3 MISSION

**Product Data Format Specification - OLCI Level 1**  
**Products**



*Mission  
Performance  
Centre*



Ref.: S3IPF.PDS.004.1

Issue: 2.5

Date: 02 March 2020

Contract: 4000111836/14/I-LG



<b>Customer:</b>	ESA	<b>Document Ref.:</b>	S3IPF.PDS.004.1
<b>Contract No.:</b>	4000111836/14/I-LG	<b>Date:</b>	02 March 2020
		<b>Issue:</b>	2.5

<b>Project:</b>	PREPARATION AND OPERATIONS OF THE MISSION PERFORMANCE CENTRE (MPC) FOR THE COPERNICUS SENTINEL-3 MISSION		
<b>Title:</b>	Product Data Format Specification - OLCI Level 1 Products		
<b>Author(s):</b>	ACRI-ST IPF Team		
<b>Approved by:</b>	Olivia Lesne, QA Manager	<b>Authorized by</b>	Frédéric Rouffi, S3 IPF Manager
<b>Distribution:</b>	ESA and EUMETSAT		
<b>Filename</b>	S3IPF PDS 004.1 - i2r5 - Product Data Format Specification - OLCI Level 1.docx		

**Copyright © 2020– ACRI-ST**

*All rights reserved.*

*No part of this work may be disclosed to any third party translated, reproduced, copied or disseminated in any form or by any means except as defined in the contract or with the written permission of ACRI-ST*

**ACRI-ST**  
260 route du Pin Montard  
06904 Sophia-Antipolis, France  
Tel: +33 (0)492 96 75 00 Fax: +33 (0)4 92 96 71 17  
[www.acri-st.fr](http://www.acri-st.fr)

**Disclaimer**

The work performed in the frame of this contract is carried out with funding by the European Union. The views expressed herein can in no way be taken to reflect the official opinion of either the European Union or the European Space Agency.



*This Page is intentionally Left Blank*

## TABLE OF CONTENTS

<b>AMENDMENT RECORD SHEET.....</b>	<b>8</b>
<b>1. INTRODUCTION.....</b>	<b>12</b>
1.1 Purpose and Scope.....	12
1.2 Structure of the Document .....	12
1.3 Applicable and Reference Documents.....	12
1.3.1 Applicable documents .....	12
1.3.2 Reference documents .....	13
1.4 Terms, Definitions and Abbreviated Terms.....	13
1.5 Intellectual property rights for specific parts this document .....	14
<b>2. OVERVIEW OF THE INSTRUMENT: OLCI.....</b>	<b>ERROR! BOOKMARK NOT DEFINED.</b>
<b>3. PRODUCT OVERVIEW.....</b>	<b>ERROR! BOOKMARK NOT DEFINED.</b>
3.1 Product Tree .....	<b>Error! Bookmark not defined.</b>
3.1.1 Science Products Tree .....	<b>Error! Bookmark not defined.</b>
3.1.2 Browse Products Tree .....	<b>Error! Bookmark not defined.</b>
3.2 Product Naming Convention .....	<b>Error! Bookmark not defined.</b>
<b>4. OLCI PRODUCT FORMAT SPECIFICATION: COMMON PART</b>	<b>ERROR! BOOKMARK NOT DEFINED.</b>
4.1 General Product Structure .....	<b>Error! Bookmark not defined.</b>
4.1.1 Package Layout .....	<b>Error! Bookmark not defined.</b>
4.1.2 Manifest file.....	<b>Error! Bookmark not defined.</b>
4.1.2.1 Primary Metadata .....	<b>Error! Bookmark not defined.</b>
4.1.2.2 Secondary Metadata.....	<b>Error! Bookmark not defined.</b>
4.1.3 Measurement Data Files and Annotation Data Files.....	<b>Error! Bookmark not defined.</b>
4.1.3.1 Common additional global attributes .....	<b>Error! Bookmark not defined.</b>
4.2 Earth Observation Products .....	<b>Error! Bookmark not defined.</b>
4.2.1 Common Measurement Files .....	<b>Error! Bookmark not defined.</b>
4.2.1.1 Integrated Water Vapour .....	<b>Error! Bookmark not defined.</b>
4.2.2 Common Annotation Files .....	<b>Error! Bookmark not defined.</b>
4.2.2.1 Time Coordinates .....	<b>Error! Bookmark not defined.</b>
4.2.2.2 Geo Coordinates.....	<b>Error! Bookmark not defined.</b>
4.2.2.3 Geo Coordinates Tie-Points .....	<b>Error! Bookmark not defined.</b>
4.2.2.4 Geometries Tie-Points .....	<b>Error! Bookmark not defined.</b>
4.2.2.5 Meteorology Tie-Points.....	<b>Error! Bookmark not defined.</b>
4.2.2.6 Instrument Data .....	<b>Error! Bookmark not defined.</b>
<b>5. MANIFEST FILE DESCRIPTION: COMMON PART ...</b>	<b>ERROR! BOOKMARK NOT DEFINED.</b>
5.1 Metadata Section .....	<b>Error! Bookmark not defined.</b>
5.2 Data Object Section .....	<b>Error! Bookmark not defined.</b>
5.2.1 Common annotation Data Files .....	<b>Error! Bookmark not defined.</b>
<b>6. XML SCHEMA.....</b>	<b>ERROR! BOOKMARK NOT DEFINED.</b>
<b>7. OLCI PRODUCT FORMAT SPECIFICATION .....</b>	<b>16</b>
7.1 Earth Observation Products .....	16
7.1.1 Level 1 Products: OL_1_EFR____/OL_1_ERR____ .....	16
7.1.1.1 Package Description.....	16
7.1.1.2 Manifest File.....	18
7.1.1.3 Measurement Data Files.....	19
7.1.1.4 Annotation Data Files .....	22
7.2 Calibration Products.....	27
7.2.1 Radiometric Calibration: OL_1_RAC.....	27
7.2.1.1 Package Description.....	27
7.2.1.2 Manifest File.....	29
7.2.1.3 Measurement Data Files.....	29
7.2.1.4 Annotation Data Files .....	30
7.2.2 Spectral Calibration: OL_1_SPC.....	33
7.2.2.1 Package Description.....	33

7.2.2.2 Manifest File.....	34
7.2.2.3 Measurement Data Files.....	34
7.2.2.4 Annotation Data Files .....	36
7.3 Browse Products .....	40
7.3.1 Manifest File .....	40
7.3.1.1 Wrapped Metadata .....	40
7.3.2 Level 1 products: OL_1_EFR_BW/OL_1_ERR_BW .....	40
7.3.2.1 Package Description.....	40
7.3.2.2 Measurement Data Files.....	41
<b>8. MANIFEST FILE DESCRIPTION .....</b>	<b>42</b>
8.1 InformationPackageMap .....	42
8.1.1 "OL_1_EFR____" Level 1 Product .....	42
8.1.2 "OL_1_ERR____" Level 1 Product.....	45
8.1.3 "OL_1_RAC____" Level 1 Product.....	47
8.1.4 "OL_1_SPC____" Level 1 Product .....	49
8.1.5 "OL_1_EFR_BW/OL_1_ERR_BW" L1 Browse Products.....	50
8.2 Metadata Section .....	50
8.3 Data Object Section .....	51
8.3.1 Measurement Data File .....	51
8.3.1.1 "OL_1_EFR" Level 1 Product .....	51
8.3.1.2 "OL_1_ERR" Level 1 Product .....	53
8.3.1.4 "OL_1_RAC____" Level 1 Product .....	54
8.3.1.6 "OL_1_SPC____" Level 1 Product .....	55
8.3.1.8 "OL_1_EFR_BW/OL_1_ERR_BW" L1 Browse Products.....	56
8.3.2 Specific Annotation Data File .....	57
<b>9. PRODUCT SIZE .....</b>	<b>60</b>
9.1 OLCI Level 1 .....	60
9.1.1 EO mode (OL_1_EFR____/OL_1_ERR____) .....	60
9.1.2 Radiometric Calibration mode (OL_1_RAC____) .....	61
9.1.3 Spectral calibration mode (OL_1_SPC____) .....	61
9.2 Browse products .....	61

## LIST OF FIGURES

Figure 3-1: OLCI Product Tree .....	Error! Bookmark not defined.
Figure 4-1: XFDU package.....	Error! Bookmark not defined.

## LIST OF TABLES

Table 1-1: Document Structure .....	12
Table 3-1: OLCI products tree .....	Error! Bookmark not defined.
Table 3-2: OLCI Browse Products Tree .....	Error! Bookmark not defined.
Table 3: Additional global attributes common to OLCI L1 and L2 products	Error! Bookmark not defined.
Table 4-4: OL_2_WFR____/OL_2_WRR____ / OL_2_LFR____/OL_2_LRR IWV description .....	Error! Bookmark not defined.
Table 4-5: Time annotation data file description .....	Error! Bookmark not defined.
Table 4-6: Geo coordinates annotation data file description .....	Error! Bookmark not defined.
Table 4-7: Geo coordinates tie points annotation data file description ...	Error! Bookmark not defined.
Table 4-8: Geometries tie points annotation data file description .....	Error! Bookmark not defined.

Table 4-9: Meteorological tie points annotation data file description .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 4-10: Instrument data annotation data file description .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 5-1: Time coordinates Metadata Object .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 5-2: Geo-coordinates Metadata Object .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 5-3: Tie geo-coordinates Metadata Object .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 5-4: Tie geometries Metadata Object .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 5-5: Tie meteo Metadata Object .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 5-6: Instrument data Metadata Object .....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 5-73: OLQC annotation Metadata Object.....	<b>Error!</b> <b>Bookmark not defined.</b>
Table 7-1: OLCI Full Resolution Level 1 product physical composition .....	17
Table 7-2: OLCI Reduced Resolution Level 1 product physical composition .....	18
Table 7-3: Secondary Metadata for OLCI products.....	19
Table 7-4: OL_1_EFR____/OL_1_ERR____: radiance Oa## description.....	20
Table 7-5: OL_1_EFR____: removed pixel description .....	22
Table 7-6: OL_1_EFR____/OL_1_ERR____: quality flags annotation data file description .....	23
Table 7-7 – Detailed structure of the quality flags variable .....	23
Table 7-8 – List of allowed values to be taken by flags attributes .....	26
Table 9: Additional Global Attributes for OLCI L1 files in RAC mode .....	27
Table 7-10: OLCI Radiometric Calibration Level 1 product physical composition .....	28
Table 7-11: Secondary Metadata for OLCI products.....	28
Table 7-12: OL_1_RAC____ radiometric_coef description.....	30
Table 7-13: OL_1_RAC____ RC_annotation description .....	32
Table 7-14 – Detailed structure of the one-byte Quality Flags variable .....	32
Table 7-15: OLCI Spectral Calibration Level 1 product physical composition .....	33
Table 7-16: Secondary Metadata for OLCI products.....	34
Table 7-17 – OL_1_SPC____ cal_wavelengths description .....	36
Table 7-18 – OL_1_SPC____ time annotation data file description .....	36
Table 7-19 – OL_1_SPC____ SC_annotation annotation data file description .....	38
Table 7-20 – Detailed structure of the one-byte Quality Flags variable .....	38
Table 7-21 – List of allowed values to be taken by flags attributes .....	39
Table 7-22: OLCI Full/Reduced Resolution Browse L1 Product physical composition.....	41
Table 8-1: Information Package Map for L1 OLCI Full Resolution product .....	44
Table 8-2: Information Package Map for L1 OLCI Reduced Resolution product.....	47
Table 8-3: Information Package Map for L1 Radiometric Calibration OLCI Product .....	48
Table 8-4: Information Package Map for L1 Spectral Calibration OLCI Product .....	49
Table 8-5: Information Package Map for L1 OLCI Browse Products .....	50
Table 8-6: OL_1_EFR Level 1 measurements Data Objects .....	52
Table 8-7: OL_1_ERR Level 1 Data Objects .....	53
Table 8-8: OL_1_RAC Level 1 Data Object .....	54
Table 8-9: OL_1_SPC Level 1 Data Object .....	55

Table 8-10: OLCI Browse Level 1 Data Object .....	56
Table 8-11: Quality flags Metadata Object .....	57
Table 8-12: Rc annotation Metadata Object.....	58
Table 8-13: Sc annotation Metadata Object.....	59
Table 9-1: OL_1_EFR____/OL_1_ERR____ product size .....	60
Table 9-2: OL_1_RAC____ product size .....	61
Table 9-3: OL_1_SPC____ product size.....	61

## AMENDMENT POLICY

This document shall be amended by releasing a new edition of the document in its entirety.  
The Amendment Record Sheet below records the history and issue status of this document.

### Amendment Record Sheet

ISSUE	DATE	REASON
1.0	01 Oct 2012	DR1 data-package release
1.1	18 Dec 2012	DR1 update and DR2 release
1.2	12 Feb 2013	Change of Template
1.3	04 Dec. 2013	DR2 update
1.4	24 Mar 2014	RIDs and SPRs correction update
1.5	31 Mar 2014	PDGS PRE-V2 alignment
1.6	15 May 2014	DV2 update
1.7	23 July 2014	Correction of typos
1.8	18 Nov 2014	Correct error on reduced resolution product size
1.9	10 Feb 2015	Update references
1.10	28 May 2015	Implementation of the launch critical changes
2.0	30 May 2016	Implementation of the minor changes
2.2	09 Oct 2017	Documentation split into: L1, L2 land and L2 marine volumes
2.3	22 Mar 2019	ESA-EOPG-CSCOP-CR-0089 Joint CR: OLCI RC in-flight BRDF model (new variables in OL_1_RAC level 1 product)
2.4	29 Mar 2019	ESA-EOPG-CSCOP-CR-0077 Joint CR: processing of modified OLCI Radiometric Calibration Sequence S04 without diffuser measurements.
2.5	02/03/2020	CCN14 – Implementation of OLCI L1 uncertainties

### Document Change Record

No.	Change in Issue	Description	Affected Section
1	1.1	S3IPF-319: length of product type set to 11 characters.	
2	1.1	S3IPF-372: Secondary metadata for OLCI L1 SPC is maintained in Excel file only.	
3	1.1	S3IPF-390: browse product manifest description pushed to metadata specification document	

No.	Change in Issue	Description	Affected Section
4	1.1	S3IPF-450: global attributes are referred to from the "product structures" volume of the PDS.	
5	1.1	S3IPF-451: CF standard name use is defined in the product structure volume.	
6	1.1	S3IPF-456 and S3IPF-487: Quality flags details provided.	
7	1.1	S3IPF-457: manifest content refers to Excel file. Clarification on the number of browse images.	
8	1.1	S3IPF-458: References and links repaired throughout the document.	
9	1.1	S3IPF-472: Secondary metadata for OLCI L1 SPC is maintained in Excel file only.	
10	1.1	S3IPF-475: Manifest section reviewed	
11	1.1	S3IPF-485: global attributes are referred to from the "product structures" volume of the PDS. All justification for not including all attributes are in this document.	
12	1.1	S3IPF-486: DEM_corrected_longitude changed to longitude (same for latitude).	
13	1.1	S3IPF-507: column availability to the user removed.	
14	1.1	S3IPF-520: add caption to tables, correct TOC errors, correct wrong references.	
15	1.2	Change of template.	Entire document
16	1.3	S3IPF-390: secondary metadata reference for Browse products removed	4.4
17	1.3	S3IPF-457: Improve browse product description	4.4.3
18	1.3	S3IPF-487: Straylight risk flag included in the flag definitions	4.2.1.3.1
19	1.3	S3IPF-913 and 912: special changed to spatial, radiometric to spectral	7.1.3
20	1.3	S3IPF-922: change manifest name in table 4-1 and link to section	4.2.1.1
21	1.3	S3IPF-928: clarify the scope of table 4-22	4.2.2.4.1.2

No.	Change in Issue	Description	Affected Section
22	1.3	S3IPF-929: harmonize the definition of the global attributes	4.3.2.4.2
23	1.3	S3IPF-792 and 930: remove the reference to specific metadata and to DPM	4.4.1
24	1.3	S3IPF-794: update of AD references	5.2
25	1.3	S3IPF-932: package map of the products updated	5.1
26	1.3	S3IPF-687: Section 4.2.1.2 renamed to Manifest file	4.2.1.2
27	1.3	S3IPF-689 and 793: Reference to SLSTR removed	5
27	1.3	S3IPF-686: Package summary completed, introductory sentence reworded	4.2.1.1
28	1.3	S3IPF-692: Size of the products updated	7
29	1.3	S3IPF-693: Driver TN reference replaced	7.1.1
30	1.3	S3IPF-691: Driver TN reference replaced with product structure document	5.2
31	1.3	S3IPF-694: List of AD and RD updated	1.3
32	1.3	S3IPF-699: OLQC section removed	4.2.2.4.2
33	1.3	S3IPF-787: IWV description moved to a common section for water and land products	4.2.2.3, 4.2.3.3
34	1.3	S3IPF-789: water replaced with land in description field	4.2.3.1.1
35	1.3	S3IPF-790: clarification for reference pressuer levels variable	4.2.4.5
36	1.3	Harmonization for S3IPF-696	4.1.2
37	1.3	S3IPF-907: RISKGLINT changed to HIGHGLINT	4.2.2.4.1.1
38	1.4	Information package map and data object section update	5.1, 5.3
39	1.5	Wrong ADFS reference (S3IPF-457)	4.4
40	1.5	AD reference update	1.3.1
41	1.6	AD reference update	1.3.1
42	1.7	Correct typos in the content of instrument_data.nc file	Table 4-1, 4.2, 4-9, 4-22
43	1.8	Correct error on product size for the RR (1 TP every row)	7

No.	Change in Issue	Description	Affected Section
44	1.8	Remove unit for Level 2 reflectance	4.2.2.3.1
45	1.9	Reference update	1.3
46	1.10	Additional global attributes	4.1.3.1
47	1.10	Complete product variable attributes	4.2
48	1.10	Addition of OTCI_quality_flags variable	4.2.3.3.2
49	1.10	Deletion of flag OTCI_CLASS_ANG	4.2.3.4.1
50	2.2	Common and Level 1 information are gathered in a separate document	
51	2.3	Addition of 3 variables in OL_1_RAC product's annotation data file	7.2.1.4.1
52	2.4	Added specific _FillValue specifications to all variables related to diffuser measurement within the OLCI Level 1 Radiometric Calibration Product (OL_1_RAC____)	7.2.1.3.1, 7.2.1.4.1
53	2.5	Change "error estimate" term into "uncertainties estimate" in EO product	2.1
54	2.5	Add Dark_Offset_Coefs_unc, Dark_Current_Coefs_unc, and Gain_Coefs_unc output in the calibration product	2.2

# 1. INTRODUCTION

## 1.1 Purpose and Scope

This document aims to identify and specify the format of Sentinel 3 OLCI Level 1 products, browse products included.

## 1.2 Structure of the Document

In addition to this introduction, the document is divided into a number of major sections that are briefly described below:

Chapter Number	Title	Contents
1	INTRODUCTION	This section.
2	OVERVIEW OF THE INSTRUMENT: OLCI	A description of the main features and characteristics of the OLCI instrument is provided here.
3	PRODUCT OVERVIEW	The Product Tree for OLCI instruments and the product names convention are specified here.
4	OLCI PRODUCT FORMAT: COMMON PART	In this section the format of each OLCI common elements is specified. NetCDF Data Files of each product are reported in this section.
5	MANIFEST FILE: COMMON PART	In this section details for the implementation of the common part of the manifest file is provided.
6	XML SCHEMAS	In this section details of the schemas used to generate the manifest is provided.
7	OLCI PRODUCT FORMAT	In this section the format of each OLCI Level 1 is specified. NetCDF Data Files of each product are reported in this section.
8	MANIFEST FILE	In this section details for the implementation of the manifest file is provided.
9	PRODUCT SIZE	In this section the size of each file composing the OLCI products is provided.

**Table 1-1:** Document Structure

## 1.3 Applicable and Reference Documents

### 1.3.1 Applicable documents

The following table lists the documents with a direct bearing on the content of this document.

ID	Document	Reference

<b>ID</b>	<b>Document</b>	<b>Reference</b>
AD- 1	Sentinel 3 PDGS File Naming Convention	EUM/LEO-SEN3/SPE/10/0070 GMES-S3GS-EOPG-TN-09-0009, 1.4, 24/06/2016
AD- 2	Product Data Format Specification - Product Structures	S3IPF.PDS.002, Issue 1.7, 09/10/2017
AD- 3	Drivers for the S3 PDGS Processing Function Implementation	GMES-GSEG-EOPG-TN-11-0062, i1r7, 27/06/2014
AD- 4	Metadata Specification, Excel document	S3IPF.PDS.008, i3r4 – 09/10/2017
AD- 5	XML Schemas.zip – Zip file containing all the schemas used to represent the metadata	S3IPF PDS 009, i3r1 – 09/10/2017
AD- 6	Sentinel SAFE Control Book Volume 1 – Core Specifications	GAEL-P264-DOC-0001-01-01, i1r1, 05/06/2012
AD- 7	Auxiliary Data Format Specification – OLCI Level 1	S3IPF.PDS.007.1, i2r9 09/10/2017

### 1.3.2 Reference documents

The following reference documents contain information supporting this document.

<b>ID</b>	<b>Document</b>	<b>Reference</b>
RD- 1	CCSDS 661.0-B-0 XFDU structure and construction rules	Issue Sept. 2008
RD- 2	Product Data Format Specification - Level 0	S3IPF.PDS.001, i1r8, 09/10/2017
RD- 3	Sentinel 3 Level 0, Level 1a/b/c Products Definition Part 2: Optical Products. Volume 1: Introduction, Conventions, and Common Structures (SY-4)	S3-RS-ACR-SY-00001, i8r0, 30/01/2015
RD- 4	Sentinel-3 Level 0, Level 1a/b/c Products Definition Part 2: Optical Products Volume 2: OLCI L0, L1b Products (SY-4)	S3-RS-ACR-SY-00004, i8r1, 17/04/2015
RD- 5	Sentinel-3 Optical products and Algorithm Definition: OLCI Product Definition	S3-L2-SD-05-C-ACR-PD, i2r5A, 25/09/2012
RD- 6	Sentinel-3 Optical products and Algorithm Definition: OLCI Level 2 Input Output Data Description	S3-L2-SD-08-C-ACR-IODD, i2r11.A, 07/02/2014

## 1.4 Terms, Definitions and Abbreviated Terms

Terms, Definitions and Abbreviated Terms are identified in the common volume of the product format specifications in [AD- 2].

## 1.5 Intellectual property rights for specific parts this document

ACRI-ST retains the copyright and the intellectual property rights for those sections in this document that are specified in the list below. The content of these sections may only be reproduced in whole or in part, stored in a retrieval system, transmitted in any form, or by any means electronically, mechanically, or by photocopying, or otherwise, with the prior written permission of ACRI-ST.

Section	IPR/Document Reference
Section 4.2.1 and sub-sections	Document Title: Level 0, Level 1a/b/c Products Definition Part 2 : Optical Products Volume 1: Introduction, Conventions and Common Structures Document Reference: S3-RS-ACR-SY-00001 Issue: i6r1 Date: 22/07/2011
Section 4.2.2 and sub-sections	Document Title: Sentinel-3 Level 0, Level 1a/b/c Products Definition Part 2: Optical Products Volume 2: OLCI L0, L1b Products (SY-4) Document Reference: S3-RS-ACR-SY-00004 Issue: i7r0 Date: 06/07/2012
Section 7.1.1.3 and sub-sections	Document Title: Sentinel-3 Optical products and Algorithm Definition: OLCI Product Definition Document Reference: S3-L2-SD-05-C-ACR-PD Issue: i2r5.A Date: 25/09/2012
Section 7.1.1.4 and sub-sections	
Section 7.2.1.3 and sub-sections	
Section 7.2.1.4 and sub-sections	
Section 7.2.2.3 and sub-sections	
Section 7.2.2.4 and sub-sections	

[\\fas8040-2a-cifs\GENERAL\groups\RSP\MA\S3docs\OLCI\\_L1\\_uncertainties\S3IPF\\_PDS\\_004.0 - Product Data Format Specification - OLCI common.docx](\\fas8040-2a-cifs\GENERAL\groups\RSP\MA\S3docs\OLCI_L1_uncertainties\S3IPF_PDS_004.0 - Product Data Format Specification - OLCI common.docx)

## 2. OLCI PRODUCT FORMAT SPECIFICATION

### 2.1 Earth Observation Products

#### 2.1.1 Level 1 Products: OL\_1\_EFR\_\_\_\_/OL\_1\_ERR\_\_\_\_

##### 2.1.1.1 Package Description

An “OL\_1\_EFR\_\_\_\_” product is composed of 22 measurement data files: 21 files containing radiances at each band (one band per file), accompanied by the associated uncertainties estimates, plus an additional file providing all data related to pixels that have been removed during the re-sampling process.

The “OL\_1\_ERR\_\_\_\_” product contains the same files except the one related to removed pixels.

##### 2.1.1.1.1 OL\_1\_EFR\_\_\_\_ product summary

Product Package Type OL_1_EFR____		Description OLCI Level 1 full resolution product						
Product Level	Diss. Timeliness	Product Category		Application Domain		Spatial Resolution		
1	NRT NTC	Available to the user		LND	MRT	300m		
Product Dissemination Unit Frame		Number of Package components	Number of Measurement Data Files	Number of Annotation Data Files		Number of Representation Information Files		
		31 <sup>1</sup>	22	7		0		
Product Package Structure								
Manifest file (see section 2.1.1.2 and 3 for more details)								
File name			Composition					
xfdumanifest.xml			XML fields					
Measurement Data files (see section 2.1.1.3 for more details)								
File name			Composition			N.O.		
Oa01_radiance.nc			Oa01_radiance, Oa01_radiance_unc					
Oa02_radiance.nc			Oa02_radiance, Oa02_radiance_unc					
... continue			... continue					

<sup>1</sup> Number of Package components includes the manifest and the OLQC Report.

Oa21_radiance.nc removed_pixels.nc	Oa21_radiance, Oa21_radiance_unc Oa01_radiance, Oa01_radiance_unc, Oa02_radiance, Oa02_radiance_unc ... Oa21_radiance, Oa21_radiance_unc, Longitude, latitude, ...	
<b>Annotation Data files (see Error! Reference source not found. and section 2.1.1.4 for more details)</b>		<b>N.O</b>
<b>File name</b>	<b>Composition</b>	
time_coordinates.nc	time_stamp	
geo_coordinates.nc	longitude, latitude and altitude	
qualityFlags.nc	quality_flags	
tie_geo_coordinates.nc	longitude, latitude	
tie_geometries.nc	SZA, SAA, OZA, OAA	
tie_meteo.nc	horizontal_wind, sea_level_pressure, total_ozone, humidity, reference_pressure_level, atmospheric_temperature_profile, total_columnar_water_vapour	
instrument_data.nc	lambda0, FWHM, Solar Flux, detector_index, frame_offset, relative_spectral_covariance	
<b>Representation Information Files</b>		<b>N.O</b>
<b>File name</b>	<b>Composition</b>	
none		

**Table 2-1:** OLCI Full Resolution Level 1 product physical composition

#### 2.1.1.2 OL\_1\_ERR product summary

Product Package Type <u>OL_1_ERR</u>		Description OLCI Level 1 reduced resolution product				
Product Level	Diss. Timeliness	Product Category		Application Domain		Spatial Resolution
1	NRT NTC	Available to the user		LND	MRT	1000m
Product Dissemination Unit Frame		Number of Package components	Number of Measurement Data Files	Number of Annotation Data Files	Number of Representation Information Files	
		29	21	7	0	
<b>Product Package Structure</b>						
<b>Manifest file (see section 2.1.1.2 and 3 for more details)</b>						
<b>File name</b>		<b>Composition</b>				

xfdumanifest.xml		XML fields
<b>Measurement Data files (see section 2.1.1.3 for more details)</b>		
<b>File name</b>	<b>Composition</b>	<b>N.O</b>
Oa01_radiance.nc	Oa01_radiance, Oa01_radiance_unc	
Oa02_radiance.nc	Oa02_radiance, Oa02_radiance_unc	
... continue	... continue	
Oa21_radiance.nc	Oa21_radiance, Oa21_radiance_unc	
<b>Annotation Data files (see Error! Reference source not found. and section 2.1.1.4 for more details)</b>		
<b>File name</b>	<b>Composition</b>	<b>N.O</b>
time_coordinates.nc	time_stamp	
geo_coordinates.nc	longitude, latitude and altitude	
qualityFlags.nc	quality_flags	
tie_geo_coordinates.nc	longitude, latitude	
tie_geometries.nc	SZA, SAA, OZA, OAA	
tie_meteo.nc	horizontal_wind, sea_level_pressure, total_ozone, humidity, reference_pressure_level, atmospheric_temperature_profile, total_columnar_water_vapour	
instrument_data.nc	lambda0, FWHM, Solar Flux, detector_index, frame_offset, relative_spectral_covariance	
<b>Representation Information Files</b>		
<b>File name</b>	<b>Composition</b>	<b>N.O</b>
none		

**Table 2-2:** OLCI Reduced Resolution Level 1 product physical composition

## 2.1.1.2 Manifest File

The structure of the Manifest element is described in [AD- 2].

### 2.1.1.2.1 Wrapped Metadata

According to [AD- 2], Wrapped Metadata are grouped in Primary Metadata, common to all Sentinel 3 products and Secondary Metadata, specific for instrument and processing level.

Primary Metadata are described in [AD- 2].

Secondary Metadata for the OLCI instrument are reported in Table 2-3. Last columns of the table indicate the applicability of Metadata fields to the processing Level.

*< Complete secondary metadata is described in details in [AD- 4].  
The content of this table will be embedded in the document when it will be finalized>*

**Table 2-3:** Secondary Metadata for OLCI products

### 2.1.1.3 Measurement Data Files

#### 2.1.1.3.1 Radiance: Oa##\_radianc.nc

Each radiance file is composed of TOA radiances at the band Oa## on the product grid, and their corresponding uncertainties estimates.

Element name	Description	Range or value	T	D
rows	Number of rows in the product image			
columns	Number of columns in the product image	FR: 4865 RR: 1217		
<common global attributes>	Common global attributes (including additional as defined in <b>Error!</b> <b>Reference source not found.</b> )			
Oa##_radianc	Radiance for OLCI acquisition band ##	[0, 2 <sup>16</sup> – 2]	us	rows columns
standard_name	CF standard name	TOA_upwelling_spe ctral_radiance		1
units	UDUNITS unit name	mW.m-2.sr-1.nm-1		1
_FillValue	Value indicating missing data	2 <sup>16</sup> – 1		1
scale_factor	Scaling factor used in decoding packed data			1
add_offset	Offset used to in decoding packed data			1
ancillary_variables	List of variables that are closely associated to this data	Oa##_radianc_err		1
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		
Oa##_radianc_unc	Uncertainties estimate for OLCI acquisition band ##		us	rows columns
units	UDUNITS unit name	mW.m-2.sr-1.nm-1		1
_FillValue	Value indicating missing data	2 <sup>16</sup> – 1		1

Element name	Description	Range or value	T	D
scale_factor	Scaling factor used in decoding packed data			1
add_offset	Offset used to in decoding packed data			1
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		1

**Table 2-4: OL\_1\_EFR\_\_\_\_/OL\_1\_ERR\_\_\_\_: radiance Oa## description**

#### 2.1.1.3.2 Removed Pixels: removed\_pixels.nc

This file gathers all removed pixels corresponding to the pixels located within camera's overlaps and that have been removed from the gridded Level 1b product during the resampling process. This file is not present in the reduced resolution product.

Element name	Description	Range or value	T	D
rows	Number of rows in the product image			
removed_pixels	Maximum removed pixels per line	~125		
<common global attributes>	Common global attributes (including additional as defined in <b>Error! Reference source not found.</b> )		S	1
nb_removed_pixels	Number removed pixels per frame		us	rows
Oa##_radiance	Radiance for removed pixels for OLCI acquisition band ##	[0, 2 <sup>16</sup> – 2]	us	rows removed_pixels
standard_name	CF standard name	TOA_upwelling_spectral_radiance		1
units	UDUNITS unit name	mW.m-2.sr-1.nm-1		1
_FillValue	Value indicating missing data	2 <sup>16</sup> – 1		1
scale_factor	Scaling factor used in decoding packed data		fl	1
add_offset	Offset used to in decoding packed data		fl	1
ancillary_variables	List of variables that are closely associated to this data	Oa##_radiance_err		1
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		
Oa##_radiance_unc	Uncertainties estimate for removed pixels for OLCI acquisition band ##		us	rows removed_pixels
units	UDUNITS unit name	mW.m-2.sr-1.nm-1		1

Element name	Description	Range or value	T	D
_FillValue	Value indicating missing data	$2^{16} - 1$		1
scale_factor	Scaling factor used in decoding packed data		fl	1
add_offset	Offset used to in decoding packed data		fl	1
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		
latitude	<b>Latitudes for removed pixels</b>	[ -90; 90 ]	sl	<b>rows_removed_pixels</b>
standard_name	CF standard name	latitude		1
units	UDUNITS unit name	degrees_north		1
_FillValue	Value indicating missing data	-2147483647		1
scale_factor	Scaling factor used in decoding packed data	1e-6	fl	1
longitude	<b>Longitudes for removed pixels</b>	[ -180; 180 ]	sl	<b>rows_removed_pixels</b>
standard_name	CF standard name	longitude		1
units	UDUNITS unit name	degrees_east		1
_FillValue	Value indicating missing data	-2147483647		1
scale_factor	Scaling factor used in decoding packed data	1e-6	fl	1
altitude	<b>Altitudes for removed pixels</b>	[ -1000; 9000 ]	ss	<b>rows_removed_pixels</b>
standard_name	CF standard name	altitude		1
units	UDUNITS unit name	mW.m-2.sr-1.nm-1		1
_FillValue	Value indicating missing data	-32767		1
SZA	<b>Sun Zenith Angle for removed pixels</b>	[ 0; 180 ]	ul	<b>rows_removed_pixels</b>
units	UDUNITS unit name	degrees		1
_FillValue	Value indicating missing data	4294967295		1
scale_factor	Scaling factor used in decoding packed data		fl	1
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		

Element name	Description	Range or value	T	D
detector_index	Detector indices for removed pixels	[-1; 3699]	ss	rows removed_pixels
_FillValue	Value indicating missing data	-1		1
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		
quality_flags	Classification and quality flags for removed pixels		ul	rows removed_pixels
flag_masks	List of bit fields describing boolean or enumerated flags	See Table 2-8	ul	31
flag_meanings	List of flag meanings composing this variable	See Table 2-8	st	31
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		

Table 2-5: OL\_1\_EFR\_\_\_\_: removed pixel description

## 2.1.1.4 Annotation Data Files

### 2.1.1.4.1 Quality Flags: qualityFlags.nc

This file contains classification and quality flags for each pixel. It comprises the following flags:

- Land/ saline water mask (based on a priori knowledge),
- Fresh inland water mask (based on a priori knowledge),
- Tidal regions mask (based on a priori knowledge),
- Coastline mask (based on a priori knowledge),
- Preliminary Cloud mask (bright pixels),
- Identification of pixels not corrected for the straylight
- Identification of invalid pixels,
- Identification of pixels where sun glint might occurs (computed in function of the viewing and sun geometries as well as the wind conditions at water surface,
- Identification of saturated samples
- Identification of “dubious” samples or pixels of potentially lower quality,
- Identification of cosmetic pixels (containing at least one sample filled with cosmetic data),
- Identification of duplicated pixels (as a consequence of the re-sampling process on an even product grid)

Element name	Description	Range or value	T	D
rows	Number of rows in the product image			
columns	Number of columns in the product image	FR: 4865 RR: 1217		
<common global attributes>	Common global attributes (including additional as defined in <b>Error!</b> <b>Reference source not found.</b> )		st	1
quality_flags	Classification and quality flags		ul	rows columns
flag_masks	List of bit fields describing boolean or enumerated flags	See Table 2-8	ul	31
flag_meanings	List of flag meanings composing this variable	See Table 2-8	st	1
coordinates	List of auxiliary coordinates variables related to the variable	time_stamp altitude latitude longitude		

**Table 2-6:** OL\_1\_EFR\_\_\_\_/OL\_1\_ERR\_\_\_\_: quality flags annotation data file description

Description of the structure of the 4 bytes regrouping all Classification and Quality flags of the L1b products is given in the table below (see the conventions detailed in volume 1 for the ordering of the bytes and bits):

byte \ bit	7	6	5	4	3	2	1	0
3	A	B	C	D	E	F	G	H
2	I	J	K	L1	L2	L3	L4	L5
1	L6	L7	L8	L9	L10	L11	L12	L13
0	L14	L15	L16	L17	L18	L19	L20	L21

**Table 2-7 –** Detailed structure of the quality flags variable

With:

- **A: Land / saline Water flag** set to '1' if the pixel is over land, '0' if it is over water.
- **B: Coastline flag** set to '1' if the pixel is on coastline
- **C: Fresh Inland Water flag** set to '1' if the pixel is over fresh water rivers or lakes
- **D: Tidal regions flag** set to '1' if the pixel is over a tidal region
- **E: Preliminary Cloud flag** (bright pixel) set to '1' if the pixel is bright
- **F: "StrayLightRisk" Pixel flag** set to '1' if stray light correction (of the Ground Imager) quality is degraded because not enough neighbour pixels were available for its estimation.
- **G: Invalid Pixel flag** set to '1' if the pixel is invalid, i.e. its value is missing either because out of the instrument swath or because of missing or unusable Level 0 data.
- **H: Cosmetic Pixel flag** set to '1' if the pixel has been filled with cosmetic values.
- **I: Duplicated Pixel flag** set to '1' if the pixel is derived from the same instrument pixel as one of its neighbour during the re-sampling process.
- **J: Sun-Glint Risk flag** set to '1' if the viewing and wind conditions are such that the Sun may cause glint to occur on pixels over water surfaces (This flag is set only on the basis of sun and viewing angles taking into account wind conditions, but it is not set according to radiometric data)
- **K: "Dubious" Pixel flag** set to '1' if any pixel's sample is potentially contaminated by a neighbour saturated sample or if the Instrument Source Packet it was extracted from is corrupted.
- **Li: Saturated Sample flag** set to '1' if the sample of band Oi is saturated.
- **s: spare bits**, to be ignored (set to 0).

The list of values allowed for the flag\_masks and flag\_meanings attributes is detailed in the table below.

flag_masks	flag_meanings
80000000h	land ('0' = saline water)
40000000h	coastline
20000000h	fresh_inland_water
10000000h	tidal_region
08000000h	bright

flag_masks	flag_meanings
04000000h	straylight_risk
02000000h	invalid
01000000h	cosmetic
00800000h	duplicated
00400000h	sun-glint_risk
00200000h	dubious
00100000h	saturated@Oa01
00080000h	saturated@Oa02
00040000h	saturated@Oa03
00020000h	saturated@Oa04
00010000h	saturated@Oa05
00008000h	saturated@Oa06
00004000h	saturated@Oa07
00002000h	saturated@Oa08
00001000h	saturated@Oa09
00000800h	saturated@Oa10
00000400h	saturated@Oa11
00000200h	saturated@Oa12
00000100h	saturated@Oa13
00000080h	saturated@Oa14
00000040h	saturated@Oa15
00000020h	saturated@Oa16
00000010h	saturated@Oa17

flag_masks	flag_meanings
00000008h	saturated@Oa18
00000004h	saturated@Oa19
00000002h	saturated@Oa20
00000001h	saturated@Oa21

**Table 2-8 –** List of allowed values to be taken by flags attributes

## 2.2 Calibration Products

### 2.2.1 Radiometric Calibration: OL\_1\_RAC\_\_\_\_

#### 2.2.1.1 Package Description

An "OL\_1\_RAC\_\_\_\_" product is composed of 1 measurement and 1 annotation data files.

Additional global attributes for this product are provided in the next table:

Element name	Description	T	D
calibration_sequence_index	Calibration sequence ID	u16	1

Table 9: Additional Global Attributes for OLCI L1 files in RAC mode

#### 2.2.1.1.1 OL\_1\_RAC\_\_\_\_ product summary

Product Package Type <b>OL_1_RAC____</b>		Description OLCI calibration product containing dark offset and gain coefficients from radiometric calibration			
<b>Product Level</b>		<b>Diss. Timeliness</b>		<b>Product Category</b>	
1		(NRT)		Not Available to the user	
Product Dissemination Unit N/A		Number of Package components	Number of Measurement Data Files	Number of Annotation Data Files	Number of Representation Information Files
<b>Product Package Structure</b>					
<b>Manifest file file (see section 2.2.1.2 and 3 for more details)</b>					
<b>File name</b>		<b>Composition</b>			
xfdumanifest.xml		Xml fields			
<b>Measurement Data files (see section 2.2.1.3 for more details)</b>					<b>N.O</b>
<b>File name</b>		<b>Composition</b>			

<sup>2</sup> Number of Package components includes the manifest and the OLQC Report.

Radiometric_coef.nc	Dark_Offset_Coefs, Dark_Offset_Coefs_unc, Dark_Current_Coefs, Dark_Current_Coefs_unc , Gain_Coefs, Gain_Coefs_unc, Mean_Dark_Pixels_Shut, Mean_Dark_Pixels_Diff, Mean_Bank_Pixels_Shut, Mean_Bank_Pixels_Diff	
<b>Annotation Data files (see section 2.2.1.4 for more details)</b>		<b>N.O</b>
<b>File name</b>	<b>Composition</b>	
RC_annotations.nc	Quality_flags, Valid_DO_Num, Valid_G_Num, Shut_Temp_CCD,Diff_Temp_CCD	
<b>Representation Information Files</b>		<b>N.O</b>
<b>File name</b>	<b>Composition</b>	
none		

Table 2-10: OLCI Radiometric Calibration Level 1 product physical composition

### 2.2.1.1.2 Wrapped Metadata

According to [AD- 2], Wrapped Metadata are grouped in Primary Metadata, common to all Sentinel 3 products and Secondary Metadata, specific for instrument and processing level.

Primary Metadata are described in [AD- 2].

Secondary Metadata for the OLCI instrument are reported in Table 2-11 Last columns of the table indicate the applicability of Metadata fields to the processing Level.

*< Complete secondary metadata is described in details in [AD- 4].  
The content of this table will be embedded in the document when it will be finalized>*

Table 2-11: Secondary Metadata for OLCI products

## 2.2.1.2 Manifest File

The structure of the Manifest element is described in [AD- 2].

## 2.2.1.3 Measurement Data Files

### 2.2.1.3.1 Radiometric Coefficients

Element name	Description	Range or value	T	D
detectors	Number of instrument detectors per frame (convering the five cameras)	3700		
bands	Number of OLCI bands, excluding the smear band	21		
bands_total	Number of OLCI bands, including the smear band	22		
dark_pixels	Number of dark pixels for the five OLCI cameras	50		
blank_pixels	Number of blank pixels for the five OLCI cameras	20		
<common global attributes>	Common global attributes (including additional as defined in Error! Reference source not found.)			
dark_offset_coefficients	Dark offset coefficients for all pixels	[0; 200]	f1	bands_total detectors
units	UDUNITS unit name	count		1
dark_offset_coefficients_unc	Dark offset coefficients uncertainty for all pixels	[0; 200]	f1	bands_total detectors
units	UDUNITS unit name	count		1
dark_current_coefficients	Dark current coefficients for all pixels	[0; 200]	f1	bands_total detectors
units	UDUNITS unit name	count		1
dark_current_coefficients_unc	Dark current coefficients uncertainty for all pixels	[0; 200]	f1	bands_total detectors
units	UDUNITS unit name	count		1

Element name	Description	Range or value	T	D
gain_coefficients <sup>3</sup>	Gain coefficients for all pixels	[0; 1000]	fl	bands_detectors
units	UDUNITS unit name	mW-1.m2.sr.nm		1
_FillValue	Value indicating missing data	NaN	fl	1
gain_coefficients_unc <sup>4</sup>	Gain coefficients uncertainties for all pixels	[0; 1000]	fl	bands_detectors
units	UDUNITS unit name	mW-1.m2.sr.nm		1
_FillValue	Value indicating missing data	NaN	fl	1
shutter_mean_dark_pixels	Time average of the dark pixels of the 5 cameras at the 21 nominal bands plus the smear band, all acquired in shutter position	[0; 200]	fl	bands_total_dark_pixels
shutter_mean_blank_pixels	Time average of the blank pixels of the 5 cameras at the 21 nominal bands plus the smear band, all acquired in shutter position	[0; 200]	fl	bands_total_blank_pixels
diffuser_mean_dark_pixels3	Time average of the dark pixels of the 5 cameras at the 21 nominal bands plus the smear band, all acquired in diffuser position	[0; 200]	fl	bands_total_dark_pixels
_FillValue	Value indicating missing data	NaN	fl	1
diffuser_mean_blank_pixels3	Time average of the blank pixels of the 5 cameras at the 21 nominal bands plus the smear band, all acquired in diffuser position	[0; 200]	fl	bands_total_blank_pixels
_FillValue	Value indicating missing data	NaN	fl	1

Table 2-12: OL\_1\_RAC\_\_\_ radiometric\_coef description

## 2.2.1.4 Annotation Data Files

### 2.2.1.4.1 Coefficients Annotation file

The Coefficients Annotations file contains:

- Quality Information for each instrument detector,

---

<sup>3</sup> This variable mys be left to \_FillValue in case the processed radiometric calibration sequence does not contain any diffuser observation

<sup>4</sup> This variable mys be left to \_FillValue in case the processed radiometric calibration sequence does not contain any diffuser observation

- Telemetry statistics providing the minimum, maximum, and mean values of measured temperatures for each sub-sequence of the calibration sequence (i.e. while the Calibration Mechanism (CM) is in shutter position, or while it is in diffuser position)

Element name	Description	Range or value	T	D
detectors	Number of instrument detectors per frame (convering the five cameras)	3700		
bands	Number of OLCI bands, excluding the smear band	21		
bands_total	Number of OLCI bands, including the smear band	22		
min_mean_max	Dimension of 3 to hold min/mean/max values	3		
modules	Number of camera modules	5		
<common global attributes>	Common global attributes (including additional as defined in <b>Error!</b> <b>Reference source not found.</b> )			1
quality_flags	Quality flags		uc	bands_total detectors
thresholds	Thresholds used to compute quality flags		us	3
avg_length	Vector of the two lengths of the average led to compute the dark offset and the gain coefficients, i.e. length of sub-sequences where CM is in shutter and in diffuser positions [shutter_nF diffuser_nF]		us	2
flag_masks	List of bit fields describing boolean or enumerated flags		uc	3
flag_meanings	List of flag meanings composing this variable		st	1
valid_DO_num	Number of valid microbands used for dark offset coefficient average	[0; 4]	us	bands_total detectors
valid_DC_num	Number of valid microbands used for dark current coefficient average	[0; 4]	us	bands_total detectors
valid_G_num	Number of valid frames used for gain coefficient average	[0; 536]	us	bands detectors
shutter_CCD_temperature	CCD temperature in shutter mode	[-100; 100]	fl	modules min_mean_max
units	UDUNITS unit name	C		1
diffuser_CCD_temperature <sup>3</sup>	CCD temperature in diffuser mode	[-100; 100]	fl	modules min_mean_max
units	UDUNITS unit name	C		1
_FillValue	Value indicating missing data	NaN	fl	1

Element name	Description			Range or value	T	D
<b>Sun_azimuth_angles<sup>3</sup></b>	Sun azimuth angle (diffuser reference) at start, mid and end of exposure			[-180; 180]	db	start_mid_stop
units	UDUNITS unit name			degrees		1
_FillValue	Value indicating missing data			NaN	db	1
<b>Sun_z zenith_angles<sup>3</sup></b>	Sun zenith angle (diffuser reference) at start, mid and end of exposure			[0; 90]	Db	start_mid_stop
units	UDUNITS unit name			degrees		1
_FillValue	Value indicating missing data			NaN	Db	1
<b>Sun_angles_times<sup>3</sup></b>	Measurement Time Stamp for each Sun geometry sample				db	start_mid_stop
units	UDUNITS unit name			GPS MJD2000		1
_FillValue	Value indicating missing data			NaN	db	1

**Table 2-13:** OL\_1\_RAC\_\_\_\_ RC\_annotation description

The one-byte Quality flags structure is defined in the table below following the conventions detailed in volume 1 for the ordering of bits.

7	6	5	4	3	2	1	0
A	B	C	Spare				

**Table 2-14 –** Detailed structure of the one-byte Quality Flags variable

With:

- **A: Invalid\_DO\_Coef flag** set to '1' if the percentage of valid pixels ( $100 * \text{Valid\_DO\_Num} / \text{Shutter\_nF}$ ) used in the time average of the Dark Offset Coefficients computation is below the threshold Invalid\_DO\_Coef\_Thres.  
Note: In case no spectral relaxation is applied on the counts and one time averaged counts used to compute the integrated Dark Offset over the microbands is not valid, this flag is set to '1' as well.
- **B: Invalid\_G\_Coef flag** set to '1' if the percentage of valid pixels ( $100 * \text{Valid\_G\_Num} / \text{Diffuser\_nF}$ ) used in the time average of the Gain Coefficients computation, is below the threshold Invalid\_G\_Coef\_Thres OR if the calibration sequence did not include diffuser measurements (Diffuser\_nF = 0).
- **C: Invalid\_DC\_Coef flag** set to '1' if the percentage of valid pixels ( $100 * \text{Valid\_DC\_Num} / \text{Shutter\_nF}$ ) used in the time average of the Dark Current Coefficients computation is below the threshold Invalid\_DC\_Coef\_Thres.  
Note: In case no spectral relaxation is applied on the counts and one time averaged counts used to compute the integrated Dark Current over the microbands is not valid, this flag is set to '1' as well.
- **Spare:** spare bits set to '0'.

## 2.2.2 Spectral Calibration: OL\_1\_SPC\_\_

### 2.2.2.1 Package Description

An "OL\_1\_SPC\_\_" product is composed of 1 measurement and 2 annotation data files.

#### 2.2.2.1.1 OL\_1\_SPC\_\_ product summary

Product Package Type OL_1_SPC		Description OLCI calibration product containing wavelength characterization from spectral calibration			
Product Level	Diss. Timeliness	Product Category	Application Domain	Spatial Resolution	
1	(NRT)	Not Available to the user			
Product Dissemination Unit N/A		Number of Package components	Number of Measurement Data Files	Number of Annotation Data Files	Number of Representation Information Files
		5 <sup>5</sup>	1	2	0
Product Package Structure					
Manifest file (see section 2.2.2.2 and 3 for more details)					
File name	Composition				
xfdumanifest.xml	See section				
Measurement Data files (see section 2.2.2.3 for more details)					
File name	Composition				
calWavelengths.nc	Dark_Offset_Coefs, Gain_Coefs, Mean_Dark_Pixels_Shut, Mean_Dark_Pixels_Diff, Mean_Blank_Pixels_Shut, Mean_Blank_Pixels_Diff				
Annotation Data files (see section 2.2.2.4 for more details)					
File name	Composition				
time_coordinates.nc	time_stamp				
SC_annotations.nc	Quality_flags, Shut_Temp_CCD, Diff_Temp_CCD				
Representation Information Files					
File name	Composition				
none					

Table 2-15: OLCI Spectral Calibration Level 1 product physical composition

<sup>5</sup> Number of Package components includes the manifest and the OLQC Report.

## 2.2.2.2 Manifest File

The structure of the Manifest element is described in [AD- 2].

### 2.2.2.2.1 Wrapped Metadata

According to [AD- 2], Wrapped Metadata are grouped in Primary Metadata, common to all Sentinel 3 products and Secondary Metadata, specific for instrument and processing level.

Primary Metadata are described in [AD- 2].

Secondary Metadata for the OLCI instrument are reported in Table 2-21. Last columns of the table indicate the applicability of Metadata fields to the processing Level.

*< Complete secondary metadata is described in details in [AD- 4].  
The content of this table will be embedded in the document when it will be finalized>*

**Table 2-16:** Secondary Metadata for OLCI products

## 2.2.2.3 Measurement Data Files

### 2.2.2.3.1 Wavelengths File

Element name	Description	Range or value	T	D
detectors	Number of instrument detectors per frame (covering the five cameras)	3700		
bands_total	Number of OLCI bands, including the smear band	22		
dark_pixels	Number of dark pixels for the five OLCI cameras	50		
blank_pixels	Number of blank pixels for the five OLCI cameras	20		
diffuser_acquisitions	Number of frames acquired during the second orbit of the spectral calibration sequence while CM is in spectral diffuser position			
selected_rows	Number of rows selected to compute the absolute central wavelength			
orbit	Number of orbits treated during the run (corresponds to orbits n and n+1)	2		

<common_global_attributes>	Common global attributes (including additional as defined in <a href="#">Error!</a> <a href="#">Reference source not found.</a> )		st	1
absolute_central_wavelength	Absolute Central Wavelengths for all pixels of all cameras and the N_Bands_Sets selected rows	[390. 1040]	fl	selected_rows diffuser_acquisitions detectors
units	UDUNITS unit name	nm		1
_FillValue	Value indicating missing data	-1		1
shutter_mean_dark_pixels	Time average of the dark pixels of the 5 cameras at the configured bands for spectral calibration plus the smear band, all acquired in shutter position of both orbit N and N+1	[0; 200]	fl	orbit bands_total dark_pixels
units	UDUNITS unit name	count		1
shutter_mean_blank_pixels	Time average of the blank pixels of the 5 cameras at the configured bands for spectral calibration plus the smear band, all acquired in shutter position of both orbit N and N+1	[0; 200]	fl	orbit bands_total blank_pixels
units	UDUNITS unit name	count		1

diffuser_mean_dark_pixels	Time average of the dark pixels of the 5 cameras at the configured bands for spectral calibration plus the smear band, all acquired in diffuser position of both orbit N and N+1			[0; 200]	fl	orbit_bands_total_dark_pixels
units	UDUNITS unit name			count		1
diffuser_mean_blank_pixels	Time average of the blank pixels of the 5 cameras at the configured bands for the spectral calibration plus the smear band, all acquired in diffuser position of both orbit N and N+1			[0; 200]	fl	orbit_bands_total_blank_pixels
units	UDUNITS unit name			count		1

Table 2-17 – OL\_1\_SPC\_\_\_\_ cal\_wavelengths description

## 2.2.2.4 Annotation Data Files

### 2.2.2.4.1 Time Coordinates

Element name	Description	Range or value	T	D
diffuser_acquisitions	Number of frames acquired during the second orbit of the spectral calibration sequence while CM is in spectral diffuser position			
<common global attributes>	Common global attributes (including additional as defined in Error! Reference source not found.)		st	1
time_stamp	Measurement Time Stamp for each line of the product		sll	diffuser_acquisitions
standard_name	CF Standard name	time		1
units	UDUNITS unit name	"microseconds since 2000-01-01 00:00:00"		1

Table 2-18 – OL\_1\_SPC\_\_\_\_ time annotation data file description

#### 2.2.2.4.2 General Annotations File

Element name	Description	Range or value	T	D
diffuser_acquisitions	Number of frames acquired during the second orbit of the spectral calibration sequence while CM is in spectral diffuser position			
detectors	Number of instrument detectors per frame (covering the five cameras)	3700		
modules	Number of camera modules	5		
min_mean_max	Dimension of 3 to hold min/mean/max values	3		
orbit	Number of orbits treated during the run (corresponds to orbits n and n+1)	2		
selected_rows	Number of rows selected to computer the absolute central wavelength	50		
<common global attributes>	Common global attributes (including additional as defined in <b>Error! Reference source not found.</b> )		st	1
rows_index	Selected rows index for which the wavelengths are provided	[0, 519]	us	selected_rows
units	UDUNITS unit name			1
quality_flags	Quality flags		uc	selected_rows diffuser_acquisitions detectors
thresholds	Thresholds used to compute quality flags		us	2
do_avg_length	Length of the average led to compute the dark offset coefficient, i.e. length of sub-sequences where CM is in diffuser position	1000	us	1
flag_masks	List of bit fields describing boolean or enumerated flags		uc	5
flag_meanings	List of flag meanings composing this variable		st	1
shutter_CCD_temperature	CCD temperature in shutter mode	[-100; 100]	fl	orbit modules min_mean_max
units	UDUNITS unit name	C		1
diffuser_CCD_temperature	CCD temperature in diffuser mode	[-100; 100]	fl	orbit modules min_mean_max
units	UDUNITS unit name	C		1

**Table 2-19 – OL\_1\_SPC\_\_ SC\_annotation annotation data file description**

The one byte Quality flags structure is defined in the table below, following the conventions detailed in volume 1 for the ordering of bits.

7	6	5	4	3	2	1	0
A	B	C	D	E			<b>Spare</b>

**Table 2-20 – Detailed structure of the one-byte Quality Flags variable**

With:

- **A: Invalid\_Wv flag** set to ‘1’ if the wavelength is considered as invalid, i.e. at least one of the three following flags is raised.
- **B: Invalid\_DO\_Coef1** set to ‘1’ if the number of valid pixels used in the average for computation of the dark offset coefficients associated to the calibration sequence of the first orbit (i.e. using the radiometric diffuser), is below the threshold “Invalid\_DO\_Coef\_Thres” defined in the SPH.
- **C: Invalid\_DO\_Coef2** set to ‘1’ following the same rule as for “Invalid\_DO\_Coef1”, but applied on pixels of the calibration sequence of the second orbit (i.e. using the spectral diffuser).
- **D: Invalid\_Data** set to ‘1’ when either Radiometric or Spectral Diffuser data is missing or of insufficient quality to be submitted to derive reliable relative Spectral reflectance.
- **E: Invalid\_Fit\_Model** set to ‘1’ if the linear model of reflectance derived from a least square fitting between the measured reflectance and the reference one is not enough accurate, i.e. the residual error is above the threshold “Invalid\_fit\_model\_Thres” at the optimal spectral shift  $j_{min}$ .
- **Spare**: spare bits set to 0.

**Note:**

1. *The valid pixels used in the time average during the computation of dark offset coefficients are the ones that are not flagged as “invalid” during the Data Packets Extraction stage, and have no saturated samples at all.*
2. *the index of the spatial dimension of the arrays of Quality Flags, if counted from 0, is identical to the Detector Index defined for the Earth Observation Level 1b product in section 2.1.1.3.2.*

The list of values allowed for the flag\_masks and flag\_meanings attributes is detailed in table below.

flag_masks	flag_meanings
80h	invalid_wavelength
40h	invalid_dark_offset_coefficient_for_first_orbit
20h	invalid_dark_offset_coefficient_for_second_orbit
10h	Invalid_input_data
08h	Invalid_fit_model

**Table 2-21** – List of allowed values to be taken by flags attributes

## 2.3 Browse Products

A browse product consists of a collection of metadata information gathered in the xfdumanifest.xml files and of one or more browse images. The images can represent one or several parameters or combination of parameters stored in one or several image formats.

### 2.3.1 Manifest File

The structure of the Manifest element is described in [AD- 2].

#### 2.3.1.1 Wrapped Metadata

According to [AD- 2], Wrapped Metadata are grouped in Primary Metadata, common to all Sentinel 3 products.

Regarding the primary metadata: the fields are the same of the parent product, with different values for some fields (which are filled by the browse processor). There is no secondary metadata section for the browse products.

### 2.3.2 Level 1 products: OL\_1\_EFR\_BW/OL\_1\_ERR\_BW

#### 2.3.2.1 Package Description

##### 2.3.2.1.1 OL\_1\_EFR\_BW/OL\_1\_ERR\_BW product summary

Product Package Type <b>OL_1_EFR_BW, OL_1_ERR_BW</b>		<i>Description</i> OLCI Full/Reduced Resolution Browse L1 Product general structure			
Product Level	Diss. Timeliness	<b>Product Category</b>		<b>Application Domain</b>	<b>Spatial Resolution</b>
1	(NRT)	Not Available to the user			
Product Dissemination Unit N/A		Number of Package components	Number of Measurement Data Files	Number of Annotation Data Files	Number of Representation Information Files
<b>Product Package Structure</b>					
<b>Manifest file (see section 2.3.1 and 3 for more details)</b>					

<sup>6</sup> Number of Package components includes the manifest and the OLQC Report.

File name	Composition	
xfdumanifest.xml	XML fields	
<b>Measurement Data files (see section 2.3.2.2 for more details)</b>		N.O
<b>File name</b>	<b>Composition</b>	
BrowseImage.<ext>	True color image	
<b>Annotation Data files</b>		N.O
<b>File name</b>	<b>Composition</b>	
none		
<b>Representation Information Files</b>		N.O
<b>File name</b>	<b>Composition</b>	
none		

**Table 2-22:** OLCI Full/Reduced Resolution Browse L1 Product physical composition

### 2.3.2.2 Measurement Data Files

The Browse products contain 3 selected spectral bands (red, blue and green) of 0 to 255 intensity levels for each band.

The product may contain one browse image representing a combination of radiances in the allowed image formats (see list of accepted formats in AD-2).

### 3. MANIFEST FILE DESCRIPTION

The purpose of this section is to describe in detail all the data sets that are included with any of the Sentinel-3 OLCI product. Most of the description are common to all products and are therefore described in [AD- 2].

Only the IPF specific parts are detailed in this section.

#### 3.1 InformationPackageMap

##### 3.1.1 “OL\_1\_EFR\_\_\_” Level 1 Product

The Information Package Map associated to the package of the OL\_1\_EFR\_\_\_ product is reported in the next table.

Name			Description	Data Type	Value	Occ.
contentUnit			The information package map contains one content unit that includes the product data component included in the product.	Content Unit Type		1
	ID		Identifier of the package	S	“packageUnit”	0..1
	unitType		Describes the type of data referenced by this content unit	S	“Information Package”	0..1
	textInfo		Textual description of the content unit	S	“SENTINEL-3 OLCI Level 1 Earth Observation Full Resolution Product”	0..1
	pdiID		Identifier of the Preservation Description Information applicable to this content unit	S	“processing”	1
	dmdID		Identifier of the Metadata applicable to this content unit	S	In any order : “acquisitionPeriod” “platform” “orbitReference” “qualityInformation” “processing” “frameSet” “generalProductInformation” “olciProductInformation”	1
	contentUnit					1...21
		ID	Content unit ID	S	“Oaxx_radianceUnit”, xx = 01, 02, ..., 21	
		unitType		S	“Measurement Data Unit”	1
		textInfo		S	TOA radiance for OLCI acquisition band Oaxx xx = 01, 02, ..., 21	0..1
		dmdID	Attribute: Description Metadata Identifier	S	In any order: ‘geoCoordinatesData’ ‘timeCoordinatesData’ ‘qualityFlagsData’	0..1
		dataObjectPointer				1
			ID	Data Object pointer ID	S	
			dataObjectID	Data Object element ID	S	“Oaxx_radianceData”, xx = 01, 02, ..., 21
						1

Name			Description	Data Type	Value	Occ.	
	contentUnit					1	
		ID	Content unit ID	S	removedPixelsUnit	0..1	
		unitType		S	“Measurement Data Unit”	1	
		textInfo		S	“Removed Pixels information used for SYN L1c reconstruction”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	‘timeCoordinatesData’	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“removedPixelsData”	1
	contentUnit					1	
		ID	Content unit ID	S	geoCoordinatesUnit	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Geo Coordinates Annotations”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	‘timeCoordinatesData’	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“geoCoordinatesData”	1
	contentUnit					1	
		ID	Content unit ID	S	qualityFlagsUnit	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Quality flags”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	In any order: timeCoordinatesData geoCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“qualityFlagsData”	1
	contentUnit					1	
		ID	Content unit ID	S	“tieGeoCoordinatesUnit”	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Tie-Point Geo Coordinate Annotations”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	timeCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“tieGeoCoordinatesData”	1
	contentUnit					1	
		ID	Content unit ID	S	“tieGeometriesUnit”	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Tie-Point Geometries Annotations”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	tieGeoCoordinatesData timeCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	

Name			Description	Data Type	Value	Occ.	
		dataObjectID	Data Object element ID	S	"tieGeometriesData"	1	
	contentUnit					1	
		ID	Content unit ID	S	tieMeteoUnit	0..1	
		unitType		S	"Annotation Data Unit"	1	
		textInfo		S	"Tie-Point Meteo Annotations"	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	tieGeoCoordinatesData timeCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	"tieMeteoData"	1
	contentUnit					1	
		ID	Content unit ID	S	timeCoordinatesUnit	0..1	
		unitType		S	"Annotation Data Unit"	1	
		textInfo		S	"Time Coordinates Annotations"	0..1	
		dmdID	Attribute: Description Metadata Identifier	S		0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	"timeCoordinatesData"	1
	contentUnit					1	
		ID	Content unit ID	S	instrumentDataUnit	0..1	
		unitType		S	"Annotation Data Unit"	1	
		textInfo		S	"Instrument Annotation"	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	In any order: 'geoCoordinatesData' 'timeCoordinatesData' 'qualityFlagsData'	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	"instrumentDataData"	1

**Table 3-1:** Information Package Map for L1 OLCI Full Resolution product

### 3.1.2 “OL\_1\_ERR\_\_\_” Level 1 Product

The Information Package Map associated to the package of the OL\_1\_ERR\_\_\_ product is reported in the next table.

<b>Name</b>				<b>Description</b>	<b>Data Type</b>	<b>Value</b>	<b>Occ.</b>
contentUnit				The information package map contains one content unit that includes the product data component included in the product.	Content Unit Type		1
	ID			Identifier of the package	S	“packageUnit”	0..1
	unitType			Describes the type of data referenced by this content unit	S	“Information Package”	0..1
	textInfo			Textual description of the content unit	S	“SENTINEL-3 OLCI Level 1 Earth Observation Reduced Resolution Product”	0..1
	pdiID			Identifier of the Preservation Description Information applicable to this content unit	S	“processing”	1
	dmdID			Identifier of the Metadata applicable to this content unit	S	In any order : “acquisitionPeriod” “platform” “orbitReference” “qualityInformation” “processing” “frameSet” “generalProductInformation” “olciProductInformation”	1
	contentUnit						1...21
		ID		Content unit ID	S	“Oaxx_radianceUnit”, xx = 01, 02, ..., 21	
		unitType			S	“Measurement Data Unit”	1
		textInfo			S	TOA radiance for OLCI acquisition band Oaxx xx = 01, 02, ..., 21	0..1
		dmdID		Attribute: Description Metadata Identifier	S	In any order: ‘geoCoordinatesData’ ‘timeCoordinatesData’ ‘qualityFlagsData’	0..1
		dataObjectPointer					1
			ID	Data Object pointer ID	S		0..1
			dataObjectID	Data Object element ID	S	“Oaxx_radianceData”, xx = 01, 02, ..., 21	1
	contentUnit						1
		ID		Content unit ID	S	geoCoordinatesUnit	0..1
		unitType			S	“Annotation Data Unit”	1
		textInfo			S	“Geo Coordinates Annotations”	0..1
		dmdID		Attribute: Description Metadata Identifier	S	‘timeCoordinatesData’	0..1
		dataObjectPointer					1
			ID	Data Object pointer ID	S		0..1
			dataObjectID	Data Object element ID	S	“geoCoordinatesData”	1
	contentUnit						1

<b>Name</b>			<b>Description</b>	<b>Data Type</b>	<b>Value</b>	<b>Occ.</b>	
		ID	Content unit ID	S	qualityFlagsUnit	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Quality flags”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	timeCoordinatesData geoCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“qualityFlagsData”	1
<b>contentUnit</b>						1	
		ID	Content unit ID	S	“tieGeoCoordinatesUnit”	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Tie-Point Geo Coordinate Annotations”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	timeCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“tieGeoCoordinatesData”	1
<b>contentUnit</b>						1	
		ID	Content unit ID	S	“tieGeometriesUnit”	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Tie-Point Geometries Annotations”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	tieGeoCoordinatesData timeCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“tieGeometriesData”	1
<b>contentUnit</b>						1	
		ID	Content unit ID	S	tieMeteoUnit	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Tie-Point Meteo Annotations”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S	tieGeoCoordinatesData timeCoordinatesData	0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“tieMeteoData”	1
<b>contentUnit</b>						1	
		ID	Content unit ID	S	timeCoordinatesUnit	0..1	
		unitType		S	“Annotation Data Unit”	1	
		textInfo		S	“Time Coordinates Annotations”	0..1	
		dmdID	Attribute: Description Metadata Identifier	S		0..1	
		dataObjectPointer				1	
			ID	Data Object pointer ID	S	0..1	
			dataObjectID	Data Object element ID	S	“timeCoordinatesData”	1

Name			Description	Data Type	Value	Occ.	
	contentUnit					1	
	ID		Content unit ID	S	instrumentDataUnit	0..1	
	unitType			S	“Annotation Data Unit”	1	
	textInfo			S	“Instrument Annotation”	0..1	
	dmdID		Attribute: Description Metadata Identifier	S	In any order: ‘geoCoordinatesData’ ‘timeCoordinatesData’ “qualityFlagsData”	0..1	
	dataObjectPointer					1	
		ID	Data Object pointer ID	S		0..1	
			dataObjectID	Data Object element ID	S	“instrumentDataData”	1

**Table 3-2:** Information Package Map for L1 OLCI Reduced Resolution product

### 3.1.3 “OL\_1\_RAC\_\_\_” Level 1 Product

The Information Package Map associated to the package of the OL\_1\_RAC\_\_\_ product is reported in the next table.

Name			Description	Data Type	Value	Occ.
contentUnit			The information package map contains one content unit that includes the product data component included in the product.	Content Unit Type		1
	ID		Identifier of the package	S	“packageUnit”	0..1
	unitType		Describes the type of data referenced by this content unit	S	“Information Package”	0..1
	textInfo		Textual description of the content unit	S	“SENTINEL-3 OLCI Level 1 Radiometric Calibration Product”	0..1
	pdiID		Identifier of the Preservation Description Information applicable to this content unit	S	“processing”	1
	dmdID		Identifier of the Metadata applicable to this content unit	S	In any order : “acquisitionPeriod” “platform” “orbitReference” “qualityInformation” “frameSet” “processing” “generalProductInformation” “olciProductInformation”	1
	contentUnit					1
	ID		Content unit ID	S	radiometricCoefUnit	0..1
	unitType			S	“Measurement Data Unit”	1
	textInfo			S	“Radiometric Coefficients Data”	0..1
	dmdID		Attribute: Description Metadata Identifier	S		0..1
	dataObjectPointer					1
		ID	Data Object pointer ID	S		0..1

<b>Name</b>			<b>Description</b>	<b>Data Type</b>	<b>Value</b>	<b>Occ.</b>
		dataObjectID	Data Object element ID	S	“radiometricCoefData”	1
	contentUnit	ID	Content unit ID	S	rcAnnotationsUnit	0..1
		unitType		S	“Annotation Data Unit”	1
		textInfo		S	“Radiometric Coefficients Annotations”	0..1
		dmdID	Attribute: Description Metadata Identifier	S		0..1
		dataObjectPointer				1
			ID	Data Object pointer ID	S	0..1
			dataObjectID	Data Object element ID	S	“ rcAnnotationsData”
						1

**Table 3-3:** Information Package Map for L1 Radiometric Calibration OLCI Product

### 3.1.4 “OL\_1\_SPC\_\_\_\_” Level 1 Product

The Information Package Map associated to the package of the OL\_1\_SPC\_\_\_\_ product is reported in the next table.

Name				Description	Data Type	Value	Occ.
contentUnit				The information package map contains one content unit that includes the product data component included in the product.	Content Unit Type		1
	ID			Identifier of the package	S	“packageUnit”	0..1
	unitType			Describes the type of data referenced by this content unit	S	“Information Package”	0..1
	textInfo			Textual description of the content unit	S	“SENTINEL-3 OLCI Level Spectral Calibration Product”	0..1
	pdiID			Identifier of the Preservation Description Information applicable to this content unit	S	“processing”	1
	dmdID			Identifier of the Metadata applicable to this content unit	S	In any order : “acquisitionPeriod” “platform” “orbitReference” “qualityInformation” “frameSet” “processing” “generalProductInformation” “olciProductInformation”	1
	contentUnit						1
	ID			Content unit ID	S	calWavelengthsUnit	0..1
	unitType				S	“Measurement Data Unit”	1
	textInfo				S	“Spectral Calibration wavelength measurements”	0..1
	dmdID			Attribute: Description Metadata Identifier	S	“timeCoordinatesData”	0..1
	dataObject Pointer						1
		ID		Data Object pointer ID	S		0..1
		dataObjec	ctID	Data Object element ID	S	“calWavelengthsData”	1
	contentUnit						1
	ID			Content unit ID	S	scAnnotationsUnit	0..1
	unitType				S	“Annotation Data Unit”	1
	textInfo				S	“Spectral Calibration Annotations”	0..1
	dmdID			Attribute: Description Metadata Identifier	S	timeCoordinatesData	0..1
	dataObject Pointer						1
		ID		Data Object pointer ID	S		0..1
		dataObjec	ctID	Data Object element ID	S	“scAnnotationsData”	1
	contentUnit						1
	ID			Content unit ID	S	timeCoordinatesUnit	0..1
	unitType				S	“Annotation Data Unit”	1
	textInfo				S	“Time Coordinates”	0..1
	dmdID			Attribute: Description Metadata Identifier	S		0..1
	dataObject Pointer						1
		ID		Data Object pointer ID	S		0..1
		dataObjec	ctID	Data Object element ID	S	“timeCoordinatesData”	1

**Table 3-4: Information Package Map for L1 Spectral Calibration OLCI Product**

### 3.1.5 “OL\_1\_EFR\_BW/OL\_1\_ERR\_BW” L1 Browse Products

The Information Package Map associated to the package of the OL\_1\_EFR\_BW/OL\_1\_ERR\_BW products is reported in the next table.

Name	Description			Data Type	Value	Occ.
contentUnit				Content Unit Type		1
	ID			S	“packageUnit”	0..1
	unitType			S	“Information Package”	0..1
	textInfo			S	“SENTINEL-3 OLCI Level 1 Browse Product”	0..1
	pdiID			S	“processing”	1
	dmdID			S	In any order : “acquisitionPeriod” “platform” “orbitReference” “generalInformation” “qualityInformation” “processing” “frameSet”	1
	contentUnit					1
	ID		Content unit ID	S	brwImage01Unit	0..1
	unitType			S	“Measurement Data Unit”	1
	textInfo			S	“True Colour Image”	0..1
	dmdID		Attribute: Description Metadata Identifier	S		0..1
	dataObject Pointer					1
		ID	Data Object pointer ID	S		0..1
		dataObject ctID	Data Object element ID	S	“brwImage01Data”	1

**Table 3-5:** Information Package Map for L1 OLCI Browse Products

## 3.2 Metadata Section

See [AD- 2] for the metadata general description.

## 3.3 Data Object Section

The data object section of the manifest includes one data object per data object pointer. Each data object pointer is identified with its dataObjectID as defined in the information package map in section 3.1.

### 3.3.1 Measurement Data File

#### 3.3.1.1 “OL\_1\_EFR” Level 1 Product

Data Objects for the OLCI OL\_1\_EFR Level 1 product are listed in the next table.

Name				Description	Data type	Occ.	Value
Data Object							
	<b>ID</b>			This element references the Data Component included in the L1 product.	U	1..*	
	<b>byte Stream</b>			Data Component ID	S	1	“Oaxx_radianceData” xx = 01, 02,..., 21
		<b>ID</b>		Pointer to the Data Component	U	1..*	
		<b> mimeType</b>		Byte stream ID	S	0..1	
		<b> size</b>		MIME type for the referenced Data Component	E	1	“application/x-netcdf”
		<b> fileLocation</b>		Size of the Data Object File	L	1	
			<b> locator Type</b>	Description of the location of the data component file	U	1	
			<b> href</b>	Type of the file location	URL	0..1	URL
				Relative path of the file (in the file system) containing the referenced Data Component	S		“Oaxx_radiance.nc” xx = 01, 02,..., 21
			<b> textInfo</b>	Textual description of the Data Component	S	0..1	
			<b> checksum</b>	Checksum for the Data Component	U	1	

Name			Description	Data type	Occ.	Value
		checksumName		E	1	MD5
<b>Data Object</b>			This element references the Data Component included in the L1 product.	U	1..*	
	<b>ID</b>		Data Component ID	S	1	“removedPixelsData”
	<b>byte Stream</b>		Pointer to the Data Component	U	1..*	
	<b>ID</b>		Byte stream ID	S	0..1	
	<b>mimeType</b>		MIME type for the referenced Data Component	E	1	“application/x-netcdf”
	<b>size</b>		Size of the Data Object File	L	1	
	<b>fileLocation</b>		Description of the location of the data component file	U	1	
		<b>locator Type</b>	Type of the file location	URL	0..1	URL
		<b>href</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		“removed_pixels.nc”
		<b>textInfo</b>	Textual description of the Data Component	S	0..1	
	<b>checksum</b>		Checksum for the Data Component	U	1	
		checksumName		E	1	MD5

**Table 3-6: OL\_1\_EFR Level 1 measurements Data Objects**

### 3.3.1.2 “OL\_1\_ERR” Level 1 Product

Data Objects for the OLCI OL\_1\_ERR Level 1 product are shown in the next table:

Name				Description	Data type	Occ.	Value
Data Object							
	<b>ID</b>			This element references the Data Component included in the L1 product.	U	1..*	
	<b>byte Stream</b>			Data Component ID	S	1	“Oaxx_radianceData” xx = 01, 02,..., 21
		<b>ID</b>		Pointer to the Data Component	U	1..*	
		<b>mimeType</b>		Byte stream ID	S	0..1	
		<b>size</b>		MIME type for the referenced Data Component	E	1	"application/x-netcdf"
		<b>fileLocation</b>		Size of the Data Object File	L	1	
			<b>locator Type</b>	Description of the location of the data component file	U	1	
			<b>href</b>	Type of the file location	URL	0..1	URL
			<b>textInfo</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		“Oaxx_radiance.nc” xx = 01, 02,..., 21
		<b>checksum</b>		Textual description of the Data Component	S	0..1	
			<b>checksumName</b>	Checksum for the Data Component	U	1	
					E	1	MD5

Table 3-7: OL\_1\_ERR Level 1 Data Objects

### 3.3.1.4 “OL\_1\_RAC\_\_\_” Level 1 Product

Data Object for the OLCI OL\_1\_RAC Level 1 product is reported in the next table.

Name			Description	Data type	Occ.	Value
Data Object			This element references the Data Component included in the L1 product.	U	1..*	
	<b>ID</b>		Data Component ID	S	1	radiometricCoefData
	<b>byte Stream</b>		Pointer to the Data Component	U	1..*	
	<b>ID</b>		Byte stream ID	S	0..1	
	<b>mimeType</b>		MIME type for the referenced Data Component	E	1	"application/x-netcdf"
	<b>size</b>		Size of the Data Object File	L	1	
	<b>fileLocation</b>		Description of the location of the data component file	U	1	
		<b>locator Type</b>	Type of the file location	URL	0..1	URL
		<b>href</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		"radiometric_coef.nc"
		<b>textInfo</b>	Textual description of the Data Component	S	0..1	
	<b>checksum</b>		Checksum for the Data Component	U	1	
		<b>checksumName</b>		E	1	MD5

Table 3-8: OL\_1\_RAC Level 1 Data Object

### 3.3.1.6 “OL\_1\_SPC\_\_\_” Level 1 Product

Data Object for the OLCI OL\_1\_SPC Level 1 product is described in the next table.

Name			Description	Data type	Occ.	Value
Data Object						
	<b>ID</b>		This element references the Data Component included in the L1 product.	U	1..*	
	<b>byte Stream</b>		Data Component ID	S	1	calWavelengthsData
		<b>ID</b>	Pointer to the Data Component	U	1..*	
		<b>mimeType</b>	Byte stream ID	S	0..1	
		<b>size</b>	MIME type for the referenced Data Component	E	1	"application/x-netcdf"
		<b>fileLocation</b>	Size of the Data Object File	L	1	
			Description of the location of the data component file	U	1	
		<b>locator Type</b>	Type of the file location	URL	0..1	URL
		<b>href</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		"cal_wavelengths.nc"
		<b>textInfo</b>	Textual description of the Data Component	S	0..1	
		<b>checksum</b>	Checksum for the Data Component	U	1	
		<b>checksumName</b>		E	1	MD5

**Table 3-9:** OL\_1\_SPC Level 1 Data Object

### 3.3.1.8 “OL\_1\_EFR\_BW/OL\_1\_ERR\_BW” L1 Browse Products

Data Object for OLCI Level 1 browse products are shown in the next table.

Name			Description	Data type	Occ.	Value
Data Object			This element references the Data Component included in the L1 product.	U	1..*	
	<b>ID</b>		Data Component ID	S	1	brwImage01Data
	<b>byte Stream</b>		Pointer to the Data Component	U	1..*	
	<b>ID</b>		Byte stream ID	S	0..1	
	<b> mimeType</b>		MIME type for the referenced Data Component	E	1	One value among: "image/jpeg" "image/tiff" "image/png" "image/jp2"
	<b>size</b>		Size of the Data Object File	L	1	
	<b>fileLocation</b>		Description of the location of the data component file	U	1	
		<b>locator Type</b>	Type of the file location	URL	0..1	URL
		<b> href</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		One value among: “BrowseImage.jpeg” “BrowseImage.tiff” “BrowseImage.png” “BrowseImage.jp2”
		<b>textInfo</b>	Textual description of the Data Component	S	0..1	
	<b>checksum</b>		Checksum for the Data Component	U	1	
		<b>checksumName</b>		E	1	MD5

Table 3-10: OLCI Browse Level 1 Data Object

### 3.3.2 Specific Annotation Data File

Name			Description	Data type	Occ.	Value	
<b>Data Object</b>			This element references the Data Component included in the product.	U	1..*		
	<b>ID</b>		Data Component ID	S	1	“qualityFlagsData”	
	<b>byte Stream</b>		Pointer to the Data Component	U	1..*		
		<b>ID</b>	Byte stream ID	S	0..1		
		<b> mimeType</b>	MIME type for the referenced Data Component	E	1	“application/x-netcdf”	
		<b> size</b>	Size of the Data Object File	L	1		
		<b> fileLocation</b>	Description of the location of the Data component file	U	1		
			locator Type	Type of the file location	URL	0..1	URL
			<b> href</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		“qualityFlags.nc”
			<b> textInfo</b>	Textual description of the Data Component	S	0..1	
		<b> checksum</b>		Checksum for the Data Component	U	1	
			<b> checksumName</b>		E	1	MD5

Table 3-11: Quality flags Metadata Object

<b>Name</b>				<b>Description</b>	<b>Data type</b>	<b>Occ.</b>	<b>Value</b>
<b>Data Object</b>				This element references the Data Component included in the product.	U	1..*	
	<b>ID</b>			Data Component ID	S	1	"rcAnnotationsData"
	<b>byte Stream</b>			Pointer to the Data Component	U	1..*	
		<b>ID</b>		Byte stream ID	S	0..1	
		<b> mimeType</b>		MIME type for the referenced Data Component	E	1	"application/x-netcdf"
		<b> size</b>		Size of the Data Object File	L	1	
		<b> fileLocation</b>		Description of the location of the Data component file	U	1	
			<b> locator Type</b>	Type of the file location	URL	0..1	URL
			<b> href</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		"RC_annotations.nc"
			<b> textInfo</b>	Textual description of the Data Component	S	0..1	
		<b> checksum</b>		Checksum for the Data Component	U	1	
			<b> checksumName</b>		E	1	MD5

**Table 3-12:** Rc annotation Metadata Object

<b>Name</b>				<b>Description</b>	<b>Data type</b>	<b>Occ.</b>	<b>Value</b>
<b>Data Object</b>				This element references the Data Component included in the product.	U	1..*	
	<b>ID</b>			Data Component ID	S	1	“scAnnotationsData”
	<b>byte Stream</b>			Pointer to the Data Component	U	1..*	
		<b>ID</b>		Byte stream ID	S	0..1	
		<b> mimeType</b>		MIME type for the referenced Data Component	E	1	“application/x-netcdf”
		<b> size</b>		Size of the Data Object File	L	1	
		<b> fileLocation</b>		Description of the location of the Data component file	U	1	
			<b> locator Type</b>	Type of the file location	URL	0..1	URL
			<b> href</b>	Relative path of the file (in the file system) containing the referenced Data Component	S		“SC_annotations.nc”
			<b> textInfo</b>	Textual description of the Data Component	S	0..1	
		<b> checksum</b>		Checksum for the Data Component	U	1	
			<b> checksumName</b>		E	1	MD5

**Table 3-13:** Sc annotation Metadata Object

## 4. PRODUCT SIZE

In the following table the approximate size of each OLCI file composing the Level 1 products is given.

The sizes computation have been based on a full OLCI acquisition (FR) orbit which corresponds approximately to 60 000 frames (44 minutes). The RR product is based on 15 000 frames.

No file compression is applied.

### 4.1 OLCI Level 1

#### 4.1.1 EO mode (OL\_1\_EFR\_\_\_\_/OL\_1\_ERR\_\_\_\_)

Tie points related figures account for an along-track spacing of 1 to be compliant with driver [OPCONF-1] of the Driver TN document. The size of the radiances includes the 21 bands and the associated radiance uncertainties.

Element name	Description	Size in FR mode in GBytes	Size in RR mode in GBytes
xfdumanifest.xml	Sentinel-SAFE product manifest		
Oa##_radiance.nc	Radiance for OLCI acquisition bands 01 to 21	22,836	1,428
removed_pixels.nc	Removed pixels information needed for L1c generation	0,727	N/A
time_coordinates.nc	Time stamp annotations	0,00045	0,00011
geo_coordinates.nc	High resolution georeferencing data	2,719	0,170
qualityFlags.nc	Classification and quality flags	1,087	0,068
tie_geo_coordinates.nc	Low resolution georeferencing data	0,034	0,009
tie_geometries.nc	Sun and View angles	0,069	0,017
tie_meteo.nc	ECMWF meteorology data	0,534	0,133
instrument_data.nc	Instrument data	0,545	0,035
Total		28,550	1,860

Table 4-1: OL\_1\_EFR\_\_\_\_/OL\_1\_ERR\_\_\_\_ product size

The total size of the radiance uncertainties (21 bands) is: 11.71 GBytes in FR mode and 0.714 GBytes in RR.

#### 4.1.2 Radiometric Calibration mode (OL\_1\_RAC\_\_\_\_)

Element name	Description	Size
xfdumanifest.xml	Sentinel-SAFE product manifest	
radiometric_coef.nc	Radiometric coefficients data	951.48 Kbytes
RC_annotations.nc	Radiometric calibration annotations	379.51 Kbytes
<b>Total</b>		<b>1331 Kbytes</b>

Table 4-2: OL\_1\_RAC\_\_\_\_ product size

#### 4.1.3 Spectral calibration mode (OL\_1\_SPC\_\_\_\_)

The following sizes have been computed accounting for 500 frames acquired during the second orbit of the spectral calibration sequence while CM is in spectral diffuser position.

Element name	Description	Size
xfdumanifest.xml	Sentinel-SAFE product manifest	
cal_wavelengths.nc	Spatial calibration wavelength data	21.194 Mbytes
time_coordinates.nc	Time data	3.9063 Kbytes
SC_annotations.nc	Spectral calibration annotations	5.2931 Mbytes
<b>Total</b>		<b>26.49 Mbytes</b>

Table 4-3: OL\_1\_SPC\_\_\_\_ product size

## 4.2 Browse products

Due to the type and level of compression and the format of the image used in the processing, the size of the browse products cannot be accurately defined. Compared to the volume of data of the measurement/annotation, this size may be considered negligible.

**End of the document**